8689

1915.

QUEENSLAND.

VITAL STATISTICS, 1914.

With the Compliments of

The Government Statistician.

Brisbane,

Queensland.

NORMAN JAMES MACLEOD, Government Statistician.

PRESENTED TO BOTH HOUSES OF PARLIAMENT BY COMMAND.

BRISBANE:

BY AUTHORITY: ANTHONY JAMES CUMMING, GOVERNMENT PRINTER.

1915.

8689

1915.

QUEENSLAND.

VITAL STATISTICS, 1914.

FIFTY-FIFTH ANNUAL REPORT

OF

THE GOVERNMENT STATISTICIAN.

NORMAN JAMES MACLEOD, Government Statistician.

PRESENTED TO BOTH HOUSES OF PARLIAMENT BY COMMAND.

BRISBANE:

BY AUTHORITY: ANTHONY JAMES CUMMING, GOVERNMENT PRINTER.

1915.

QUEENSLAND

NO VAL MANN

AIGL REPRINATE LEME.

MACIOTATICATICATION STRATEGISTAL

NOROLANA AMERICANA, Government Sentistinas

CHILDRED AG CHANTAIN CAN AN ANGOR BARGA OF OR INGRESS

· TWO BEARING

DESCRIPTION TO THE PROPERTY OF THE PROPERTY OF

FIFTY-FIFTH REPORT OF THE GOVERNMENT STATISTICIAN ON THE VITAL STATISTICS OF QUEENSLAND.

TO THE UNDER SECRETARY, HOME DEPARTMENT, BRISBANE.

SIR,—I do myself the pleasure in furnishing the Fifty-fifth Report on the Vital Statistics of the State, especially as it is a record in number of births (though the increase on 1913 was not so great as was that over 1912) and marriages celebrated, and deaths were fewer than in 1913.

POPULATION.

The last census was taken on 3rd April, 1911, and the population, as you are aware, is arrived at as near as may be at census periods; but, from returns which are courteously furnished by the shipping companies and those obtained from the railway officials at Wallangarra and Tweed Heads, information may be deduced which gives somewhat of a check on the population during the intercensal periods. There is no method of discovering the arrivals and departures at and from the far distant parts on the border of the States, but the traffic thereabouts is very limited.

The population of the cities, towns, and shires of the State was as follows:-

A.

Local Government.

		 -		Males.		Females.	Persons.	
Cities		 	 	 68,611		72,954	141,565	
Towns		 	 	 44,879		45,639	90,518	
Shires		 	 	 211,453		156,840	368,293	
Not Incorpora	ated	 	 	 1,267		302	1,569	
Shipping	• •	 	 	 3,296		572	3,868	
Tota	1	 	 	 329,506		276,307	605,813	

Table 2, Appendix C, page 52, shows the ages in groups of the population of the State at the census on 3rd April, 1911. The following is a brief summary:—

B.
Ages.

Ages				Males.	Females.	Persons.
Under 1 year 1 year and under 5 years	• •			 8,329 29,395	7,967 28,013	16,296 57,408
Total under 5 years				 37,724	35,980	73,704
5 years and under 15 years 15 years and under 21 years	• •	• •		 63,522 39,532	62,413 37,160	125,935 76,692
Total under 21 years				 140,778	135,553	276,331
21 years and under 45 years 45 years to 75 years and up Unspecified		• •	• •	 121,711 65,035 1,982	97,277 42,293 1,184	218,988 107,328 3,166
Total State				 329,506	276,307	605,813

Birthplace and religion of the people are shown in Tables 3 and 4, Appendix C, pages 52 and 53, respectively; and the following is a summary of the occupations given in detail in Table 5, page 54:—

Occupations.

Class.	Males.	Females.	Persons.	
Class I.—Professional II.—Domestic III.—Commercial IV.—Transport and Communication V.—Industrial VI.—Primary Producers VII.—Independent VIII.—Dependants Unspecified	11,403 6,354 28,905 22,521 56,949 98,721 2,027 98,359 4,267	$\begin{array}{c} 6,250 \\ 20,216 \\ 5,659 \\ 621 \\ 11,313 \\ 3,183 \\ 731 \\ 227,711 \\ 623 \end{array}$	17,653 26,570 34,564 23,142 68,262 101,904 2,758 326,070 4,890	
Total	329,506	276,307	605,813	

The estimated population of the State is arrived at as shown in the following table. The special allowance mentioned therein was adopted by the Commonwealth Statistician on the experience obtained during the 1911 Census:—

A. POPULATION OF THE STATE.

Return of the Estimated Population of the State of Queensland on the 31st December, 1914. (Not including full-blooded aborigines.)

els at Mallacatro and I went Heath, Careful					EXCESS.				
dayagaya sakada agasada gasada ayay saft sa	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Estimated Population on 1st January, 1914 Births registered during March Quarter Deaths registered during March Quarter	2,445 1,066	2,491 636	4,936 1,702	•••	***	•••	356,613	303,545	660,158
Natural Increase to Population during March Quarter Arrivals by sea and by rail during March Quarter Departures by sea and by rail during March Quarter +	22,571 19,587	11,620 10,613	34,191 30,200	1,379	1,855	3,234			
Increase by Excess of Arrivals over Departures during Quarter				2,984 250	1,007	3,991 250			
Total Increase to Population during March Quarter							4,613	2,862	7,475
Estimated Population on 31st March, 1914 Births registered during June Quarter Deaths registered during June Quarter	2,525 1,014	2,424 601	4,949 1,615	•••			361,226	306,407	667,633
Natural Increase to Population during June Quarter Arrivals by sea and by rail during June Quarter Departures by sea and by rail during June Quarter†	21,961 17,479	12,008 8,843	33,969 26,322	1,511	1,823	3,334			
Increase by Excess of Arrivals over Departures during Quarter				4,482 250	3,165	7,647 250		, 2011	
Total Increase to Population during June Quarter							6,243	4,988	11,231
Estimated Population on 30th June, 1914	2,644 1,009	2,548 675	5,192 1,684				367,469	311,395	678,864
Natural Increase to Population during September Quarter Arrivals by sea and by rail during September Quarter Departures by sea and by rail during September Quarter+	17,127 16,374	8,778 8,639	25,905 24,913	1,635	1,873	3,508			
Increase by Excess of Arrivals over Departures during Quarter				753 250	139	992 250			
Total Increase to Population during September Quarter							2,638	2,012	4,650
Estimated Population on 30th September, 1914 Births registered during December Quarter Deaths registered during December Quarter	2,506 1,043	2,299 687	4,805 1,730				370,107	313,407	683,514
Natural Increase to Population during December Quarter Arrivals by sea and by rail during December Quarter Departures by sea and by rail during December Quarter	16,519 23,813	9,960 12,798	26,479 36,611	1,463	1,612	3,075			
Decrease by Excess of Departures over Arrivals during December Quarter Special Allowance based on last intercensal experience				-7,294 250	-2,838	-10,132 250			
1				-			5 501	1 000	
Total Increase (or Decrease –) to Population during December Quarter							-5,581	-1,226	-6,807
Total Increase (or Decrease -) to Population during				,			364,526	312,181	-6,807 676,707

The estimated population on 31st December, 1914, was 676,707 persons—males 364,526, females 312,181. This is an increase of 16,549 persons for the year, of which 7,475, 11,231, and 4,650 accrued in the quarters ended 31st March, 30th June, and 30th September, respectively.

The decrease during the last quarter of the year was over ten times as great as that at the same time in 1913. This is principally accounted for by the departure of our troops to the Great War in Europe, and our nurses to the hospitals in Egypt and other places where they may nurse the sick and wounded from the great conflict. There might, possibly, have been some tourists, but not many, who are fleeing from an anticipated high summer temperature.

In the ratio of increase to the population for 1914, Queensland with 2.51 exceeds all the other States of the Commonwealth.

			Aa.			
Queensland	 	2.51		Western Australia	 	0.73
New South Wales		1.63		Tasmania	 	-0.13
Victoria	 	1.31		New Zealand	 	1.04
South Australia	 	0.37				
			Dooroogo			

The proportionate increase for Queensland of 2.51 exceeded by 0.35 the average annual rate during 1901-1911—the last intercensal period.

The sex proportions of the population of each State of the Commonwealth were as follow:—

Ab.

State.	Estimated Po	opulation, 31st De	cember, 1914.	Proportion of the	of each sex in ne Population.	Proportion per cent of the Population of each Federal State to the total Popu-
61-161 Base Base Base Base Base Base Base Base	Males.	Females.	Persons.	Males.	Females.	lation of the Commonwealth.
Queensland	361,526	312,181	676,707	53.87	46.13	13.70
New South Wales	966,675	894,847	1,861,522	51.93	48.07	37.67
Victoria	712,594	718,073	1,430,667	49.81	50.19	28.95
South Australia	220,550	221,140	441,690	49.93	50.07	8.94
Western Australia	179,188	143,830	323,018	55.47	44.53	6.54
Tasmania	103,590	97,826	201,416	51.43	48.57	4.08
Territories-						
Northern	3,252	721	3,973	81.85	18.15	0.08
Federal Capital	1,056	903	1,959	53.91	46.09	0.04
Total Commonwealth	2,551,431	2,389,521	4,940,952	51.64	48:36	100.00
New Zealand	568,16 1	527,833	1,095,994	51.84	48.16	theo sog Co.(15) to
Total Australasia	3,119,592	2,917,354	6,036,946	51.68	48.32	

In two States—Victoria and South Australia—the females were in excess of males by 5,479 and 590 respectively. All the other States and New Zealand record more males than females. In Queensland, out of each 100 of the population, a slight alteration from 1913 is observed—males and females have declined and increased respectively by 0.15. The ratio for the Commonwealth was 51.64 to 48.36—a difference less and more of 0.42 respectively.

Of the Commonwealth population, Queensland had 13.70 per cent.; New South Wales, 37.67 per cent.; and Victoria, 28.95 per cent. The proportion per cent. in the first two States had slightly increased; but in Victoria and the other three States there was a slight decline.

				Ac.		
				Males to each 100 Persons.	Females to each 100 Persons.	Females to each 100 Males.
1880		 	 	 58.71	 41.29	 70.32
1885		 	 	 58.91	 41.09	 69.75
1890)	 	 	 56.93	 43.07	 75.65
1895	·	 	 	 56.27	 43.73	 77.71
1900)	 	 	 55.63	 44:37	 79:77
1905	·	 	 	 54.96	 45.04	 81.96
1910		 	 	 54.38	 45.62	 83.89
1914	ł	 	 	 53.87	 46.13	 85.64

The ratio of females to males has been increasing since 1890—when there were 75.65 females to every 100 males—until 1914, when it stood at 85.64 per cent., an increase of 10 per cent. in 25 years.

The excess of births over deaths in 1914 showed only 188 more than the figures in 1913, or an increase of 1.99 per cent. Several years were lower than this; 1903 was only 1.23 per cent.

Ad.
Showing Excess of Births over Deaths and of Immigration over Emigration by Sea and Overland by Railway.—
Return from 1862 to 1914.

	Period.	EXCESS	OF BIRTI	IS OVER	DEATHS.	which is over e total	E	MIGRATIC	BY RAI		on which nigration bears to stion in-	to Population mber of last	f total	Females to les in total
Period	Mean Population for Period.	Males.	Females.	Total.	Centesimal ratio to Population of last year of previous period.	Centesimal proportion we the excess of Births Deaths bears to the Population increase.	Males.	Females.	Total,	Centesimal ratio to Population of last year of previous neriod.	Centesimal proportion which the excess of Immigration over Emigration bears to the total Population in- crease.	Total increase to Popto 15 31st December of year of period.	Centesimal ratio of total increase to Population of last year of previous period	Proportion of Femerach 100 Males increase.
1862-1865 1866-1870 1871-1875 1876-1880 1881-1885 1886-1890 1891-1895	 60,460 103,012 143,467 204,445 268,719 375,253 427,792	2,062 5,739 6,704 7,960 7,986 17,872 20,525	3,025 7,571 9,706 12,291 15,262 24,238 25,757	5,087 13,310 16,410 20,251 23,248 42,110 46,282	14·80 15·16 14·20 11·17 10·28 12·88 10·95	9·88 49·05 26·06 37·12 20·78 41·96 75·46	28,880 9,804 33,661 23,384 57,200 36,111 11,361	17,542 4,019 12,850 10,914 31,414 22,138 3,692	46,422 13,823 46,511 34,298 83,614 58,249 15,053	135·08 15·74 40·25 18·92 39·20 17·82 3·56	90.12 50.95 73.94 62.88 79.22 58.04 24.54	*53,437 *27,763 *65,721 *44,789 *100,839 *95,860 *37,774	155·49 31·62 56·87 24·71 44·60 29·32 8·93	64·40 70·19 57·82 95·21 76·19 82·67 147·96
1896-1900	 487,319	17,724	24,037	41,761	9.07	67:33	14,968	5,294	20,262	4:40	32.67	*33,616	7:30	113.72
1901–1905	 515,381	16,628	22,910	39,538	8.00	116.69	§—1,311	§—1,345	§-5,656	-1.14	-16.69	33,882	6.86	121.21
1906-1910	 558,481	21,420	26,047	47,467	8.50	66.78	§ 14,180	§ 9,436	§23,616	4.23	33.22	71,083	12.73	99.67
1911	 614,352	4,647	5,800	10,447	1.74	45.43	§ 7,502	\$ 5,049	§12,551	2.09	54.57	22,998	3.84	89.30
1912	 631,577	5,280	6,557	11,837	1.93	82.80	† 904	1,555	+ 2,459	0.40	17.20	14,296	2.33	131.18
1913	 652,555	5,852	7,112	12,964	2.04	54.62	† 6,622	т 4,147	†10,769	1.69	45.38	23,733	3.73	90.26
1914	 674,932	5,888	7,164	13,152	1.99	79.47	† 1,925	† 1,472	† 3,397	0.51	20.53	16,549	2.51	109.14

^{*} Figures adjusted after actual population ascertained by census.

† Including 1,000 males as well as the unrecorded departures allowed by Commonwealth Statistician.

— Excess of departures.

The progress by natural increase was slow, but there has been no decline during the past 10 years. In two instances during that period the natural increase was not above 19 on the previous year.

MIGRATION.

This has been more or less alluded to under "Population," on page iii.

The excess of arrivals by sea over the departures from and to places outside the Commonwealth was only 656, or 3.98 per cent. of the increase to the population. Arrivals by seaborne interstate traffic exceeded departures by 3,504; but by land the departures were more by 762 than arrivals. The net increase, therefore, was 3,398, or 20.53 per cent. of the total population increase. These figures are after adjustments and allowances made by the Commonwealth Statistician. During the last quarter of the year 2,984 troops left the State, and thus reduced the proportion from 32.67 to the above figure of 20.53 per cent.

A summary of migration records is as follows:—

B.

							ARRIVALS				
Quart	er.		By Sea.				By Land.		Total Arrivals.		
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons
First Second Third Fourth		 	7,410 8,940 5,794 4,376	3,681 4,786 2,914 2,122	11,091 13,726 8,708 6,498	15,161 13,021 11,333 12,143	7,939 7,222 5,864 7,838	23,100 20,243 17,197 19,981	22,571 21,961 17,127 16,519	11,620 12,008 8,778 9,960	34,191 33,969 25,905 26,479
Totals		 	26,520	13,503	40,023	51,658	28,863	80,521	78,178	42,366	120,544
						D	EPARTURE	28.		'	
Quart	er.		By Sea. By Land.				15 20	То	otal Departures.		
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons
First Second Third Fourth	•••	 	6,479 5,494 4,719 8,226	3,560 2,913 2,532 2,319	10,039 8,407 7,251 10,575	12,966 11,873 11,531 15,466	7,024 5,894 6,088 10,441	19,990 17,767 17,619 25,907	19,445 17,367 16,250 23,692	10,584 8,807 8,620 12,790	30,029 26,174 24,870 36,482
Totals	•••	 	24,918	11,354	36,272	51,836	29,447	81,283	76,754	40,801	117,555

N.B.—This table does not include the allowances made in framing population estimates.

One hundred and twenty thousand five hundred and forty-four persons—78,178 males and 42,366 females—were recorded as arrivals in this State in 1914, and 117,555 persons—76,754 males and 40,801 females—as departures, or an excess of arrivals of 2,989 persons. It is again to be noted that in using recorded migration for the estimation of population certain allowances are made to adjust discrepancies in the figures, and to meet the absence from the record of borderwise traffic other than by rail, referred to previously.

In every 100 recorded arrivals 22 males and slightly more than 11 (11.20 per cent.) females came by sea; and in the departures 21.20 per cent. were males and 9.65 per cent. were females, or nearly the same proportion of departures as last year—31 per cent. The "sterner sex" evidently preferred to come and go by ship; but the "weaker vessel"—in the proportion of about 15 per 1,000—chose the land journey on the return, possibly to escape the unpleasant effects of mal-de-mer to which they are more susceptible than their brothers.

By land nearly 43 males and (about) 44 males in every 100 arrived and departed respectively. Of the females the proportion was nearly 24 and 25.

Population in Financial Divisions.

The following Table is not quite accurate, but is given for what it is worth. The correct figures will be obtained at the next census:—

а	г	٦		
٦	L	4	,	

	Northern Division.	Central Division.	Southern Division.	Total State.
And the Control of th	100		000	
Population, Census 1911—				outroe F
Number—		the state of		addbold F
Males	67,945	43,538	218,023	329,506
Females	46,709	32,446	197,152	276,307
		3 4 3 4 3		
Persons	114,654	75,984	415,175	605,813
Proportion, per cent.—				*
Males to total Males	20.62	13.21	66.17	100.00
Females to total Females	16.91	11.74	71:35	100.00
Estimated Population, 31st December, 1914 -				
Males	75,166	48,165	241,195	364,526
Females	52,773	36,659	222,749	312,181
Total Persons	127,939	84,824	463,944	676,707

The population was distributed throughout the State in—Southern Division, 68.56 per cent.; Northern Division, 18.91 per cent.; Central Division, 12.53 per cent.—the females in the respective divisions being 32.92 per cent., 7.80 per cent., 5.42 per cent.

Population—Metropolitan Area.

The Local Authorities within this Area courteously furnished returns of dwellings and people; the information obtained in this manner was carefully checked and revised:—

			D			Males.	Females.	Persons.
City of Brisbane						19,846	20,271	40,117
City of South Brisbane		•••				15,834	17,200	33,034
Suburbs		•••) t +			39,615	41,245	80,860
Brisbane Metrop	oolitan	Area (Ten-mi	le Rad	ius)	75,295	78,716	154,011

The females in the Area of Greater Brisbane exceeded the males by 3,421. The proportion was—Males, 48.89; females, 51.11. This was that the females in the Metropolitan population increased by 159 on 1913 figures.

Federal Effective Population.

This refers to the portion of a State's people who, under the Constitution Act, are eligible to vote for its representation in the Commonwealth Parliament.

The last estimate by the Commonwealth Statistician, who determines the number that each State is entitled to on the effective population, was as follows:—

*	_			
- 1	п	١.	2	

		Effective		Quotient an	nd Remainder.	Number of Rep	resentatives.
State		Population 3rd April, 1911.	Quota.	Quotient.	Remainder.	Number as per Quota.	Statutory Number.
Queensland New South Wales Victoria South Australia Western Australia Tasmania	 	 594,514 1,646,734 1,315,551 408,558 274,841 191,211	$\left.\begin{array}{c} \\ \\ \\ \end{array}\right\} 61,547 \left\{ \begin{array}{c} \\ \\ \end{array}\right.$	9 26 21 6 4 3	40,591 46,512 23,064 39,276 28,653 6,570	10 27 21 7 4 3	10 27 21 7 5
Commonwealth	 	 4,431,409	•••		311 3111/		75

MARRIAGES.

During 1914 there were 5,895 marriages celebrated, or 233 more than in 1913, or an increase of 4.12 per cent. on total marriages for the year. Table 5 of the Appendix records the number in registry districts celebrated by each religious denomination. The marriages celebrated in the more important districts were as follow:—

			E.			
District.		Number.		District.		Number.
Brisbane	 	 1,823		Cairns	 	 166
Toowoomba	 	 379		Warwick	 	 151
Rockhampton	 	 347		Bundaberg	 	 147
Ipswich	 	 327		Kennedy	 	 146
Townsville	 	 268		Mackay	 	 136
Enoggera	 	 241		Gympie	 	 125
Maryborough	 	 232				

It is noticeable that many persons still prefer to have the marriage performed by registrars or justices duly authorised, as 508 persons were thus joined in wedlock although the registry offices at Brisbane and Enoggera were not visited by so many persons desirous of being married as in 1913 by 26 and 4 respectively. There was, however, a large increase (112) in number of marriages by "Other Christian Sects"—that is, by those other than the old recognised Churches. I am not aware that there are in this State "matrimonal agencies"; but when any place is publicly advertised that marriages are celebrated therein such building comes very near to the above designation.

The ratio of marriages to the mean population—i.e., the marriage rate in 1914—is in the 16th place during the last 58 years.

Ea.

Year.	Number of Marriages per 1,000 mean Population.	Year.	Number of Marriages per 1,000 mean Population.	Year.	Number of Marriages per 1,000 mean Population
1857	8.2	1877	7.6	1897	6.0
1858	9.4	1878	7.0	1898	6.0
1859	9.3	1879	7.5	1899	6.8
1860	10.8	1880	7.0	1900	6.9
1861	10 2	1881	7.7	1901	6.6
1862	14.4	1882	8.6	1902	6.3
1863	14.5	1883	8.9	1903	5.7
1864	14:0	1884	8.9	1904	5.9
1865	13.3	1885	8.9	1905	6.04
1866	11.6	1886	8.3	1906	6.73
1867	9.5	1887	8.2	1907	7.58
1868	8.3	1888	8.7	1908	7.22
1869	8.3	1889	7.9	1909	7.95
1870	7.8	1890	7.8	1910	8.05
1871	8:1	1891	7.1	1911	8.41
1872	8.7	1892	6.7	1912	8.91
1873	9.6	1893	5.9	1913	8.68
1874	8.6	1894	5.7	1914	8.73
1875	8.6	1895	6.2		
1876	7.6	1896	61		

The rate for 1914 (8.73) was slightly in excess of the previous year, caused possibly by some girls casting in their lot with our brave defenders.

The marriage rate in Queensland, the other States of the Commonwealth, and New Zealand is shown hereunder:—

				Eb							
	1910.		1911.		1912.		1913.		1914.	Ra	erage of the ates for the inquennial Period.
Queensland	8.05		8.41		8.91		8.68		8.73		8.56
New South Wales	8.58	• • •	9.23		9.59		9.02		9.37		9.16
Victoria	7.83		8.34		8.65		8.13		8.31		8.25
South Australia	8.73	•••	9.81		9.62		9.44		9.11		9.34
Western Australia	7.46		8.44		8.37		8.19		8.22		8.14
Tasmania	7.98		7.76		7.86		8.27		7.62		7.90
Territories—											
Northern	*	•••	*		7.14		4.37		4.53		
Federal Capital	+		+		2.95		2.45		0.38		
New Zealand	8.30		8.67		8.85		8.25		8.51		8.52
* Incl	uded in S	outh A	ustralia.		† Inclu	ded in	New Sou	th Wale	es.		

Queensland is in the 3rd place, New South Wales and South Australia in 1st and 2nd places respectively.

On the average of the rates for the past five years New South Wales and South Australia changed places, but Queensland retained her position.

The following statement gives the proportion of marriageable persons in each State at the last census (3rd April, 1911):—

			EC.			
				Males.	Females.	Persons.
Queensland	•••			18.57	 13.86	 32.43
New South Wales				16.22	 15.35	 31.57
Victoria	•••			15.30	 18.75	 34.05
South Australia		80		15.02	 16.92	 31.94
Western Australia				21.20	 11.18	 32.38
Tasmania				13.70	 15.40	 29.10

Though New South Wales had the lowest percentage of marriageable people in any of the States except Tasmania, she showed the best marriage record in 1914. South Australia with a slightly higher percentage was next; and Queensland, as regards marriageable persons slightly in advance of Western Australia, had, as already stated, the 3rd highest marriage rate.

It is possibly a coincidence that in the States where the sexes nearly approximate—between 1 and 2 per cent.—the marriage rate is higher. This is borne out in New South Wales and South Australia. In Victoria, Queensland, and Western Australia the differences were 3.45, 4.71, and 10.02 per cent. respectively. In Western Australia, where the marriageable women are only 52.73 per cent. of the men in like condition, there are inducements for "unappropriated blessings" to enter in and dwell there.

While society is as at present constituted, it is as well that there be no mixed marriages. These are more or less discountenanced at the registry office; and when it is discovered to which Churches the parties belong, they are counselled to call upon their respective ministers. It frequently happens that the advice is accepted, but it is sometimes refused.

The following table shows the number of marriages celebrated by each of the leading denominations during the past 10 years:—

wi	ь.	в

Denomination.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	Total Ten Years
Church of England	 779	877	1,057	1,021	1,148	1,212	1,448	1,541	1,524	1,620	12,227
Roman Catholic Church	 616	767	827	792	918	941	1,042	1,090	1,166	1.173	9,332
Presbyterian	 427	487	577	554	621	683	712	802	875	886	6,624
Methodist	 607	642	731	715	723	874	947	958	987	1,020	8,204
Baptist	 158	192	191	201	245	256	227	289	294	292	2,345
Lutheran	 136	142	132	144	156	191	160	169	151	141	1,522
Congregational	 107	109	128	124	143	126	138	158	179	162	1,374
Salvation Army	 15	17	23	35	36	32	34	42	43	45	322
Other Christian Sects	 139	169	220	234	354	245	235	311	185	297	2,389
Hebrew	 1	3		2		4	6	5	3	5	29
By Registrars and Marrying Justices	 188	183	219	187	198	205	220	263	255	254	2,172
Totals	 3,173	3,588	4,105	4,009	4,542	4,769	5,169	5,628	5,662	5,895	46,540

As shown in above list of marriages celebrated in 1914 there were increases in six and reductions in five denominations, &c., on 1913 figures. The increase in the four leading denominations was 147, or 63.09 per cent. of total increase. "Other Christian Sects" advanced by 112, or 48.07 per cent. of total increase. During 1914 most marriages took place in the first and fourth quarters of the year—1,530 and 1,528 respectively; but in 1913 the second and fourth quarters were chosen with 1,450 and 1,459 respectively.

The population proportion of religions and the proportion as to marriages celebrated by ministers of each denomination were:—

ommunication were.		Fa.				
		P	ropor	tion per cent. e. Population.	ach Denomination t	o total— Marriages,
				Census, 1911.		1914.
Church of England	 			35.11	8879.	27.48
Roman Catholic Church	 			22.63		19.90
Presbyterian Church	 ,			12.47	•••	15.03
Methodist Church	 			9.89		17:30
Lutheran Church	 			4.00	•••	2.39
Baptist Church	 	• • •		2.26		4.95
Congregational Church	 			1.72	p besde ai	2.75
0 0						

The ratio of marriages celebrated by each denomination declined on 1913 figures, except of those by the Church of England, which shows an increase of 0.56 per cent.

The following is a summary of age conditions of parties to marriage. Fuller information is given in Table VII. of the Appendix:—

G.
HUSBANDS.

		Nov.					MARR	ED TO V	VIVES -	-			
	0 0 0	YC	UNGER	THAN TH	EMSELVI	ES.	Cama	0	LDER TH	IAN THE		s.	
Ages of Husba	nds.	No. of Husbands at each Age Group.	By 5 and more years.	By 4 years.	By 3 years.	By 2 years.	By 1 year.	Same Age as them- selves.	By 1 year.	By 2 years.	By 3 years	By 4 years.	By 5 and more years.
Under 21 years		 1,745 2,158 923 395 192 101	1 198 793 559 296 146 71 135	5 141 248 57 13 3 5 3	15 214 205 53 12 3 6 4	29 203 211 57 5 5 1	36 264 182 54 14 10 2 9	34 239 176 37 15 4 2	24 173 110 18 11 6	23 109 72 19 8 6 5 3	17 63 46 15 6 2 1	7 48 36 12 3 1 3	18 93 79 42 12 7 6 2
Totals		 . 5,895	2,199	475	512	514	571	510	348	245	152	110	259

WIVES.

		Married to Husbands—										
		YO	UNGER T	THAN TH	EMSELV	ES.		0	LDER TE	IAN THE	EMSELVES	. 839)
Ages of Wives.	No. of Wives at each Age Group.	By 5 and more years.	By 4 years.	By 3 years.	By 2 years.	By 1 year.	Same Age as them- selves.	By 1 year.	By 2 years.	By 3 years.	By 4 years.	By 5 and more years.
							1 1000	C71		1	1	
	1,303			1	4	11	34	77	119	155	146	756
21 to 25 years	2,274	4	7	35	72	156	239	276	228	228	225	804
25 to 30 ,,	1,419	58	58	61	110	131	176	141	130	91	77	386
30 to 35 ,,	477	85	30	37	35	25	37	44	26	25	15	118
35 to 40 ,,	195	62	9	8	8	12	15	15	3	2	3	58
40 to 45 ,,	92	23	2	5	6	4	4	7	4	5	5.	27
	59	16		2	6	3	2	3	1	3	2	21
Upwards of 50 years	76	11	4	3	4	6	3	8	3	3	2;	3. 29
Totals	5,895	259	110	152	245	348	510	571	514	512	475	2,19

Two hundred and nine husbands (as also in 1913) and 1,303 wives were minors; 3 boys of 16, 3 of 17, 22 of 18, 52 of 19, and 129 of 20 became husbands. Between the ages of 21 and 28 years inclusive, nearly 61 per cent. of the total marriages took place; 515 at 24 years was the highest number at any age of husbands. After the age of 28 there was a precipitate decline in husbands.

Of wives there were 5 at 14 years (one of whom had a husband of 29 years); 13 girls at 15 years (one had a husband aged 35), and 64 at 16, mostly with husbands of 21 and 26 years, although 1 had a husband of 50 years. Many persons will, doubtless, obtain food for reflection upon analysing Table VII. in the Appendix.

The mean age at marriage last year was—all husbands, 28.47; bachelors, 27.55; all wives, 24.79; spinsters, 23.95. There has not been much change in ages of men; but the tendency of women for many years past has been not to become wives at as early an age as, say, 20 years ago.

				Ga.				
				All Husbands.	Bachelors.	All Wives.	Spinsters.	
1881-1885,	Average of	${\bf Means}$		28.22		23.29		
1886-1890,	" "	"		27:52	•••	23.23		
1891-1895,	" "	,,		28.38	•••	23.69	•••	
1896-1900,	" "	,,		28.91	27.79	24.22	23.22	
1901-1905,	" "	,,		29.15	28.07	24.43	23.39	
1906-1910,	" "	"		28.87	27.83	24.51	23.58	
1911	Mean age		000	28.82	27.76	24.71	23.84	
1912	" "		000	28.28	27.32	24.51	23.75	
1913	,, ,,			28.46	27.55	24.77	23.92	
1914	"			28.47	27.55	24.79	23.95	

The following table shows the conjugal condition of husbands and wives:-

Gb.

								1914.		
Amongst Mar	riages of—					Numbers Married.	Proportion Per Cent. to Total	THE MEAN AGES AT MARRIAGE WERE—		
						married.	Marriages.	Husbands.	Wives.	
Bachelors to Spinsters	***					5,369	91.08	27.20	23.74	
Bachelors to Widows						199	3.37	36.33	36.70	
Bachelors to Divorced Women				. 9.0		20	0.34	33.10	32.70	
Widowers to Spinsters						198	3.36	41.82	29.09	
Widowers to Widows						88	1.49	54.38	48.58	
Widowers to Divorced Women						4	0.07	43.25	44.00	
Divorced Men to Spinsters						16	0.27	36.25	28.26	
Divorced Men to Widows						1	0.02	39.00	32.00	
Divorced Men to Divorced Women										
							Persons Married.			
Of all Males Married-Bachel	ors					5,588	94.79	27.55		
Widow	ers					290	4.92	45.65		
Divorce						17	0.29	36.41		
Of all Females Married-Spinste	rs					5,583	94.71		23.95	
Widow						288	4.88		40.32	
Divore	ed Women					24	0.41		34.58	
TOTAL PERSONS MARR	IED	•••		•••	,	11,790	200.00	28:47	24:79	

In 1914 there were 11,790 persons married. Of this number 5,588 were bachelors—5 more than spinsters—who were disposed of in this order:—5,369 to spinsters; 199 failed to take our ancient friend's advice and fell to widows; and divorced women got 20 bachelors, some of whom, possibly, were responsible for the position of such women.

Widowers did not favour divorced women to any great extent, and no marriages are recorded between divorced men and divorced women—neither parties, possibly, caring to take any further risks; 198 widowers married spinsters, which almost balanced the number of bachelors who married widows.

DIVORCES.

This is a subject which may eventually come within the province of the Commonwealth Parliament under the Constitution Act; and there is such a diversity of opinion upon the matter that this is neither the time nor place to argue whether it should be made more or less difficult for persons to obtain release, in a legal manner, from each other.

Gc.

	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	
Dissolutions	 4	12	12	11	16	20	27	15	31	29	
Divorcees Remarried	 8	9	18	10	15	26	22	24	26	41	

There were 29 dissolutions granted in 1914—2 less than 1913, when there were more granted than in any year from 1904; 41 divorces remarried, or slightly over 70 per cent. of the number released by divorce.

MARRIAGE OF ILLITERATES.

The following statement shows that there were still some few in the State who were unable or unwilling to sign their names at time of marriage. The women in this respect outnumbered the men. Of the figures given below, 32 males and 13 females were of coloured races; and this would considerably reduce the percentage of whites:—

I.

					Proportion to each 100.							
	signed Mar	rriage C		vho c			es.	Persons Married.				
Year.	Males.	th a Ma	Females.		Males.		Females.	Tion,	Persons.			
1875	 135		267		9.08		17.96	0.101	13.52			
1880	 90		187		5.82		12.09		8.95			
1885	 107		209		3.76		7.35		5.56			
1890	 94		115		2.94		3.60		3:27			
1895	 82		76		2.90		2.69		2.80			
1900	 58		88		1.72		2.61		2.17			
1905	 44		44		1.39		1.39		1.39			
1910	 38		51		0.80		1.07		0.93			
1914	 53		60		0.90	•••	1.02		0.96			

BIRTHS.

During 1914 the births of 10,120 boys and 9,763 girls were recorded. On reference to Table 2 in the Appendix, it will be noticed which districts received most benefit, but the following is a brief summary of the Table:—

J.Births, 1913 and 1914.

						1913.			1914.		Total Increase or	Females born to	Females born to
Ge	ographic	al Divisio	on.		Males.	Females.	Persons.	Males.	Females.	Persons.	- Decrease in the latter Year.	Males born in 1913.	Males born in 1914.
Brisbane (1 ,, (o	0-mile r utside r				2,573 96	2,519 65	5,092 161	2,708 94	2,538 79	5,246 173	154 12	97·90 67·71	93·72 84·04
To	tal Met	ropolit	an Di	vision	2,669	2,584	5,253	2,802	2,617	5,419	166	96.82	93.40
Moreton					1,293	1,298	2,591	1,278	1,217	2,495	-96	100.39	95.23
Wide Bay					1,288	1,259	2,547	1,361	1,272	2,633	86	97.75	93.46
Port Curtis					843	838	1,681	828	829	1,657	-24	99.41	100.12
Edgecumbe					963	1,014	1,977	952	985	1,937	-40	105.30	103.47
Rockinghan					500	435	935	465	472	937	2	87.00	101.51
York Penin					69	60	129	69	60	129		86.96	86.96
Carpentaria					188	173	361	173	162	335	-26	92.02	93.64
Central We					61	51	112	46	54	100	-12	83.61	117.39
South West	ern				134	133	267	122	135	257	-10	99:25	110.66
Central					289	300	589	326	263	589		103.81	80.67
Maranoa					229	193	422	247	227	474	52	84.28	91.90
Downs					1,522	1,361	2,883	1,451	1,470	2,921	38	89.42	101.31
To	tal				10,048	9,699	19,747	10,120	9,763	19,883	136	96.53	96.47

In 1914 there were 19,883 births registered, which is the largest on record, but shows only a small increase on 1913. Two divisions recorded similar numbers in 1913 and 1914. The Metropolitan Division contributed about 27.25 per cent. of the total births recorded.

				Ja.							
		Increase or Previo				Increase or —Decrease Previous Year.					
Year.	Births.	Numerical.	Centesimal.	Y	ear.	Births.				Centesimal.	
1905	 13,626	-456	-3.24	19	010	 16,173					
1906	 14,019	393	2.88	19		16,991					
1907	 14,542	523	3.73			13,758					
1908	 14,828	286	1.97			19,747					
1909	 15,554	726	4.90			19,883					

Girovil

The increase (0.69) in number of births is the smallest recorded since 1905 (a decrease of 3.24); and for reasons which are obvious it is most probable that there will be a decline in 1915. The proportion of female births approximates that of males.

				J b.				
			les born t 0 males b					les born to every 0 males born.
1905		 	95.27		1910	 		95.78
1906		 	92.57		1911	 	900	95.14
1907	07.10	 	95.09		1912	 		95.70
1908		 	93.20		1913	 		96.53
1909		 	95.20		1914	 		96.47

The ratio was only 0.06 below that for 1913, which was the highest since 1904. The variation has not been great during the past ten years.

Birth Rate.—The crude birth rate is 29.5 for 1914.

			K.				
1860	 47:9	1880		36.9		1900	 30.2
1865	 43.6	1885		36.7		1905	 25.9
1870	 43.5	1890		37.2		1910	 27.3
1875	 37.5	1895		32.8		1914	 29.5

This shows a slight decline on 1913; but is better than during the earlier years of the decade.

			K	a.			
							Average
		Birth Rate,	,	Birth Rate,	,	Birth Rate,	of the rates for the
		1910.	1911.	1912.	1913.	1914.	quinquennial period.
Queensland		27:31	27.66	29.70	30.26	29.46	28.88
New South Wales		27.32	28.84	29.94	28.83	28.94	28.77
Victoria		24.04	24.86	26.41	25.82	25.45	25.32
South Australia		25.11	26.89	28.65	29.12	29.33	27.82
Western Australia		26.85	28.22	28.86	29.40	28.46	28.36
Tasmania		29.87	28.61	30.23	30.03	30.33	29.87
Territories-							
Northern		*	*	9.82	14.21	15 46	
Federal Capital		+	+	19.15	17.97	20.79	
New Zealand		26.17	25.97	26.48	26.14	25.99	26.15
* I	ncluded	l in South Austr	alia.	† Include	d in New South	Wales.	

Queensland compares very favourably with the other States, and, excepting Tasmania, is in the 1st place both for the annual and quinquennial periods. The following table is full of interest to the thoughtful mind, and may possibly arrest the attention of those who have never yet, in the well-being of the State, considered the information given herein:—

9	75	No.
- 1	w.	n
al	rap-	10

		A CONTRACTOR OF THE PARTY OF TH	EARS TO 45 YEARS AGE.	BIR	THS.	BIRTHS PER 1,000.					
	ensus fear. Married.		Unmarried.	Legitimate.	Illegitimate.	Legitimate Births to Married Females 15 years to 45 years of age.	Illegitimate Births to Unmarried Females 15 years to 45 years of age.	Total Births to all Females 15 years to 45 years of age,			
1		gestanist.	,Eu/u3.								
1861		5,	788					245.85			
1871		15,502	6,830	5,074	131	327:31	19:18	233.07			
1881		24,178	15,441	7,875	345	325.71	22:34	207.48			
1891		44,537	34,607	14,031	684	315:04	19.76	185.93			
1901		53,617	50,561	13,455	848	250.95	16.77	137.29			
1911		64,461	69,976	15,903	1,088	246.71	15.55	126.39			

The particulars given in above table are truly ascertainable at census periods, and point "to a distinct persistent decline" in the birth rate; but in considering this the conjugal and age condition of the population must also be taken into account.

Illegitimate Births.

			L.					
First Quarter	•••	000	 • • •	Males.		Females.		Persons.
Second Quarter			 	158		119	000	277
Third Quarter		,	 -9.0.0	163		159		322
Fourth Quarter			 	143		150		293
T. Cont.	otal	9 % 1	 	599	4 9 3	566		1,165

These births show a decrease on 1913, which is satisfactory, as births generally have increased.

			La			
1905	 6.97	1909		6.99	1912	 6.14
1906		1910		6.37	1913	 6.15
1907	 7.31	1911		6.40	1914	 5.86
1008	7.45					

The percentage of illegitimate births fell from 7.68 in 1906 to 5.86 in 1914, or nearly 2 per cent., and is the lowest for 10 years.

The following table gives information for each State in 1913:—

	Lb.		
	Per Cent. to Total Births.		Per Cent. to Total Births.
Queensland	5.86	Western Australia	4 20
New South Wales	5.18	Tasmania	5.75
Victoria	5.57	New Zealand	4.59
South Australia	3.88		

The scrutiny to which all birth certificates are subjected in Queensland causes many attempts at false information—say, re marriage of parents—to be frustrated and thus increases the record. If this system were not in vogue, Queensland's percentage would be the lowest of the States. As it is, although registering the highest percentage for 1914, Queensland compares favourably with other States in the Commonwealth—Tasmania, 5.75; Victoria, 5.57; South Australia, 3.88 (the lowest).

Legitimation.

The purposes for which the Act was passed in 1899 are well known, and it has proved of great benefit to many children, as the following table shows:—

											L	c.											1		
District.		or to 05.	19	05.	19	06.	19	07.	19	08.	19	09.	19	10.	19	11.	19	12.	19	13.	19	14.	,	Tota	al.
800	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	P.
Metropolitan	46	25	13	8	29	33	37	26	31	33	37	22	21	25	28	22	22	26	30	23	35	30	329	273	602
Country	69	65	23	17	26	30	64	52	42	48	57	63	57	35	58	49	56	45	70	55	67	62	589	521	1,110
Totals {	115	90	36	25	55	63	101	78	73	81	94	85	78	60	86	71	78	71	100	78	102	92	918	794	1,712
Totals	2	05	(31	1	18	1	79		154	1	79]	38]	57	14 (4)	19	1	78	1:	1 6			

Since the Statute was passed 1,712 children have been legitimated—194 in 1914, which number is 15 in excess of the previous largest record.

Multiple Births.

No triplets appeared on the scene during 1914.

		Tv	VINS.	TRIE	PLETS.
		Males.	Females.	Males.	Females.
First Quarter	 000	44	64	*AT7	•••
Second Quarter	 	40	50	ALL III	
Third Quarter	 000	66	52		
Fourth Quarter	 0'0 0	41	27	•••	
			and and the	and the last of th	
Total	 	191	193	•••	

There were 192 births of twins—191 boys and 193 girls—which were increases on 1913 of 16 births of twins—13 boys, and 19 girls.

MORBIDITY AND MORTALITY.

In the compilation of these tables Bertillon's system of classification has been adopted by almost all countries which tabulate these records. There are certain limitations of mortality statistics—one of which is that they cannot be more accurate than the information shown in the death certificates; and in this regard there is still room for improvement by the medical profession in giving certificates of death, in order that the important work of "classification of causes of death" may be accurately performed. The most important information with regard to death statistics is that showing causes of deaths; and the medical attendant is the only person who can state definitely in the certificate the disease (where the patient had more than one) which actually caused the death.

The following table gives information for 5 years as to the patients in the Public Hospitals of the State and the principal diseases for which they were treated:—

M.

RETURN SHOWING THE DISEASES TREATED AND DEATHS IN HOSPITALS OF THE STATE FOR FIVE YEARS, 1910-1914.

				193	.0.	191	11,	191	12.	191	3.	191	14.
	Disease.								1	0.17	1		T
				Diseases.	Deaths	Diseases.	Deaths	Diseases	Deaths	Diseases.	Deaths	Diseases	. Death
- 22.00	0.67					1000		-81					
General Diseases	_												
Typhoid Fev	er			839	68	846	64	1,505	100	1,235	100	1,212	100
Influenza				564	5	490	5	365	1	697	6	573	2
Dengue Feve				1,060	3	1.089	7	356	4	335	1	252	2
Cholera Dys	entery			121	17	350	38	152	20	59	3	75	7
Tuberculosis	(all kinds)			728	137	705	151	717	158	791	168	706	152
Cancer (all k	inds)	*		433	123	433	136	402	138	502	171	539	177
Rheumatism				853	14	993	16	1,070	17	1,147	15	1.064	16
Alcoholism .			911.57	619	20	800	35	862	36	891	31	873	25
All Other Ge				2,388	88	2,748	129	3,037	140	3,044	141	3,617	189
Diseases of Nerve	ous System and	Organs of Si	pecial	2,000		2,110	120	0,00,	1.10	0,011		0,01,	100
Sense .				2,135	126	2,345	140	2,319	139	2.107	125	2,260	169
Diseases of the C	irculatory Syste	m		1.028	161	1,171	204	1,281	195	1,355	218	1,340	224
Diseases of the R	espiratory Syste	em		2,120	140	2,688	218	2,635	224	3,507	215	2,918	217
Diseases of the D	igestive System			2,849	191	3,122	188	3,755	285	4,420	246	5,190	247
Diseases of the G	enito-urinary Sy	stem & Ad	neva.	1.918	151	1.996	166	2,159	153	2,442	183	2,555	170
Puerperal Condit	ion			525	28	551	25	567	22	674	25	762	30
Puerperal Condit Diseases of the S	kin and Cellular	Tissue		1,754	23	1.827	18	1,885	12	1.966	24	1,891	20
Diseases of Organ	as of Locomotion	1		525	5	478	11	539	6	677	11	546	9
Malformations .				45	1 1	51	1	64	1	53	2	49	4
TC				25	6	36	2	44	9	65	13	43	9
Old Age				295	56	361	74	357	77	395	115	378	139
Violence				3,572	125	3,768	127	3.787	135	4.093	170	4,601	146
Ill-defined Disca	ses			454	15	451	15	409	26	475	10	352	6
								100				002	
Total Nun	aber of Disease	s Treated	from										
	uses			24,850		27,299		28,267		30,930		31,796	
	ber of Deaths			21,000	1,503	21,200	1,770	20,201	1,898		1,993	01,700	2,060

It will be noted from above table that both the diseases treated and deaths in the hospitals increase every year. The increase in patients in 1914 over 1910 was 6,946, or about 28 per cent.; and the increase in deaths for the same two years was 557 or 37 per cent. Exclusive of general diseases, diseases of the Digestive System were the principal causes both of treatment and of death (5,190 and 247 respectively), followed by Violence, 4,601 (treatment). Three diseases—i.e., of the Digestive System, Circulatory System, and Respiratory System (in this order)—account for one-third of the total deaths—2,060 as above—in 1914. Of General Diseases, 8,911 were treated in 1914. Typhoid leads, followed by Rheumatism and of the first, slightly more than 8 persons in every 100 treated for such diseases died. Deaths from Rheumatism were 15 in every 1,000 treated for this disease. Of the 670 deaths under General Diseases, the toll in every 100 from Cancer was 26.42; Tuberculosis, 22.7; and Typhoid, nearly 15.

Ma.

													DEA	THS.		
						YEA	R.				Т	Potal Numbe	er.	Pro Death	portion of s per 1,000 o Population	of Mean
						-					Males.	Females.	Persons.	Males.	Females.	Persons,
1905	,,,				***				 	 	3,499	2,004	5,503	12.09	8.48	10.47
1906			• • • • • • • • • • • • • • • • • • • •			***			 	 	 3,212	1,883	5,095	10.99	7.83	9.56
1907									 	 ***	 3,480	2,119	5,599	11.79	8.62	10.35
1908									 		 3,500	2,180	5,680	11.54	8.65	10.23
1909					***				 		3,419	2,111	5,530	10 97	8.14	9.68
1910	172			est of the second	REU	arc.		2300	 	 	 3,595	2,150	5,745	11.13	7.99	9.70
1911	0698	,,,	,.,	- 334 (30)	1()	Heloi	hair) Ì			 	4,060	2,484	6,544	12.14	8.89	10.65
1912					1	15			 	 	4,305	2,616	6,921	12.56	9 05	10.96
1913						na i	l		 	 	 4,196	2,587	6,783	11.87	8.65	10.39
1914	91.0			70[1. 50					 4,132	2,599	6,731	11.32	8 39	9.97

Six thousand seven hundred and thirty-one deaths were recorded in 1914—a decline of 52 on 1913. The death rate does not fluctuate to any great extent, and is the lowest of the last four years.

The Queensland death rate compares very favourably with those of the other States of the Commonwealth.

			IVI b				
Queensland		Rate in 1910. 9.70	Rate in 1911. 10:65	Rate in 1912.	Rate in 1913. 10:39	Rate in 1914. 9:97	Average of the Rate for the Quin- quennial Period. 10:33
New South Wales		9.71	10.39	10.87	10.91	10.14	10.40
Victoria		11.27	11.45	12.23	11.11	11.59	11.53
South Australia		9.72	9.82	10.28	10.82	10.71	10.27
Western Australia		9.71	10.20	11.07	9.35	9.41	9.95
Tasmania		11.35	10.15	10.73	10.87	9.67	10.55
Territories—							
Northern		*	*	19.95	17.49	21.59	• • •
Federal Capital		+	+	4.91	4.49	4.16	•••
New Zealand		9.71	9.39	8.87	9.47	9.31	9.35
	* Includ	led in South Au	istralia.	Included	in New South W	ales.	

The only States which had a lower death rate than Queensland were Western Australia and Tasmania.

Mortality Index.

The following table is compiled with a view of showing what the death rate of Queensland would likely be if the age condition of its population was normal—that is, the crude death rate has to be corrected to a common standard of age which has been fixed at that obtaining in Sweden:—

			Mc.				ysautal Mark 1811
Year.	Classes of Age.	°/o of Queens- land Population at each Age Period, Census 1911.	Estimated Mean Population.	Number of Deaths.	Coefficient °/o.	°/o of Swedish Population at each Age Period.	Queensland Index °/o·
1914 {	Under 1 year 1 to 20 years 20 to 40 ,, 40 to 60 ,, 60 years and upwards	2·69 40·97 32·77 17·77 5·80	18,156 276,520 221,175 119,935 39,146	$1,270 \\ 904 \\ 1,075 \\ 1,417 \\ 2,065$	7.00 0.33 0.49 1.18 5.28	2:55 39:80 26:96 19:23 11:46	1.78 1.30 1.31 2.27 6.05
	Totals	100.00	674,932	6,731	1.00	100.00	12.71

On this basis the corrected death rate in 1914 was 12.71 instead of 9.97 (Ma)—a difference of 2.74 per 1,000. In 1913 the death index was 13.26.

Ages at Death.

Full information is shown in several tables in the Appendix. The following table gives the deaths of males and females in certain age groups in each quarter of the year:—

2	20	a
- 1	PA II	
u	LW	
100	- 4	-3

Quarter.	Under	1 Year.	1 and 5 Ye		5 and 20 Y		20 and 40 Ye		40 and 60 Ye		60 Ye and up		Unspe	cified.	Males.	Females.	Persons
Quarter,	М.	F.	М.	F.	М,	F.	М.	F.	М.	F.	М.	F.	М.	F.			
First Quarter Second Quarter Third Quarter Fourth Quarter	203 179 166 153	161 132 143 133	62 59 49 92	55 48 55 72	60 53 43 73	44 41 49 49	163 161 155 180	103 93 117 103	258 240 258 229	100 99 106 125	320 321 336 314	173 188 205 205	1 2 2		1,066 1,014 1,009 1,043	636 601 675 687	1,702 1,615 1,684 1,730
Total Males Total Females	701	569	262	230	229	183	659	416	985	430	1,291	771	5		4,132	2,599	
Total Persons	1,	270	4	192	4	112	1,0)75	1,4	115	2,0	062		5			6,731
Percentage each Age Group to Total each to	16:97	21.89	6:34	8.85	5.54	7:04	15.95	16.01	23.84	16.54	31.24	29 67	0.12			100.00	
each	18	.87	7	31	6	12.	15	97	21	02	30.	64	0.	07		100.00	

A comparison of the total percentage column shows little change on 1913. In every 100 deaths nearly 19 (18.87) were children under 1 year of age, as against slightly more than 18 of similar age in 1913. This figure (18.87), by a strange coincidence, is the same as that under "P" for deaths of children under 2 years of age in the Brisbane District.

True Infant Mortality.

It is satisfactory to report that the ratio of deaths of infants under 1 year to the births of the year has been a declining one:—

O.
Showing True Infantile Mortality.—Return for Ten Years.

1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	1914.	Mean for the 10 years.
7.55	7:47	7.72	7:03	7:19	6:31	6.24	7:14	6.33	6:39	6.92

The above table, covering a period of 10 years, gives a fairly accurate result; and the average of the second five years of the decade—6.54—is better than the first five years—7.39. If a further period of years were taken, the decline in the rate is more pronounced, as appears in the following table:—

			Oa.			
1875	 	12.46		1900	 300	10.31
1880	 •••	12.98		1905	 	9.89
1885	 	13.64		1910	 •••	8.23
1890	 	12.65		1914	 	6.92
1895		11.07				

In 1885 the ratio was 13.64; 30 years after (1914), it was 6.92 or slightly more than half.

For infant mortality Queensland was in a better position in 1914 than any other State in the Commonwealth. New Zealand, however, shows the least rate of the seven undermentioned places:—

	(0 b.		1914.
Queensland	 		 	 6.39
New South Wales	 		 	 6.97
Victoria	 		 	 7.83
South Australia	 		 	 7.60
Western Australia	 		 	 6.82
Tasmania	 		 	 7.16
New Zealand	 		 	 5.14

In the United Kingdom the true infant mortality rates were—England, 1913 (10.80); Scotland, 1913 (10.96); Ireland, 1912 (8.06).

Queensland possesses one of the best climates in the world, and is admirably suited to infant life, and, in spite of the "not wanteds," many of whom succumb to various causes not necessary to mention here, shows a good record.

The following table shows the proportion of children under 2 years and under 5 years living at last census in the undermentioned districts which contain the largest towns in the State, and compares the deaths of children of like ages in those districts to total deaths recorded in each district:—

п	u

					Dis-	CHILDREN UN	NDER 2 YEA		CHILDREN UN	DER 5 YEA	RS OF AGE
		Registry	District		Number of Deaths in trict.	Census 1911— Centesimal Ratio of Children under 2 years of age to Population of Dis- trict.	Number of Deaths in District.	Proportion per cent. to Total Deaths in District.	Census 1911— Centesimal Ratio of Children under 5 years of age to Popúlation of Dis- trict.	Number of Deaths in District.	Proportion per cent. to Total Deaths in District.
Brisbane				 	 1,802	4:39	340	18.87	10.24	412	22.86
Bundaberg				 	 144	5.46	32	22.22	12.63	42	29.17
Enoggera				 	 201	5.19	72	35.82	11.71	77	38.31
Gympie				 	 162	5.25	31	19.14	12.75	39	24.07
Ipswich				 	 389	5.05	87	22:37	11.53	116	29.82
Kennedy*				 	 214	4.88	. 39	18.22	11.91	45	21.03
Mackay				 	 172	5.66	28	16.28	12.93	37	21.51
Maryborough				 	 190	4.88	39	20.53	11.63	45	23.68
Mount Morgan				 	 85	6.47	29	34.12	14.74	31	36.47
Rockhampton				 	 383	5.05	91	23.76	11.50	101	26.37
Too woomba				 	 408	5.31	111	27.21	12.18	117	28.68
Townsville		,.,		 	 284	4.58	71	25.00	10.86	88	30.99
All Other	•••			 	 2,297	5.48	544	23.68	12.82	612	26.64
Totals			,	 	 6,731	5.21	1,514	22.49	12.17	1,762	26.18

In the infant mortality under 2 and under 5, Enoggera continues to have an unenviable reputation with 35.82 and 38.31 per cent. respectively, followed by Mount Morgan with 34.12 and 36.47. Toowoomba, in deaths of children under 2 years of age, exceeds Townsville by 2.21; but under 5 years Townsville is more than the Downs City by 2.31. Two other tropical places have the best record—under 2 years, Mackay, 16.28; Kennedy, 18.22; and under 5 years, 21.51 and 21.03 respectively.

The following table shows the real death rate of persons of each successive age group as ascertained at the 1911 Census:—

 $\mathbf{Q}.$

					Proportion of Population at each Age	Estimated Mean Popu-	Dea	aths, 1914.
	Age I	Period.			Period to Total Population, Census 1911.	lation, 1914, at each Age Period on basis of Census Ratio.	Number.	Rate per 1,000 of Mean Population.
Under 1 year					2.69	18,156	1,270	69 95
1 to 2 years					2.52	17,008	244	14:35
9 +0 9			•••		2:31	15,591	123	7.89
9 40 4				•••	2:34	15,793	71	4:50
4 to 5 ,,					2.30	15,524	54	3.48
r	Fotal 1	ınder 5	vears		12.16	82,072	1,762	21.47
5 to 10 years				4	10.48	70,733	157	2.22
10 to 15 ,,		,,,			10.31	69,585	98	1.41
15 to 20				•••	10.49	70,800	157	2.22
20 to 25					10.40	70.193	257	3.66
25 to 20	,			• • •	8.68	58,584	312	5.33
20 to 25	•••				7.22	48,730	256	5.25
25 to 10					6.30	42,521	250	5.88
10 to 15				• • •	5.73	38,674	297	7.68
15 to 50					5.12	34,557	348	10.07
50 to 55				•••	4.08	27,537	408	14.82
55 to 60				•••	2.74	18,493	362	19.57
30 to 65	•••		• • • •		2.05	13,836	364	26.31
25 to 70					1.66	11,204	411	36.68
70 to 75 ,,					1.16	7,829	455	58.12
75 and upward	ls				0:90	6.074	832	136.98
Unspecified Technology					0.52	3,510	5	1.43
	Cotal				100.00	674,932	6,731	9.97

With the exception of the very young and very old persons, it is gratifying to note that the rates are very satisfactory.

Birth Places of Persons Dying.

Table XII. of the Appendix gives the birthplace of each person who died in Queensland in 1914. Totals for each country were as follow:—

R.

	Pop	mal Proportion to Total ulation borne by each onality, Census of 1911. Proportion.		simal Proportion to orne by Deaths of y, Year 1914. Proportion.
Queensland		63.09	2,964	44.03
Other Australasian States, includin Zealand	g New	11.07	583	8.66
England		11.23	1,286	19.02
Scotland		3.39	403	5.99
Ireland		5.22	818	12.15
Other British Possessions		0.26	43	0.64
Germany		1:98	251	3.73
Other Countries of Europe		1.28	163	2.42
China		0.90	93	1.38
Pacific Islands		0.16	39	0.58
Elsewhere		1.12	94	1.40
		100.00	6,731	100.00

This table shows that, with the exception of the Australasian States and New Zealand, natives of other countries contributed an undue proportion to the deaths.

Table XIII. of the Appendix shows details of occupations. The following is a summary of deaths:—

Ra.

CLASSES.					YE.	ARS.				
Carrotte,	1910.		19	11.	1912.		1913.		1914.	
Class I.—Professional	M.	F. 8	M.	F. 12	M. 114	F. 17	м. 122	F. 14	м. 134	F. 8
II Domastic	102 77	175	$\frac{124}{107}$	217	112	256	118	239	97	288
III - Commercial	207	5	228	13	238	7	263	25	283	14
" IV.—Transport and Communication	177	1	311	5	217	2	189	1	218	2
, V.—Industrial	643	26	929	33	923	25	946	30	863	19
,, VI.—Agricultural, &c	1,079	3	960	4	1.078	5	1,037	5	1,015	6
" V!I.—Indefinite	70	80	98	81	95	54	81	55	85	60
" VIII.—Dependants …	1,240	1,852	1,303	2,119	1,528	2,250	1,440	2,218	1,437	2,202
Totals	3,595	2,150	4,060	2,484	4,305	2,616	4,196	2,587	4,132	2,599
	5,7	45	6,3	541	6,9	921	6,7	783	6,7	731

The following table gives the death rate of persons engaged in the different occupations:—

Rb.

		CFNSUS	, 1911.		DEATHS, 1914.					
Class.			Percentage	Percentage			Percentage	Percentage		
	Males.	Females.	to Total Males.	to Total Fema'es.	Males.	emales.	to Total Males.	to Total Females.		
Class I.—Professional	11.403	6,250	3.16	2.26	134	8	3.24	0.31		
II Domostio	6,354	20,216	1.93	7:32	97	288	2.35	11.08		
" III.—Commercial	28,905	5.659	8.77	2:05	283	14	6.85	0.54		
" IVTransport and Communication	22,521	621	6.83	0.23	218	2	5.28	0.08		
,, V.—Industrial	56,949	11,313	17.23	4.09	863	19	20 88	0.73		
,, VI.—Primary Producers	98.721	3,183	29.96	1 15	1,015	6	24 56	0.23		
" VII.—Independent	2,027	731	0.62	0.26	85	60	2.06	2 31		
,, VIII.—Dependants	98,359	227,711	29.85	82.41	1,437	2,202	34.78	84.72		
Unspecified	4.267	623	1.30	0.23						
Totals	329,506	276,307	100.00	100:00	4,132	2,599	100.00	100.00		

Primary producers (men), who are 30 per cent. of the population, contributed nearly 25 per cent. of the deaths; and industrial workers (men), who slightly exceed 17 per cent. of the population, contributed nearly 21 per cent., or a larger proportion relatively.

Metropolitan Deaths and Death Rate.

The following is the information for 1914 under above heads:—

Series .	-	
No. 20	0	١

							Estimated Mean Population.	Total Deaths.	Rate per 1,000.	
City of Brisban	е						39,935	847	*21.21	
City of South I	B isbane						32,623	541	†16.58	
Suburbs .							80,084	546	6.82	
Brisba	me Metroj	olitan .	area (T	'en-mile	Radius	3)	152,642	1,934	12.67	
State							674,932	6,731	9 97	

^{*} The General and Child en's Hospitals are in the City of Brisbane.

The difference between the death rate for the Metropolis and that for the State was 2.70, or 0.03 less than in 1913. The rate for the Metropolitan Area (10-mile radius) was not excessive.

If all hospitals, as far as they can, would supply, on the certificate of death, the last-known place of residence of the patient, the information might lessen the death rate of the Metropolis to a large extent. Many persons come to the Metropolis, where, undoubtedly, the best skill and nursing is to be obtained in the hospitals; and for every one who dies therein the death is debited to Brisbane, although the patient may be here a few days or a week.

[†] The Diamantina and Mater Misericordiae Public Hospitals are in the City of South Brisbane.

Of the 1,934 deaths (10 less than 1913) recorded in the Metropolitan Area (10-mile radius), 771, or 39.87 per cent., died in some of the following public institutions:—

]	Rd.							
				1914.								
	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	Males.	Females.	Persons.
D.: 1 II. : 1	200	055	220	200	220	250	310	341	346	224	129	355
Brisbane Hospital	300	257	320	293	329	350 27	20	33	41	9	12	21
Lady Bowen Hospital	7 82	10 84	14	16 107	146	108	163	216	195	92	79	171
Children's Hospital Brisbane Plague Hospital	5	3	119	107								
Salvation Army Home*			14	14	9	16	9	11	6	2	3	5
Hos. for Chronic Diseases	58	43	48	73	61	79	67	65	85	57	26	83
Lady Lamington Hospital	3		1		2	3	2	8	5		5	5
Infants' Home	2	9	30					3	8	5	6	11
Lunatic Reception House				1								
Brisbane Gaol	2	2	3	1	2	2	1	1	2			
Magdalen Asylum	12	-21	11	5	13	10	12	11	8	1	4	5
Industrial Home	3				2	3	1	7		2		2
Blind Asylum*			1	1.0	,							• • •
Nudgee Örphanage**				1	1		1	2	5		•••	•••
St. Mary's Home**				1	1			***				
Women's Shelter§					1				101			• • • •
Female Refuget						1		•••			40	115
Mater Misericordiæ Public Hospital††	•••	•••					• • •			66	49	115
Total.	474	190	530	510	501	609	505	608	701	158	212	771

^{*} Appearing for the first time in 1907.

The above table shows the deaths in the Metropolitan Area for 10 years in the public institutions, 4 of which (including 1 for chronic diseases) in 1914 contributed 722 deaths, or 93.64 per cent. of the total deaths in all these institutions last year. The Mater Misericordiæ Public Hospital appears in the list for the first time.

The Metropolitan Area contains private hospitals to which many outside patients arrive. These hospitals sometimes contribute to the deaths which are debited to this area; but the births of children, whose mothers come from other districts to Brisbane for attention, are credited to the Metropolitan Area.

The following table gives information as to the staff and cost of maintenance of in-patients in the chief hospitals of the State, which are very much availed of:—

S.

				-patients.	ient	ation	tient				Hospita	L STAFF			
When	re Sit	nated.		In	In-patien	Administration Management patients.	In-patient			PA	ID.			HONO	RARY.
				Number of	Number of Days.	of of	Cost of each I per Day.	Med	ical.	Nurs	sing.	Otl	her.	Med	dical.
				Num	Nun Ds	Cost and for	Cost	М.	F.	М.	F.	М.	F.	M.	F.
Charters Towers Ipswich Mackay Maryborough Mount Morgan Rockhampton Toowoomba Townsville	n's			5,596 2,140 644 914 1,061 996 712 1,006 1,059 1,362 1,607 490	97,051 51,830 12,730 25,602 23,436 21,912 12,419 18,441 21,879 29,251 30,872 9,386	£ 23,623 8,973 3,240 5,332 4,628 5,966 3,115 6,090 5,814 8,015 9,288 2,505	$\begin{array}{c} s. \ d. \\ 4\ 10^{\frac{1}{2}\frac{1}{2}} \\ 3\ 5^{\frac{1}{2}} \\ 5\ 1 \\ 4\ 2 \\ 3\ 11^{\frac{1}{2}\frac{1}{2}\frac{1}{4}} \\ 5\ 0^{\frac{1}{4}\frac{1}{4}\frac{1}{4}} \\ 6\ 7^{\frac{1}{4}\frac{3}{3}\frac{3}{4}} \\ 6\ 5\ 5^{\frac{1}{4}} \\ 6\ 2 \\ 5\ 4 \\ \end{array}$	6 2 1 1 1 1 1 1 1 1 1 1 1		3 1 2 2 2 	88 54 13 17 18 23 11 17 16 31 27 12	45 2 2 5 7 2 4 6 10 7 10 3	35 21 4 8 8 8 8 6 7 9 20 8 4	20 9 3 2 10 2 5 4 6 5 5	

There is great variation in the cost of each patient per day—Mount Morgan, 6s. $7\frac{1}{4}$ d. (highest), to Brisbane, Children's, 3s. $5\frac{1}{2}$ d. (lowest). Ipswich is 3s. $11\frac{1}{2}$ d.; all others are from 4s. 2d. to 6s. 2d. The largest hospital—Brisbane General—costs only 4s. $10\frac{1}{2}$ d. per in-patient per day, which appears reasonable.

[†] Appearing for the first time in 1910.

^{**} Appearing for the first time in 1908.

[§] Appearing for the first time in 1909.

^{††} Appearing for first time in 1914.

Causes of Death.

The deaths are classified on the Bertillon system (as previously mentioned), and the following table shows the percentage of each class of disease for the last five years:—

Table comparing the Percentage which the several Causes of Deaths bear to the Total Deaths in each Year.—Return for the Five Years.

	Classes.	1910.	1911.	1912.	1913.	1914.
Class	I.—General Diseases	25.54	25.72	23.74	24.43	22.39
"	II.—Diseases of Nervous System and Organs of Special Sense	9.35	8.60	8.86	7.90	8.57
,,	IIIDiseases of Circulatory System	13.66	14.20	13.88	14.09	14.43
,,	IV.—Diseases of Respiratory System	8.36	9.66	7.96	9.21	9.02
,,	V.—Diseases of Digestive System	11.61	11.98	14.32	12.52	13.53
,,	VI Diseases of Genito-Urinary System and Adnexa	6.20	5.72	5.98	6.49	7.06
,,	VII.—Puerperal Condition	1.46	1.36	1.34	1.27	1.25
,,	VIII.—Diseases of Skin and of the Cellular Tissue	0.80	0.60	0.56	0.46	0.65
,,	IX.—Diseases of the Organs of Locomotion	0.17	0.12	0.13	0.27	0.28
,,	X.—Malformations	1.46	1.40	1.42	1.65	1.41
"	XI.—Infancy	6.23	5.72	6.82	6.91	7.00
,,	XII.—Old Age	4.96	4.26	5.09	4.94	4.86
,,	XIII.—Violence	10.13	10.45	9.74	9.77	9.49
3-1	XIV.— Ill-defined Diseases	0.07	0.21	0.16	0.09	0.06
	Total	100.00	100.00	100.00	100.00	100.00

In general diseases there was a decreased ratio of 2.04 on 1913. Out of the 14 classes of above-mentioned diseases, increased ratios on 1913 showed in 7. The ratios in 4 of these 7 were the highest for the past 5 years in the respective classes. Violence showed a slightly decreased ratio.

Table XIV. in Appendix showed deaths from all causes for past 2 years arranged according to their degree of fatality for 1914; but the mortality for the 16 most common causes of death is given for 5 years in the following table:—

Ta.

RETURN for FIVE YEARS showing the Number of Deaths from some of the Principal Causes in Order of Degree of Fatality in 1914, also their Proportion per 10,000 of the Total Deaths and per 100,000 of the Mean Population, respectively, for each Year 1910-1914.

		1910.			1911.			1912.			1913.			1914.	
Most Common Cause of Death.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population.	No. of Deaths.	Proportion per 10,000 Total Deaths.	Proportion per 100,000 Mean Population
Organic Diseases of the	589	1,025	99	709	1,083	115	749	1,082	119	725	1,069	111	751	1,116	111
Diarrhea and Enteritis (under and over two years)	382	665	65	463	708	75	646	933	102	501	739	77	552	820	82
Cancer (all kinds) Congenital Debility, Icterus and Scleroma	* 395 309	688 538	67 52	398 318	608 486	65 52	399 375	577 542	63 59	426 372	628 548	65 57	443 389	658 578	66 58
Tuberculosis (all par's) Senile Debility Bright's Disease	350 285 218	609 496 379	59 48 37	414 279 232	633 426 355	67 45 38	391 352 264	565 509 381	62 56 42	389 335 280	573 494 413	60 51 43	333 327 301	495 486 447	49 48 45
Pneumonia Hæmorrhage of Brain, Apoplexy	149 187	259 326	25 32	229 187	350 286	37 30	212 211	306 305	34 33	217 190	320 280	33 29	218 194	324 288	32 29
Bronchitis, Acute and Chronic Typhoid Fever	141 96	245 167	24 16	181 95	277 145	29	161	233	25	173	255	27	173	257	26
Disease of Arteries, Atheroma, Aneurism, &c.	107	186	18	97	148	15 16	143 95	207 137	23 15	127 101	187 149	19 15	128 120	190 178	19
Orowning (accident) Diphtheria Congenital Malformations (exclusive of stillb rn)	118 66 84	205 115 146	20 11 14	212 87 92	324 133 141	35 14 15	119 95 98	172 137 142	19 15 16	117 81 112	172 119 165	18 12 17	114 111 95	169 165 141	17 16 14
Broncho pneumonia Convulsions of Children under five	50 77	84	8 13	82 84	133 128	13 14	64 100	101 144	10 16	81 64	119 98	12 10	93 85	138 126	14 13
Total Deaths each Year from all Causes				6,544			6,921			6,783			6,731		
Mean Population each Year		592	,201		614	,352		631	,577		652	2,555		674	,932

In 14 causes of death there were above 100 deaths in each, and the total deaths from these causes were 61.71 per cent. of all deaths in 1914.

Organic diseases of the heart easily take first place as the cause of the greatest number of deaths in 1914—being 199 in excess of next highest—and is the greatest recorded. In many ways men, naturally, lead more strenuous lives than women; and the record in 1914 was that 163 more men than women died from organic diseases of the heart.

Diarrhea and Enteritis rose from 501 in 1913 to 552 deaths last year.

Cancer.—This dire disease is ever on the increase. Last year there were 443 deaths from this cause—an increase of 17 on 1913 and 102 on 1909. The following table gives in great detail the parts attacked, which information was extracted from the medical certificates:—

Tb.

RETURN showing the Ages of all Persons Registered as Dying from Cancer of All Kinds during the Year 1914, together with the portion of the Body affected thereby.

												AG)	ē.											
Portion of the Body A	affected.	years.).	.5.	20.	25.			.0.	15.	50.	55.	30.	35.	70.	75.	and upwards.	Unspecified.		Total.
		- 1 to 2	2 to 3.	5	1	4 10 9.	5 to 10.	10 to 15	15 to 20.	26 to 2	05 + 20	30 to 35.	- 35 to 40.	40 to 45	45 to 50.	50 to 55.	55 to 60.	- 60 to 65.	65 to 70.	70 to	- 75 and	Unspe	Males.	Females.
domen m		M, F	М.	F. M.		F. 1		м г. 		M. 1					. 1		1		1		1		1 1 1 2	3 1
ain east ,, and Lung ., and Spinal Chor adder	d												1						4 1 3		1		3 6	17 1 1 2
and Peritonæu ,, and Prostate eek	m				1				i											1	1		 1 1 3	1 1
e and Arm nur l Bladder										1				. 1 .			1			1	1 1		3 1 1 6	2
,, and Liver oin l'et											. 1					1			1				 2 1 1 9	
estines ,, Cæcum ,, Colon ,, Rectum ,, Small Intesti	 													2	1 1 2	2 3 .	1 1.	1	. 1 4	1	1 1 1		5 9 3	1 7 5
Lower Face and N				•••••			1							. 1	1		1			3	1		5 2 1 3	1 2 2
ynx				•••••							1				. 1	1	1	. 2 .	2		1		1 7 4	1
er on ng on nphatic Glands diastinum										i		1	1		1 1		. 2	2 2 1		6 3	5 3		23 3 1 1 1	14 2 1
uth ek and Mouth se ophagus											. 1			1		2	1	. 1	1	1 1	1 2		11 1 2 9	 2 2
ary ate ordid Gland														1 .	1	. 2	1 1	1	21		i		1 3 2	5 5
ritoneum arynx vis												1								1	1		2 1 3	1
state orus oulder een		•••													1	1	1		2 1		1]		7 4 	3 2
mach ,, and Liver ticle gh											. 1	1	. 1	3	9	11 1	2	. 1	5 10 7	1		l'	77 3 2 2	34 1 1
oat , and Neck roid Gland gue															. 1		1	··· i	. 3	i	3		4 1 8 1	1
and Jaw and Throat usil and Upper Jaw urus and Breast													1	2	2	3	1 1 5	3	6	3 2	2		1 1	28
gina etriculi va														1					1	i 1	i		2	2 ₁
anotic Sarcoma seminated Cancer specified														1 1	1		2			17.			. 1	3 8
Total					1			1	2 1	1 1	3 (3 2	3 3	9 14	7 30 1	1 31	25 35	22 30	23 39 2	5 37 18	8 39 2	1	. 268	175

As in organic diseases of the heart, a greater number of men than women died in 1914 from this disease; male deaths exceeded those of females by 93. Cancer of the tongue, tongue and jaw, tongue and throat, tonsil and upper jaw, were recorded (as in 1913) in men only; of the stomach (111 deaths), 69.37 per cent. were men (last year two-thirds of the deaths under this cause were men); and of the liver, the deaths of men exceeded those of women by 9. To a lay mind it would appear that there are some cogent reasons why organic heart disease and cancer (in the parts above-mentioned) attack and are more fatal to men than women. It would be interesting and instructive if each doctor, in the medical certificate of the cause of death, were to give as his opinion that the disease (cancer, especially) originated, say, in the excessive use, or partaking of, certain kind of foods, beverages, &c.

Tuberculosis.—The ravages of this scourge appear to have been arrested to a large extent, as the number of deaths from the disease showed a decline of 56 on 1913. It is a notifiable disease, and it is assumed that information in each case is given to the Commissioner of Public Health, who takes necessary preventive measures. In the following table particulars are shown of birthplace and length of residence in Queensland of all persons who died from this disease in 1914:—

DEATHS FROM PHTHI	SIS ANI	TUBE	RCULOSIS	S OF TH	E PULI	MONARY	AND I	ARYNG	EAL OR	GANS.			DEATI	HS FRO	M TUBE	RCULAR	DISEA AND L	SES (OT	HER T	HAN TU	BERCUL	OSIS OF	PULM	ONARY
				Durati	on of Re	sidence i	n Queen	sla n d.								Durat	ion of R	esidence	in Queer	ısland.				
Birthplaces.	Under 6 Months.	6-12 Months.	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.	20 Years and Up.	Unspecified.	Total.	Under 6 Months.	6-12 Months.	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.	20 Years and Up.	Unspecified.	Total.
(Australian States and New	1		2	2			1	1	10	114	1	132	4	3	6	1	2	1	2	2	3	9		33
$1910 \begin{cases} \text{Zealand} \\ \text{Pacific Islands} \\ \text{Elsewhere} \\ \dots \\ \dots \\ \dots \end{cases}$	7	2	3	4		3	11		2	6 112	2 15	10 166										1 6		1 8
Totals	8	2	5	6	1	3	12	8	13	232	18	308	4	4	6	1	2	2	2	2	3	16		42
Australian States and New Zealand	1	1		1		1	1		11	134		150	2	5	4		2	1	4	3	2	12		35
1911 Pacific Islands Elsewhere	4	4	7	5	2	2	6	9	3	10 137	2 25	12 204	1	1					1	1	1	6		11
Totals	5	5	7	6	2	3	7	9	14	281	27	366	3	6	4		2	1	5	4	3	20		48
Australian States and New Zealand				1			3	4	5	148		161	6	4	6	3	1		3	1	1	18		43
$1912 \left\{ \begin{array}{llll} \text{Pacific Islands} & \dots & \dots \\ \text{Elsewhere} & \dots & \dots & \dots \end{array} \right.$	6	5	4	3	8	1	10	4		7 102	15	7 164		1					3	2		1 7	1	1 15
Totals	6	5	4	4	8	1	13	8	11	257	15	332	6	- 5	6	4	1		6	3	1	26	1	59
Australian States and New	1	2	1	1	1	1	1	2	8	150	•••	168	1	2	4	1	1	3	1		3	7		23
Pacific Islands Elsewhere		5	8	6	4		7			2 122	3 11	5 185										1 4		7
Totals	4	7	9	7	5	7	8	9	14	274	14	358	1	3	4	2	2	3	1		3	12		31
Australian States and New Zealand	2	4	1				3	2	7	121	•••	140	2	2	3	1	1	1	2		3	5		20
1914 Pacific Islands Elsewhere	1	3	9	11	6	7	9	1 8	5	5 90	8	6 157							1			7		
Totals	3	7	10	11	6	7	12	11	12	216	8	303	3	2	3	2	1	1	3		3	12		30

Three hundred and thirty-three deaths from tuberculosis occurred last year, 303 of which were of the pulmonary and laryngeal organs and 30 of other parts. Of the deaths in the first category, 46.2 per cent. were natives of the Australian States and New Zealand, and 53.8 per cent. of other countries. From the tabulated figures it would appear that the disease of phthisis is not imported to any great extent, which may be, more or less, correct. The inference, that most of the deaths were caused by contracting the disease in Queensland, admits of explanation. A family infected to some extent with the dread malady arrives, say, from oversea and occupies a rented house for perhaps a month or more and vacates it. Owing to having no medical attendant, the Health Department, possibly, would not have been notified, and no disinfection performed. A second family, healthy, enters and occupies the vacated premises, and one or more contracts the disease, the seeds of which were *imported* by the first family. In the interest of the community's health all houses as they become vacant should be disinfected, and prior to their being reoccupied a disinfection certificate from the Commissioner of Public Health should be produced by the landlord to the incoming tenant or purchaser. "Thirty of other parts" included 12 of the meninges, 13 of the abdominal region.

Congenital Debility, &c., caused 389 deaths in 1914, an increase of 17 on 1913; in fact, it appears to increase from year to year. It is totally confined to children in their first year of life.

Senile Debility.—A term frequently used by medical men to show that the person, for whom a certificate was given, had been more or less worn out; 327 deaths for 1914 was a slight decrease on 1913. Of the 832 persons—75 years and upwards—226 deaths were attributed to senile debility. It is difficult to say when, in this genial climate, old age begins; but, for statistical purposes, it must be tabulated thus for "Senectus ipsa morbus est."

														A	GE I	LAST]	IRTH	DAY.																	
Cause of Death,	75	76	77	78	79	8	0	81	82	83	8	4 8	85	86	87	7 8	8	89	90	91	92	9	3	94	95	96	9	7 9	8	99	aı	nd vards.		L DEATHS 75 YEARS	
	M. F.	. M. F	. M.	F. M. 1	F. M. 1	F. M.	F. 1	4. F.	м. F	м. 1	F. M.	F. M	. F.	M. F.	м.	F. M.	F. M	. F.	M. F	M. H	F. M.	F. M.	F.	и. F.	м. F.	M. F	. м.	F. M.	F. I	M. F.	M.	F.	М.	F.	P.
Influenza	1	1	1	1	1,	1		1		1 1.				1		2		. 1				. 1					. ,						4	9	13
Tuberculosis of the Lungs	2			1.	1.										1.																		5		5
Cancer, &c., of the Mouth		. 3 .,	. 2.	1.	1.	1				. 1.							1																9	1	10
Cancer, &c., of the Stomach and Liver	3 3	3 4 1	1 4.	1	1 2	1				. 1.			. 2	1																			16	8	24
Cancer, &c., of Peritonæum, Intestines, &c.	1	1	L	1		2]	1					. 1															2	5	7
Cancer, &c., of the Skin		1	1.					1						1			1																3	2	5
Cancer, &c., of Other Organs		1	. 2	1	. 2	2 1			3									. 1															9	4	13
Chronic Bheumatism and Gout	2								1 1					2																			5	1	6
Hæmorrhage of Brain, Apoplexy	3 1	2 3	3 2	3 4	1 2	1 3	3]	3	1	1	1	1					1		1	1											23	16	39
Softening of the Brain	1 1	1					1				1																						1	4	5
Paralysis without indicated cause	2	1	1	. 1	. 1	1	2				1	1	1			1																	9	4	13
Organic Diseases of the Heart	11 5	5 9	12	5 10 10	0 5	7 4	2	1 2	2 4	2	1 5	1 5	5 1	2	2	4 1	6	3	1 1	. 1	1	2 2			1			1					74	57	131
Disease of Arteries, Atheroma, Aneurism,	4 1	1 3	1	1 4	1 2			1	3	2	1	1	. 1	1 1		1	2									1							16	17	33
&c. Embolism and Thrombosis	1 1	2		1		1				1																							4	3	7
Chronic Bronchitis	3 3	3		2 7 2	2 2	1 6	4 2	2	1 1	4	1 1			2		1																	32	14	46
Broncho-Pneumonia	1	2			. 1	. 1	1		1		1	2					1		1											. 1			6	7	1.3
Pneumonia	3 1	2	2						1		1 1	2	1					1	1 1														11	13	24
Asthma Other Diseases of Stomach (Cancer ex-			1	1 1 2	2	. 1		1	1			1				1	1																7 2	3 7	10
cluded) Diarrhœa and Enteritis (over 2 years) Hernia, Intestinal Obstruction Cirrnosis of the Liver	1 1 1 1	1 1 1 2 2	1	-	3 2						1	2										1											11 2 6	15 7 1	26 9 7
Other Diseases of the Liver Bright's Disease Diseases of the Bladder	2 3 2	4 1 2	2 1 1	1 2 2 1 3	2	4	1	L . .	i i	1	. 1.		2		3		1		1]	1 1												4 15 14	12 2	4 27 16
Diseases of the Prostate Gangrene Senile Debility 1 Falls (accident)	1 16 6 1	7 3	1 1	10 9		11	8 10	61	1 7]	6 6	1 5 3 1	8	5 7 1	2	3 3	5	1	4 1	3 2	2 5	1	1	3 4	2 2		1.	1					$ \begin{array}{c c} 16 \\ 6 \\ 134 \\ 4 \end{array} $	3 92 8	16 9 226 12
All Other Diseases 1	10 3	7 4	4]	2 2	5 4	3	1 1	5	4		1 2	1 1	1			1 2	1	1															41	26	67
Totals, Ages 7	71 34	51 34	51 26	56 35	44 27	39 2	25 21	153	2 20	25 16	3 19 2	20 14	18	17 9	91	1 10	14 4	7	9 5	4 7	7 5	5 3	2	3 4	2 4	1	1	1 1.		1			491	341	832

Of the numbers recorded in this table, 429 died before reaching 80 years; 232 more between 80 and 85; 113 more before 90; 47 between 90 and 95; and 11 died above this age, 1 of whom—a woman—reached the age of 99 years. Truly, a wonderful climate!

Bright's Disease, like cancer, continues to increase, 21 or slightly more than 7 per cent. on 1913 figures.

MARINE REGISTRATIONS.

One girl was born on the s.s. "Paparoa" (Captain N. E. Bower), which arrived at Thursday Island on 28th October, 1914. Parents of the child came from Ireland. Five deaths were registered—all on oversea ships—a Chinaman, 23 years, from sea-sickness on "Taiyuan"; a woman 68 years from carcinoma, on "Orsova"; a girl, 1 year and 10 months, from measles and double pneumonia on "Waipara"; a man, 53 years, from cerebral hemorrhage on "Orama"; and a man, 21 years, supposed to have jumped overboard from "Suffolk" in the Gulf of Aden.

ADDITIONS TO RECORDS.

There were 38,410 names added to the records of the General Registry Office during 1914, or 551 more than in 1913. The aggregate number now on record is 1,103,908.

REVENUE OF GENERAL REGISTRY OFFICE.

The collections for 1914 paid into the Consolidated Revenue showed a slight increase on 1913, and were as follow:—

U.

RETURN showing the Amounts received by the DISTRICT REGISTRARS in the STATE during the Years 1913 and 1914 respectively, and, where collected by Public Officers, paid into the Consolidated Revenue.

District Registrar	s at—	1918	3.	1914.	District Registrars at—	1	913.		1914.	
Bowen Brisbane Bundaberg Cairns Charters Towers Dalby Gympie Herberton Ipswich Mackay Mary borough Mount Morgan		 5 580 1 19 1 26 36 1 8 1 25 1 7 1 52 1 20 1 46 1	3 0 0 0 9 0 0 6 2 6	£ s. d. 6 13 6 619 13 11 24 13 0 16 3 6 41 19 0 10 3 0 23 4 6 7 6 0 48 7 0 23 17 6 39 14 0 6 14 0	Red Hill Rockhampton Roma Sherwood Thursday Island Toowoomba Townsville Total all other Districts Total &	120	17 13 10 16 14 14 13	d. 0 6 6 6 0 0 0 6	£ s. 48 11 62 15 12 17 11 7 10 10 49 2 36 5 19 7 146 11	6 0 6

There were 4 unofficial registrars, who retained the fees of office as their perquisites.

Salaries or fees paid to district registrars during the last two years were as follow:-

RETURN showing the Amount of Salary or Fees Paid to District Registrars of the State during the Years 1913 and 1914 respectively.

Districts.	1913.	1914.	Districts.	1913.	1914.
Caboolture	£ s. d. 80 14 0 240 17 6 49 1 0 *190 0 0 *110 0 0 †*240 0 0	£ s, d. 64 13 0 236 10 0 44 17 0 *190 0 0 *110 0 0 †*240 0 0	Oxley Rockhampton Toowoomba Total all other Districts Total £	£ s. d. 77 8 0 *220 0 0 *110 0 0 71 17 0 1,389 17 6	£ s. d. 86 2 0 *220 0 0 *110 0 0 70 4 0

^{*} Paid by salary.

N. J. MACLEOD,

Government Statistician.

[†] Also Clerk to Harbour Master.

CLASS I.-General Diseases.

- 1. Typhoid Fever.
- 2. Typhus.
- 3. Recurrent Fever.
- 4. Intermittent Fever. 4a. Malarial Cachexia.
- 5. Small-pox.
- 6. Measles.
- 7. Scarlet Fever.
 8. Whooping Cough.
 9. Diphtheria.
- 9a. Croup.
- 10. Influenza.
- 11. Miliary Fever. 12. Asiatic Cholera. 13. Cholera Nostras.
- 14. Dysentery.
- 14a. Epidemic Dysentery.
 15. Plague.
 16. Yellow Fever.

- 17. Leprosy.
- 18. Erysipelas. 19. Other Epidemic Diseases.
- 19a. Dengue.
- 20. Purulent Infection and Septicæmia.
- 21. Glanders and Farcy.
- Malignant Pustule and "Charbon."
- 23. Rabies.
- 24. Tetanus.
- 25. Trichinosis, etc.
- 26. Pellagra.
- 27. Beri Beri.
- 28. Tuberculosis of the Lungs.29. Tuberculosis, Acute Miliary.30. Tuberculosis of the Meninges.
- 31. Tuberculosis, Abdominal, etc.
- 32. Pott's Disease.
- 33. White Swellings
- 34. Tuberculosis of other Organs.35. General Tuberculosis.36. Rachitis.

- 37. Syphilis.

- 38. Gonococcic Dis.
 39. Cancer, etc., of the Mouth.
 40. Cancer, etc., of the Stomach and Liver.
 41. Cancer, etc., Peritonaum, Intestines, etc. 42. Cancer, etc., of the Female Genital Organs.
- 43. Cancer, etc., of the Breast.
- 44. Cancer, etc., of the Skin.
- 45. Cancer, etc., of other Organs.46. Other Tumours (excl. F. Genital Organs).47. Acute Articular Rheumatism.
- 48. Chronic Rheumatism and Gout.
- 50. Diabetes
- 51. Exophthalmic Goitre.52. Addison's Disease.53. Leucæmia.

- 54. Anæmia, Chlorosis.
- 54a. Filaria.
- 55. Other General Diseases.
- 56. Acute and Chronic Alcoholism. 57. Lead Poisoning.
- 58. Other Chr. Poisonings due to Occupations.
- 59. Other Chronic Poisonings.

CLASS II.-Diseases of the Nervous System and of the Organs of Special Sense.

- 0. Encephalitis.
- 61. Simple Meningitis.
- 61a. Epidemic Cerebro-spinal Meningitis.
- 62. Progressive Locomotor Ataxia.
 63. Other Diseases of the Spinal Cord.
 64. Hæmorrhage of Brain, Apoplexy.
- 65. Softening of the Brain.
- 66. Paralysis without indicated cause.
- 67 General Paralysis.68. Other Forms of Mental Alienation.
- 69. Epilepsy.
- 70. Eclampsia (non-puerperal).71. Convulsions of Children under five.
- 72. Chorea.

- 73. Hysteria, Neuralgia, Neuritis.
 74. Other Diseases of the Nervous System.
 75. Diseases of the Eyes and Appendages.
- 76. Diseases of the Ear.

CLASS III.—Diseases of the Circulatory System.

- 77. Pericarditis.
- 78. Acute Endocarditis.
- 79. Organic Diseases of the Heart.
- 80. Angina Pectoris.

- 81. Dis. of Arteries, Atheroma, Aneurism, etc. 82. Embolism and Thrombosis. 83. Dis. of Veins (Varices, Varicose Ulcers, etc.)
- 84. Diseases of the Lymphatic System.
- 85. Hæmorrhage.

CLASS IV.-Diseases of the Respiratory System.

- 86. Diseases of the Nasal Fossæ.
- 87. Diseases of the Larynx.
- 88. Diseases of the Thyroid Body.
- 89. Acute Bronchitis.
- Chronic Bronchitis.
- Broncho-pneumonia
- 92. Pneumonia.
- 93. Pleurisy. 94. Congestion of Lungs and Pul. Apoplexy.
- Gangrene of the Lungs.
- Asthma.

- 97. Pulmonary Emphysema.
 97a. Miners' Phthisis.
 98. Other Diseases of the Respiratory System.

CLASS V.-Diseases of the Digestive System.

- 99. Dis. of Mouth and associated organs.100. Diseases of the Pharynx.101. Diseases of the Œsophagus.

- 102. Ulcer of the Stomach.
- 103. Other Dis. of Stomach (Cancer excluded).
- 104. Diarrhea and Enteritis (under two years). 105. Diarrhœa and Enteritis (over two years).
- 106. Ankylostomiasis.
- 107. Intestinal Parasites.
- 107a. Sprue.
- 108. Appendicitis.109. Hernia, Intestinal Obstruction.110. Other Diseases of the Intestines.
- 111. Icterus Gravis.
- 112. Hydatid Tumours of the Liver.
- 113. Cirrhosis of the Liver.

- 113. Chrinosis of the Liver.
 114. Biliary Calculi.
 115. Other Diseases of the Liver.
 116. Diseases of the Spleen.
 117. Simple Peritonitis (non-puerperal).
 118. Other Diseases of the Digestive System.

CLASS VI.—Diseases of the Genito-Urinary System and Adnexa

- 119. Acute Nephritis.120. Bright's Disease.
- 121. Chyluria.

- 121. Chyluria.
 122. Other Diseases of Kidney and Adnexa.
 123. Calculi of Urinary System.
 124. Diseases of the Bladder.
 125. Other Dis Urethra, Urinary Abscess, etc.
- 126. Diseases of the Prostate.
- Non-venereal Dis. of Male Genital Organs. 127. 128. Uterine Hæmorrhage (non-puerperal).
- 129. Uterine Tumour (non-cancerous). 130. Metritis and Other Diseases of the Uterus.
- 131. Cysts and other Ovarian Tumours.
- 132. Other Dis. of Female Genital Organs. 133. Non-puer. Dis. of Breast (Cancer excep.)

CLASS VII -Puerperal Condition.

- 134. Accidents of Pregnancy.
- 135. Puerperal Hæmorrhage
- 136. Other Accidents of Childbirth.
- 137. Puerperal Septicæmia.
 138. Puerperal Albuminuria and Eclampsia.
 139. Puerperal Phlegmasia Alba Dolens.
 140. Other Puerperal Accidents, Sudden Death.
- 141. Puerperal Diseases of the Breast.

CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.

- 142. Gangrene.
- 143. Carbuncle.
- 144. Phlegmon, Acute Abscess.
- 145. Other Diseases of the Skin and Adnexa.

CLASS IX.-Diseases of the Organs of Locomotion.

- 146. Non-tuberculous Diseases of the Bones.
- 147. Arthritis and other Dis. of Joints.
- 148. Amputation.
- 149. Other Dis. of Organs of Locomotion.

CLASS X.-Malformations.

150. Congenital Malfor. (excl. of Stillborn).

CLASS XI.—Infancy.

- 151. Congenital Debility, Icterus, and Scleroma. 152. Other Dis Pec. to Infancy (un. 3 mths). 153. Want of Care (Infants).

CLASS XII. Old Age.

154. Senile Debility.

- CLASS XIII.-Violence.
- 155. Suicide by Poison.
- 156. Suicide by Asphyxia.157. Suicide by Hanging or Strangulation.
- 158. Suicide by Drowning.
- 159. Suicide by Firearms.
- 160. Suicide by Cutting Instruments.161. Suicide by Precipitation from a Height.162. Suicide by Crushing.
- 163. Other Suicides.
- 164. Poison by Food.
- 165. Vene. Creatures and other Acute Poisons. 166. Incendiarism.
- 167. Burns.
- 168. Noxiaus Gases.
- 169. Drowning. I70. Firearms.
- 171. Cuts and Stabs. 172. Falls.
- 173. Mines and Quarries. 174. Machinery.
- 175. Vehicles.
- 175a. Railway and Tramways. 176. Animals
- 177. Starvation.178. Cold.
- 179. Sunstroke.
- 180. Lightning.
- 181. Other Electric.
 181a. Timber Felling, Logging, etc.
 182. Murder by Firearms.
 183. Murder by Cuts.
- 184. Murder, Other.
- 185. Fractures, etc. 186. Other Violence.
- CLASS XIV. Ill-defined Diseases.
- 187. Organic Lesion (not Defined). 188. Sudden Death.
- 189. Unspecified or Ill-defined Causes of Death.

INDEX TO TABLES.

Н	ead.			Particulars given in Table.	Table.	Page.
				APPENDIX A.		
opulation	ı		Synopsis of	Vital Statistics from 1856		1 to 5
				or 1913 and 1914, Estimated Mean for the year	I.	6
opulation irths		• • •	Number Re	gistered during each Quarter	II.	6
Tetropoli	tan Are	· · · ·	Mean Popul	ation, Births, Deaths, and Marriages for Ten years	III.	7
Carriages			Number Re	gistered during each Quarter	IV.	7
,,			Number Re	gistered, showing the Denominations	V.	8
,,			Showing the	e Birthplace or Race of the Persons Married	VI.	9
,,			,,	various Ages of the Persons Married	VII.	10 to 1
eaths in	the Sta	ate	Showing th	e Number Registered during each Month of the Year in	VIII.	12
				Age Groups	, 111	
55		• • •	,,	according to Districts	IX.	13
19			99	Number of Children, Male and Female, under Five years	X.	14
,,			,,	Ages of Persons since 1860, also Mean Age at Death and	VII	7.5
				Mean Age living	XI.	15
,,			,,	Birthplace, &c., of Persons whose Deaths were Registered	XII.	16 17
,,			,,	Occupations of Persons whose Deaths were Registered	XIII.	18 to 1
11			,,	Causes of Deaths, arranged in order of Degree of Fatality	XIV.	10 10 1
99			,,	Causes of Deaths of Males at different periods of life,	XV.	20 to 25
				Registered during the year	Αν.	
**			,,	Registered during the year	XVI.	23 to 2
,,			,,	Registered during the year		201 0
				life, Registered during the year	XVII.	26 to 28
• • • • •		• • •	,,	Causes of Deaths, Males and Females, Number Registered each Month	XVIII.	29 to 31
				Causes of Deaths of Males, Females, and Persons in the	AVIII.	20 00 0
	•••	•••	,,	several Groups of Registry Districts	XIX.	32 to 3
eaths in	Brisbar	ie.	,,	Causes of Deaths, Males, at different periods of life,		
edonis in	25120001		,,	Registered within Metropolitan Area	XX.	38 to 40
,,			,,	Causes of Deaths, Females, at different periods of life,		
				Registered within Metropolitan Area	XXI.	41 to 43
,,			,,	Causes of Deaths, Persons, at different periods of life,	VVII	44 to 4
				Registered within Metropolitan Area Causes of Deaths, Males and Females, Registered during	XXII.	44 10 4
			"	each Month of the Year, within Metropolitan Area	XXIII.	47 to 4
				APPENDIX B.		
			District Res	gistrars, List of, for 1914	•••	50
				APPENDIX C.		
Census of	Queens	land	Showing th	e Population of Cities, Towns, and Shires, as returned at		
J.1.5 G.5 G.1	0		G	Census of 1911	I.	50 to 5
,,			,,	Ages of the Population, as returned at Census of 1911	II.	52
,,			, ,,	Birthplaces of the Population of Queensland, as returned	III.	70
				at Census of 1911	111.	52
,,		•••	,,	at Census of 1911	IV.	53
				Occupations of Population of Queensland, as returned at	11.	00
,,			99	('ensus of 1911	V.	54

APPE Z U XI

						-									
1.99	13,152	7,164	5,988	85.64	2.51	28.21	2.22	16,549	8,636	7,913	676,707	312,181	364,526	:	914
2.04	12,964	7,112	5,852	85.12	3.73	3.85	3.62	23,733	11,259	12,474	660,158	303,545	356,613	:	1913
1.93	11,837	6,557	5,280	84.93	2.30	2.85	1.83	14,296	8,112	6,184	636,425	292,286	344,139	:	1912
1.74	10,447	5,800	4,647	84.09	3.84	3.97	3.73	22,998	10,849	12,149	622,129	284,174	337,955	:	911
1.80	10,428	5,762	4,666	83.89	3.56	3.68	3.29	20,583	10,197	10,386	599,131	273,325	325,806	:	910
1.80	10,024	5,487	4,537	83.42	3.64	3.43	3.81	20,311	8,728	11,583	578,548	263,128	315,420	:	909
1.67	9,148	4,973	4,175	83.73	2.15	2.40	1.95	11,770	5,973	5,797	558,237	254,400	303,837	:	1908
1.67	8,943	4,969	3,974	83.35	2.12	2.44	1.86	11,354	5,923	5,431	546,467	248,427	298,040	:	907
1.71 1.56 1.69	8,832 8,123 8,924	4,957 4,644 4,856	3,875 3,479 4,068	81·26 81·96 82·88	1·19 1·23 1·34	1.57 1.70 1.96	0.88 0.84 0.83	6,125 6,393 7,065	3,623 3,986 4,662	2,502 2,407 2,403	521,655 528,048 535,113	233,856 237,842 242,504	287,799 290,206 292,609	:::	905
1.58 1.23	8,012 6,275	4,657 3,799	3,355 2,476	80.39	0.97	1.50	0.55	4,909 4,677		1,536 2,102		227,658 230,233	283,195 285,297	: :	1902 1903
1.77	9,054 8,296	5,133 4,853	3,921	79.77	-3·60 2·38	- 2·58 2·28	- 4·39 2·46	-18,438 $11,778$	1	-12,623 $6,770$		219,277 224,285	274,889 281,659	: :	900
1.56	7,690 7,755	4,378	3,312 3,185	78.25	22.82	2.59	3.06	13,823 14,081		8,298 7,842		218,853 225,092	279,670 287,512	: :	898 899
1·82 1·88	8,372	4,860 5,096	3,542 3,794	78·44 78·61	2.53	3·07 2·70	2.10	11,629 12,521		5,453 6,759		207,566 213,328	264,613 271,372	: :	896 897
2.18	8,679 9,722	4,839 5,355	3,840 4,367	77.47	3.45	3.08	2·89 3·32	12,856 15,395		7,041 8,326		194,321 201,390	250,834 259,160	: :	894 895
2.06	9,637	4,926	3,773	77.04	2.61	2.82	2.45	10,967		5,407		183,332	237,965	: :	392
2.39	9,545	0,383	4,162	76.44	1.70	2.09	1.40	6,769		3,184		177,772	232,558	: _	91
2.40	9,769	5,547	4,222	73.32	3.97	4.56	3.53	16,118				178,850	*243,926	J.	890
2.38	8,718 8,269	5,000 4,750	3,718 3,519	71.81	5.59 4.95	6·26 5·62	5.12	20,523				161,947 171,051	225,516	: :	38.38 39.38
2.14	8,347	4,194	2,813 3,600	70.43	4·80 7·10	4·52 7·64	5·00 6·72	15,698 24,326	6,124 10,819	9,574 13,507		141,590 152,409	201,024 $214,531$: :	886
1 /0	1 000	160,6	1,/00	07.07	0.49	12.0		17,003	cee,	9,008		132,471	†189,935	منم	885
1.33	3,818	3,113	705	69.87	7.81	8.49		22,438	986,6	12,452		127,471	182,442	.: :	384
1.87	4,244	2,647	1,597	70.51	9.38	9.14	9.55	21,287	8,599	12,688		102,663	145,592	: :	1882 1882 1883
2.17	4,900	2,813	2,087	70.78	0.39	2.40		891	2.203	-1.312		88,791 94.064	†126,263 132,904	~	881
2.38	4,663 5,179	3,003	2,176	66.47	3.49	5.61		7,341 8,226	4,082	3,259		86,984 91,861	130,867 *134,216	.:	879
1.56	3,177	2,132	1,045	64.96	3.65	90.9		7,426	4,742	2,684		82,902	127,608	: :	378
1.89	3,436	2,145	1,291	64.29	3.21	4.57	2.35	5,812	3,201	2,611		73,217	113,883	: :	76
2·44 1·59	3,589 2,602	2,086 1.841	1,503 761	67.09	10.86	10.28		16,827	6,121	10,706		65,657	97,860	:	74
2.60	3,470	1,896	1,574	68.31	9.83	10.38		13,137	5,601	7,536		59,536	87,154	: :	73
2.96	3,420	1,936	1,484	67.70	0.20	9.98		9,579	4,586	4,993		50,524	74,622	:	71
2.96	3,260	1,765	1,495	86.59	5.16	6.03		2,470 5,670	2,612	3,058		43,326 45,938	66,571 69,629	: :	69
2.66	2,661	1,559	1,102	63.16	7.59			7,578	1,571	6,007		41,584	65,843	: :	68
2.01	1,765	1,073	1 187	67.87	9.56			8,397	4,406	3,991		38,894	57,307	:	66
2.43	1,437	992	572 807	62.66	20.11			12,396 13,768	4,459 5,968	7,937		28,520 34,488	45,516 53,316	: :	64
2.09	946	650	296	64.03	36.74			16,563	6,170	10,393		24,061	37,579	: :	63
9.29	923	541	2002	65.14	22.49			6,311	2,317	3,994		13,556	20,811	: :	61
3.22	738	411	327	69.77	5.44			1,215	637	578		9,666	13,854	: :	59
2.47	457 597	276 385	181 212	65.72	11.37	12.34	10.73	2,108 1,653	900	1,208		7,290 8,190 9,029	11,254 12,462 13,976	: :	856
(]		1	F	P	F	7	P	F	N		F	M		
Popul Decen	ersons	emales	Iales.	each 1	ersons.	emales	Iales.	ersons.	emales	lales.	ersons.	emales	ales.		
ation aber of Exces				00 Ma											
ncrease to of 31s of each years of Birth	FROM EXCESS FR DEATHS.	CEMBEI ING FR	OF BIRTH	Females to ales in tota of each year	RATIO OF -DECREASE ON OF 31s t BER.	CENTESIMAL RA INCREASE OR — DI IN POPULATION (DECEMBEI	INCREAS IN POP	EASE OR PULATION IBER.	UMERICAL INCREASE OR DECREASE IN POPULATION OF 31ST DECEMBER.	NUMERIO — DECREA OF 31	DECEMBER.	ON THE 31ST	POPULATION O		YEAR
st	MOTOR TON			1											

SYNOPSIS OF THE VITAL STATISTICS OF QUEENSLAND FROM THE YEAR 1856 TO 1914, INCLUSIVE—continued.

]	MEAN POP			YEAR, ITS	NUMERICA	AL AND CE	NTESIMA	L INCREASE	ī.
	YEA	.R.		MEAN	POPULATIO	ON OF	NUMEI - DECREAS	RICAL INCRE E IN MEAN I DE EACH YEA	CASE OR	CENTESIM OR -	AL RATIO	OF INCREASE	
				Males.	Females.	Persons	Males,	Females.	Persons.	Males.	Females.	Persons.	Proportion of Females to each 100 Males in mean
1856													
857				11,858	7,740	19,598			1.000	0.59	11.23	9.59	66
.858 .859	***			12,869 $13,565$	8,609 9,347	21,478 $22,912$	1,011 696	869 738	1,880 1,434	8·53 5·41	8.57	6.68	68
860				15,335	10,453	25,788	1,770	1,106	2,876	13.04	11.83	12.55	68
861				18,814	12,397	31,211	3,479	1,944	5,423	22.69	18.59	21.03	65
862				23,998	15,724	39,722	5,184	3,327	8,511	27.55	26.84	27.27	65
.863				32,382	20,976	53,358	8,384	5,252	13,636	34·94 28·31	33·40 25·33	34·33 27·14	68
864				41,548	26,290	67,838 $80,920$	9,166 $7,868$	5,314 5,214	14,480 $13,082$	18.94	19.83	19.28	68
.865 .866				49,416 55,312	31,504 $36,691$	92,003	5,896	5,187	11,083	11.93	16.46	13.69	66
.867				58,572	39,453	98,025	3,260	2,762	6,022	5.89	7.53	6.55	67
868				62,839	40,799	103,638	4,267	1,346	5,613	7.28	3.41	5.73	64
869				66,207	42,455	108,662	3,368	1,656	5,024	5.36	4.06	4.84	64
870				68,100	44,632	112,732	1,893	2,177	4,070	2.86	5.13	3.75	66
871				72,125	48,231	120,356	4,025	3,599	7,624 8,994	5·91 6·93	8.06	6.76	67
.872 .873				77,120 83,386	52,230 56,736	129,350 $140,122$	4,995 6,266	3,999 4,506	10,772	8.12	8.63	8.33	68
874				92.507	62,596	155,103	9,121	5,860	14,981	10.93	10.33	10.69	67
875				104,566	67,836	172,402	12,059	5,240	17,299	13.03	8.37	11.15	64
1876				112,578	71,616	184,194	8,012	3,780	11,792	7.66	5.57	6.84	63
1877				119,403	75,689	195,092	6,825	4,073	10,898	6.06	5.69	5.92	63
878				126,266	80,531	206,797	6,863	4,842	11,705	5·75 2·35	6·39 5·48	6.00	63
.879 .880				129,237 $132,542$	84,943 89,422	214,180 $221,964$	2,971 $3,305$	4,412	7,383	$\frac{2.56}{2.56}$	5.27	3.63	67
881				129,584	91,427	221,011	-2,958	2,005	953	-2.23	2.24	- 0.43	70
882				139,248	98,363	237,611	9,664	6,936	16,600	7.46	7.59	7.51	70
883				157,791	110,074	267,865	18,543	11,711	30,254	13.32	11.91	12.73	69
884				176,216	122,478	298,694	18,425	12,404	30,829	11.68	11.27	11.51	69
.885 .886				186,946	131,469	318,415	10,730	8,990	19,720	6·09 4·56	7·34 4·23	6·60 4·42	70
.887				195,480 $207,778$	137,030 146,999	332,510 354,777	8,534 $12,298$	5,561 9,969	14,095 $22,267$	6.29	7.28	6.70	70
888				220,023	157,178	377,201	12,245	10,179	22,424	5.89	6.92	6.32	71
889				230,562	166,499	397,061	10,539	9,321	19,860	4.79	5.93	5.27	72
890				239,766	174,950	414,716	9,204	8,451	17,655	3.99	5.08	4.45	72
1891				229,916	174,856	404,772	-9,850	- 94	-9,944	- 4.11	- 0.05	2.40	76
892				235,261	180,552	415,813 426,798	5,345	5,696	11,041 10,985	2·32 2·39	3·26 2·97	2.73 2.64	76
.893 894				240,879 $247,314$	185,919 191,413	438,727	5,618 $6,435$	5,367 5,494	11,929	2.67	2.96	2.79	77
895				254,997	197,855	452,852	7,683	6,442	14,125	3.11	3.37	3.22	77
896				261,886	204,478	466,364	6,889	6,623	13,512	2.70	3.35	2.98	78
897				267,993	210,447	478,440	6,107	5,969	12,076	2.33	2.92	2.59	78
898				276,108	216,494	492,602	8,115	6,047	14,162	3.03	2.87	2:96	78
1899				285,778 $273,498$	223,086 $216,827$	508,864 490,325	9,670 - 12,280	6,592 $-6,259$	16,262 $-18,539$	$-\frac{3.50}{4.30}$	3.04 - 2.81	3.30	78 79
901				281,699	223,996	505,695	8,201	7,169	15,370	3.00	3.31	3.13	79
902					228,087	513,612	3,826	4,091	7,917	1.36	1.83	1.57	79
				285,525									
.903	•••			283,821	228,869	512,690	- 1,704	782	- 922	- 0.60	0.34	- 0.18	80
.904		***		286,920	232,258	519,178	3,099	3,389	6,488	1.09	1.48	1.27	80
.905	•••			289,462	236,266	525,728	2,542	4,008	6,550	0.89	1.73	1.26	81
.906	•••			292,164	240,619	532,783	2,702	4,353	7,055	0.93	1.84	1.34	82
907	•••			295,277	245,927	541,204	3,113	5,308	8,421	1.07	2.21	1.58	83
908				303,179	251,992	555,171	7,902	6,065	13,967	2.68	2.47	2.58	83
909				311,734	2 59,310	571,044	8,555	7,318	15,873	2.82	2.90	2.86	83
910	••:			323,014	269,187	592,201	11,280	9,877	21,157	3.62	3.81	3.70	88
911				334,542	279,810	614,352	11,528	10,623	22,151	3.57	3.95	3.74	88
912				342,663	288,914	631,577	8,121	9,104	17,225	2.43	3.25	2.80	84
913				353,625	298,930	652,555	10,962	10,016	20,978	3.20	3.47		
	•••		•••				1000					3.32	84
914				365,118	309,814	674,932	11,493	10,884	22,377	3.25	3.64	3.43	84

SYNOPSIS OF THE VITAL STATISTICS OF QUEENSLAND FROM THE YEAR 1856 TO 1914. INCLUSIVE—continued.

1914	1913	1912	1911	1910	1909	1908	1907	1906	1856 1857 1860 1860 1860 1860 1860 1860 1860 1860		×
:	:	:	:	:	:	:	:	:			YEAR.
:	:	:	:	:	:	:	:	:			
78,178	72,534	67,374	73,240	57,284	53,816	47,785	42,120	31,649	**5,988 **5,988 115,919 **1,342 12,299 **1,342 12,022 4,954 5,944 5,944 5,947 13,622 31,827 11,307 11,307 11,307 11,307 24,335 24,335 24,335 24,335 22,3334 11,565 22,335 11,307 11,562 11,562 11,562 11,562 21,694 11,562 22,356 24,713 25,638 26,638 27,751 17,749 20,636 18,765 22,356 24,380 24,713 25,638	Males.	ARRIVALS I BY RAIL YEAF
42,366	36,776	35,062	36,480	28,980	25,724	23,019	19,807	16,028	**** *** **5,155 \$,5,17 \$,5,155 \$,5,17 \$,5,155 \$,5,160 \$,1,245 \$,1,31 \$,1,245 \$,1,31 \$,1,245 \$,1,31 \$,1,245 \$,1,350 \$,1,31 \$,1,245 \$,1,31 \$,1,245 \$,1,31 \$,1,245 \$,1,31 \$,1,245 \$,1,31 \$,1,245 \$,1,31 \$,1,245 \$,1,31 \$,1,245 \$,1,24	Females.	RIVALS BY SEA AND OVERLA BY RAILWAY DURING EACH YEAR AS RECORDED.
120.544	109,310	102,436	109,720	86,264	79,540	70,804	61,927	47,677	**9,805 **13,689 17,009 17,009 17,009 17,009 17,009 17,009 17,991 7,991 7,991 18,288 10,335 116,139 24,889 113,828 116,139 21,831 22,596 116,139 21,831 32,393 34,384 34,383 34,384 34,383 34,384 34,383 34,384 34,384 34,389 36,247 30,066 36,348 34,248 36,348 34,389 36,388 38,388 38,388 38,388 38,388	Persons.	D OVERLAND ING EACH
76.754	66,518	67,118	66,024	51,506	46,906	45,740	39,216	32,052	5,489 4,926 5,489 4,586 7,887 7,887 7,888 7,980 7,	Males.	
40 801	32,545	33,476	31,536	24,552	22,535	21,788	18,288	15,661	1,124 1,124 1,126 1,206 1,206 1,229 1,229 1,229 1,458 1,458 1,458 1,458 1,459 2,2405 2	Females.	DEPARTURES BY SEA AND OVERLAND BY RAILWAY DURING EACH YEAR AS RECORDED.
117.555	99,063	100,594	97,560	76,058	69,441	67,528	57,504	47,713	10,886 5,879 5,879 5,879 5,879 5,474 7,718 9,640 9,640 9,640 9,640 9,640 9,640 11,150 11,150 11,150 11,150 11,263 22,768 11,263 22,768 22,768 22,768 22,768 23,6512 26,656 2	Persons.	EA AND ALLWAY YEAR D.
10 190	10,048	9,585	8,707	8,261	7,956	7,675	7,454	7,280	547 547 547 547 547 547 547 547	Male Births year.	registered each
0 763	9,699	9,173	8,284	7,912	7,598	7,153	7,088	6,739	374 488 522 590 684 684 11,788 11,788 11,788 11,788 12,201 12,529 13,645 13,628	Female Birtleach year.	hs registered each registered each registered each registered each
10 883	19,747	18,758	16,991	16,173	15,554	14,828	14,542	14,019	755 1,069 1,236 1,423 1,423 2,221 2,221 2,883 3,532 2,221 2,883 3,532 4,4127 4,905 5,265 5	Total Births year.	registered each
126	989	1,767	818	619	726	286	523	393	220 94 1167 1187 259 519 662 6649 595 349 663 323 323 323 323 323 323 323 323 323		ncrease or -De- Births of each
0.60	5.27	10.40	5.06	3.98	4.90	1.97	3.73	2.88	29-13 9-64 15-62 15-13 19-60 29-80 29-80 29-80 29-80 29-80 10-85 6-12 11-15 8-64 11-58 11-18 11-88		Increase or —De- Births of each
9.02	3.03	2.97	2.77	2.73	2.72	2.67	2.69	2.63	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Centesimal Births beation of ea	Proportion total r to Mean Popula-ch year.
06.47	96.53	95.70	95.14	95.78	95.50	93.20	95.09	92.57	98.16 92.56 93.03 94.50 95.48 96.88 96.88 96.74 96.74 96.76		Female Births to

SYNOPSIS OF THE VITAL STATISTICS OF QUEENSLAND FROM THE YEAR 1856 TO 1914, INCLUSIVE—continued.

		DEAT	HS, THE	HR ANN	PORTION UAL, NU	MERICAL	, AND	LATION,	INFAN	VTILE M	ORTALI REASE (TY, AND	ITS PROP	ORTION TO	MEAN I	POPULAT: ESIMAL.	ION, ITS
YE	AR.	Male Deaths registered each year.	Female Deaths registered each year.	Total Deaths registered each year,	Numerical Increase or — Decrease in Deaths of each year.	Centesimal Increase or — Decrease in Deaths of each year.	Centesimal Proportion total Deaths bear to Mean Population of each year.	Number of Female Deaths to each 100 Male Deaths.	Number of Deaths under 1 year.	Below 2 years of age.	2 and under 5 years of age.	Total below 5 years of age.	Numerical Increase or - Decrease in Deaths of Children below 5 years of age.	Centesimal Increase or - Decrease in Deaths of Children below 5 years of age.	Centesimal Proportion Deaths of Children below 5 years of age bear to the total Deaths of each year.	Centesimal Proportion Deaths of Children below 5 years of age bear to Mean Popu- lation of each year.	Centesimal Proportion Deaths of Children under I year to Total Births, showing true infantile mortality.
1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1870 1871 1872 1873 1874 1875 1876 1877 1878 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892 1898 1896 1897 1898 1899 1900 1901 1902		2000 275 2200 321 357 516 7988 9000 987 1,446 1,088 1,165 1,149 1,060 1,192 1,238 1,371 1,777 2,658 2,249 2,155 2,155 2,155 2,155 2,155 2,155 3,282 4,694 4,122 3,556 3,329 3,581 3,367 3,367 3,282 4,694 4,122 3,556 3,348 3,355 3,583 3,574 3,483 3,771 3,943 3,678 3,838 3,924	103 111 157 143 281 477 546 746 916 657 634 612 585 593 698 879 1,017 1,446 1,109 1,022 1,165 2,113 2,019 1,837 1,948 2,202 2,072 1,941 1,915 2,071 1,940 2,472 2,201 2,069 2,169	298 378 331 478 500 797 1,275 1,446 1,733 2,362 1,745 1,761 1,645 1,785 2,250 2,794 4,104 3,467 3,320 4,274 5,041 6,861 6,235 5,575 5,166 5,529 6,132 5,645 5,298 5,152 5,298 5,152 5,294 5,444 5,747 6,007 6,204	$\begin{array}{c} 54 \\ -38 \\ -116 \\ 140 \\ 151 \\ 314 \\ 41,310 \\ -637 \\ -94 \\ 847 \\ -1,013 \\ -190 \\ 303 \\ 954 \\ 767 \\ 1,820 \\ -626 \\ -660 \\ \end{array}$	$\begin{array}{c} \dots \\ 26:84 \\ -12:43 \\ 44:41 \\ 4:60 \\ 59:97 \\ 13:41 \\ 19:85 \\ 36:29 \\ -26:12 \\ 3:09 \\ -2:11 \\ -6:58 \\ 8:46 \\ 16:22 \\ 24:18 \\ 46:88 \\ -15:52 \\ -2:711 \\ -24:00 \\ -5:92 \\ 10:04 \\ 28:73 \\ 17:95 \\ 36:10 \\ -9:12 \\ -10:58 \\ -7:34 \\ 7:03 \\ 10:91 \\ -8:36 \\ 10:91 \\ -8:36 \\ -7:34 \\ 7:03 \\ 10:91 \\ -8:36 \\ -7:34 \\ 7:03 \\ 10:91 \\ -9:12 \\ -10:58 \\ -7:34 \\ 7:03 \\ 10:91 \\ -8:36 \\ -10:59 \\ -$	1:52 1:76 1:44 1:85 1:60 2:01 2:39 2:14 2:56 1:78 1:73 1:62 1:46 1:48 1:50 1:80 2:38 1:73 2:04 1:50 1:80 2:38 1:73 2:04 1:50 1:80 1:80 1:80 1:46 1:47 1:50 1:46 1:47 1:50 1:48 1:46 1:47 1:50 1:48 1:46 1:47 1:50 1:48 1:46 1:47 1:46 1:47 1:46 1:47 1:46 1:47 1:47 1:46 1:47 1:47 1:47 1:47 1:47 1:47 1:47 1:47	 49·00 37·45 50·45 48·91 40·05 54·45 59·77 60·66 63·35 60·39 54·42 53·26 55·19 49·74 56·38 64·11 57·23 54·40 54·16 56·45 54·92 53·60 46·16 51·26 56·78 55·18 54·40 56·16 56·78 55·18 55·18 55·18 55·18 55·18 55·18 56·38 56·38 56·38 56·38 56·39 56·38 56·38 56·38 56·38 56·38 56·39 56·38 56·39 56·38 56·38 56·39 56·38 56·3	141 136 222 329 365 580 690 578 552 528 526 516 61,025 994 1,025 918 1,188 1,319 1,574 1,733 1,584 1,748 1,748 1,748 1,748 1,748 1,749 1,754 1,749 1,754 1,748	187 177 296 487 520 786 1,010 806 749 727 655 653 756 910 1,027 1,454 1,325 1,384 1,649 1,165 1,053 1,174 1,562 1,790 2,010 2,128 2,007 1,856 2,057 2,359 1,900 1,789 1,868 2,054 1,670 1,620 1,759 1,914 1,830 1,759 1,914 1,830 1,708 1,690 1,708	28 19 66 140 119 117 172 141 146 100 111 139 136 186 178 370 223 187 260 201 160 173 225 340 319 291 293 280 252 328 353 323 258 353 323 368 279 271 235 367 295 200 206 173	215 196 362 627 639 903 1,182 947 895 827 766 792 1,096 1,205 1,824 1,548 1,571 1,909 1,366 1,213 1,347 1,787 2,130 2,329 2,419 2,300 2,136 2,309 2,687 2,253 2,112 2,126 2,397 2,038 1,899 2,030 1,834 2,281 2,125 1,890 1,914 1,818	— 19 166 265 12 264 279 — 235 — 52 — 68 — 61 26 100 204 109 619 — 276 23 338 — 543 — 153 134 440 343 199 — 119 — 164 173 378 — 434 — 141 — 359 — 139		44·98 39·28 45·42 49·18 44·19 52·11 50·04 54·27 49·75 46·96 46·57 44·37 46·07 48·71 43·13 44·44 44·65 46·58 45·24 42·25 33·95 38·80 41·26 41·35 41·76 43·82 39·96 40·85	0·83 0·63 0·91 1·18 0·94 1·12 1·28 0·97 0·86 0·76 0·68 0·66 0·69 0·78 0·78 1·06 0·84 0·55 0·61 0·75 0·80 0·78 0·76 0·69 0·60 0·61 0·68 0·54 0·52 0·51 0·56 0·46 0·42 0·44 0·38 0·46 0·42 0·38 0·35	11:40 9:56 13:04 14:81 12:66 16:42 16:72 12:91 12:38 11:35 10:72 9:91 10:98 12:26 12:16 15:28 14:40 14:76 16:68 11:65 11:17 13:95 13:34 14:73 14:85 12:59 11:29 12:07 13:62 10:08 11:75 9:79 9:12 10:46 9:46 11:05 10:94 9:84 10:02
1903		3,951 3,259		6,346 5,250	142 -1,096	2.29	1·24 1·01	60·62 61·09	1,513	1,829	252	2,081	263	14.47	32.79	0.41	11.99
1905		3,499		5,503	253	4.82	1.05	57.27	1,072 1,029	1,264 1,215	218 179	1,482	59988	-28.78 -5.94	28·23 25·33	0.29	7·61 7·55
1906		3,212	1,883	5,095	- 408	- 7:41	0.96	58.62	1,047	1,200	156	1,356	— 38	— 2.73	26.61	0.25	7.47
1907		3,480	2,119	5,599	504	9.89	1.03	60.89	1,122	1,334	195	1,529	173	12.76	27:31	0.28	7.72
1908		3,500		5,680	81	1.45	1.02	62.29	1,043	1,224	150	1,374	— 155	- 10.14	24.19	0.25	7.03
1909		3,419		5,530	150	- 2.64	0.97	61.74	1,119	1,296	163	1,459	85	6.19	26.38	0.26	7.19
1910		3,595		5,745	215	3.89	0.97	59.81	1,020	1,210	189	1,399	- 60	— 4·11	24.35	0.24	6.31
1911		4,060		6,544 6,921	799 377	13·91 5·76		61.18	1,112	1,296	246	1,542	143	10.22	23.56	0.25	6.54
1913		4,196		6,783	- 138 -		1.04	61.65	1,340 1,249	1,578 1,503	249 212	1,827 1,715	285	18:48	26.40	0.29	7.14
1914		4,132		6,731		- 0·77		62.90	1,249	1,514	248	1,762	- 112 47	- 6·13	25.28	0.26	6.33
1015		1,102	2,000	0,101			100	32 30	1,210	1,014	210	1,702	47	2.74	26.18	0.26	6.39

SYNOPSIS OF THE VITAL STATISTICS OF QUEENSLAND FROM THE YEAR 1856 TO 1914, INCLUSIVE—continued.

1914	1913	1912	1911	1910	1909	1908	1907	1906	1905	1904	1898 1899 1900 1901 1902 1903	1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1866 1871 1872 1873 1874 1877 1877 1878 1888 1889 1889 1889 1899 189		4
:	:	:	•	:	:	:	:	:	:	:	111111			VEAR
	:	:	:	:	:	:	:	:	:	:	:::::			
1.620	1,524	1,541	1,448	1,212	1,148	1,021	1,057	877	779	789	794 904 910 921 883 741	No Returns Ditto Ditto Ditto Ditto Ditto Ditto 57 80 144 153 154 1154 129 136 1214 271 300 297 388 3188 3188 3188 3188 3188 318 388 318 388 318 388 318 388 318 388 318 388 318 388 318 31	Church of Eng- land.	
1 173	1,166	1,090	1,042	941	918	792	827	767	616	619	595 722 689 645 589	200 244 257 268 3318 3318 3318 3318 3318 3318 3318 33	Church of Rome.	
200	875	802	712	683	621	55 4	577	487	427	444	437 553 469 4439 4441		Presbyterian.	
												30 27 41 42 43 61 61 63 64 65 65 65 65 65 65 65 65 65 65	Wesleyan Methodist.	СНИ
1 090	987	958	947	874	723	715	731	642	607	521	486 570 536 570 523 476	28 36 40 28 38 38 38 38 38 38 38 38 38 3	Primitive Methodist.	PROPORTION CHURCH, OR REGISTRY
	7	00	7	4	co	ा	1	120	7	1	600000	12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	United Methodist.	PORTIC
												: :::::::::::::::::::::::::::::::::::::	Bible Christian.	
	179	158	138	126	143	124	128	109	107	104	79 122 139 104 122 104		Congregational.	PO MEA
	294	289	227	256	245	201	191	192	158	157	143 151 154 156 156	112 112 113 114 115 116 117 1108 1108 1108 1108 1108 1108 1108	Baptist.	N POL
	151	169	160	191	156	144	132	142	136	139	137 148 144 145 130	31 109 1118 992 1322 1129 1132 1126 1126 1126 1126 1126 1126 1126	Lutheran.	ULAT
	231	300	275	281	390	271	243	189	155	146	56 72 92 101 109 94	4 8 8 8 8 4 8 6 5 7 7 7 8 8 7 7 7 8 8 8 8 8 8 8 8 8 8 8	Other Denominations.	ION
	255	263	220	205	198	187	219	183	188	159	245 207 238 233 230 200	58 51 68 106 1123 114 90 114 90 114 90 1174 1182 114 90 1174 1183 165 183 183 183 183 183 183 183 183	Registration and Justices Marrying Acts.	EAC
	5,662	5,628	5,169	4,769	4,542	4,009	4,105	3,588	3,173	3,078	2,972 3,449 3,371 3,341 3,243 2,933	161 161 278 320 570 570 570 570 570 570 570 57	Total Marriages.	YEAR
	34	459	400	227	533	- 96	517	415	95	145	78 477 - 78 - 30 - 98 - 310		Numerical Incre - Decrease in Marriages.	ase or Total
	0.60	00000	8.39	5.00	13.30	- 2.34	14.41	13.08	3.09	4.94	2.70 16.05 — 2.26 — 0.89 — 2.93 — 9.56	24.84 6.47 12.991 11.11 78.12 35.79 22.87 12.93 11.93 15.98 20.36 10.35 10.97 10.35 11.08	Centesimal Incre - Decrease in Marriages	
	0.87	0.89	0.84	0.81	0.80	0.72	0.76	0.67	0.60	0.59	0.60 0.68 0.69 0.63 0.63	0.82 0.94 1.08 1.08 1.08 1.08 1.16	Centesimal propor Marriages bear Population of ea	tion total to Mean

Table No. I.

Showing the Estimated Population on 31st December, 1913; the Number of Births, Marriages, and Deaths Registered in Queensland during the Year 1914; the Estimated Population, and the Estimated Mean Population of the State for the Year 1914.

	d Populatio		Birt	hs Regist in 1914.		ges stered 914.	Dear	ths Regist in 1914.	tered	Estimate	d Populatio	on on 31st 014.	Estimated	1 Mean Po 1914.	pulation,
Males.	Females.	Persons.	Males.	Females	Persons.	Marria Regi in 19	Males.	Females	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
56,613	303,545	660,158	10,120	9,763	19,883	5,895	4,132	2,599	6,731	364,526	312,181	676,707	365,118	309,814	674,932

Table No. II.

Showing the Number of Births Registered in each Registry District in each Quarter of the Year 1914.

	FIRST QUARTER.		SECOND QUARTER.		THIRD QUARTER.		FOURTH QUARTER.		TOTALS.			
REGISTRY DISTRICT	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Persons	
Aramac	• •	21	28	36	19	24	29	23	14	104	90	194
Balonne		9	7	8	4	7	16	6	5	30	32	62
Blackall		19	20	26	23	33	22	26	19	104	84	188
Bowen		16	24	21	23	23	22	25	18	85	87	172
Brisbane		486	492	505	442	507	501	488	418	1,986	1,853	3,839
Bundaberg		57	63	72	91	91	80	82	82	302	316	618
Burke		2	3	2	3	2	4	2	1	8	11	19
Burnett		44	50	31	29	30	34	$3\overline{2}$	27	137	140	277
Caboolture		45	48	54	46	42	37	49	35	190	166	356
o .		57	55	51	63	70	55	58	62	236	235	471
0 1 11		8	13	28	17	10	26	14	16	60	72	132
011:11.		26	19	19	20	$\frac{10}{22}$	24	21	19	88	82	$\frac{132}{170}$
CI .		$\frac{20}{21}$	17	17	8	14	$\frac{24}{12}$	20	12	72	49	170
01		15	12	15	18	15	$\frac{12}{24}$	9	14	54	68	$\begin{array}{c} 12 \\ 122 \end{array}$
0 1	• •	10	12	6	6	16			13	36		
o 1		5	8	7	5	6	8 9	4 7	5	25	$\begin{array}{c c} 39 \\ 27 \end{array}$	75 52
0 11-		4	8	10	16	8	8	2	8	24		
D 11		46	47	52	57	68		53	53	219	40	64
Darling Downs West	• •	9	11	18	20	18	59 22	14	21		216	435
	• •	125	127							59	74	133
Enoggera	• •		7	106	104	138	129	131	109	500	469	969
Etheridge		4		5	7	13	4	11	7	33	25	58
Fassifern		19	26	44	29	21	26	23	27	107	108	215
Gladstone		13	12	23	16	11	18	16	16	63	62	125
Gympie		60	75	63	55	83	59	64	58	270	247	517
Herberton		48	51	37	34	44	45	40	35	169	165	334
Hughenden		10	9	13	5	13	9	17	8	53	31	84
Ipswich		178	175	189	191	191	157	172	182	730	705	1,435
Kennedy		70	73	59	80	64	69	69	74	262	296	558
Logan		53	31	40	49	39	53	53	46	185	179	364
Mackay		54	81	71	55	58	62	65	63	248	261	509
Maranoa		52	52	47	53	62	48	56	42	217	195	412
Marathon		15	10	14	16	7	13	10	15	46	54	100
Maryborough		115	93	102	82	96	84	91	88	404	347	751
Mount Morgan		53	44	43	40	49	62	58	43	203	199	402
Nanango		59	46	61	58	59	55	60	55	239	214	453
Oxley		36	43	40	32	49	31	44	36	169	132	301
Palmer						1			1	1	1	2
Rockhampton		124	138	144	152	150	141	140	134	558	565	1,123
Somerset		7	6	3	8	7	4	15	2	32	20	55
Springsure		13	7	10	12	13	12	10	9	46	40	81
Stanley		17	13	14	18	21	10	14	18	66	59	12
Stanthorpe		17	20	17	15	8	20	18	15	60	70	130
St. Lawrence			1	2		2	2			4	3	,
Tiaro		1	2	5	2	0.5	1	3	3	9	8	1'
Toowong		42	39	30	35	43	44	32	45	147	163	310
Toowoomba		176	187	180	184	207	206	178	160	741	737	1,47
Townsville		90	98	96	78	97	97	74	68	357	341	69
Warrego		5	3	1	5	2	2	2	3	10	13	2
Warwick		90	85	88	99	90	94	104	95	372	373	74
TOTAL EACH SEX		2,446	2,491	2,525	2,424	2,644	2,549	2,505	2,299	10,120	9,763	
Total Persons		4,937		4,949		5,193		4,804				19,88

Table No. III.

RETURN showing Estimated and Mean Population, Births, Deaths, and Marriages in the Metropolitan Area for Ten Years.

Year.	POPUL	ATION.	BIRTHS.			DEATHS.			of iges.	Deaths under	Birth Rate		Deaths under 1 year
	Estimated 31st Dec.	Mean.	М.	F.	Р.	М.	F.	Р.	Number Marria	1 year. Persons.	per 1,000 Mean Population.	per 1,000 Mean Population.	to total Births, showing True Infant Mortality.
1905 1906 1907 1908 1909 1910 1911 1913 1914	129,736 132,468 135,655 137,670 143,077 141,342 143,514 145,022 151,272 154,011	127,704 131,102 134,062 136,662 140,374 142,210 142,428 144,268 148,147 152,642	1,683 1,701 1,697 1,836 1,780 1,903 2,095 2,390 2,573 2,708	1,591 1,510 1,598 1,575 1,731 1,847 1,953 2,316 2,519 2,538	3,274 3,211 3,295 3,411 3,511 3,750 4,048 4,706 5,092 5,246	864 740 883 777 847 902 953 1,071 1,040 1,047	686 571 735 620 674 690 776 811 904 887	1,550 1,311 1,618 1,397 1,521 1,592 1,729 1,882 1,944 1,934	840 1,073 1,132 1,208 1,435 1,494 1,710 2,048 1,989 2,183	326 283 394 246 325 314 327 385 408 372	25 · 64 24 · 49 24 · 58 24 · 96 25 · 01 26 · 37 28 · 42 32 · 62 34 · 37 34 · 37	12:14 10:00 12:07 10:22 10:84 11:19 12:14 13:05 13:12 12:67	9·96 8·81 11·96 7·21 9·26 8·37 8·08 8·18 8·01 7·09

Table No. IV.

Showing the Number of Marriages Registered in each Registry District in each Quarter of the Year 1914.

						YEA	R 1914.			
	Regis	try Di	strict.			First Quarter.	Second Quarter.	Third Quarter.	Fourth Quarter.	Total Marriages.
Aramac						15	8	15	17	55
Balonne						5	9			
Blackall						13	11	1	$\frac{2}{\tilde{z}}$	17
Bowen						12		9	5	38
Brisbane		• •					15	6	11	44
Bundaberg				• •		453	446	450	474	1,823
Burke		• •	• •			41	34	32	40	147
Burnett	• •	• •				2	2		1	5
Caboolture	• •					15	9	12	6	42
Cairns						22	28	10	17	77
						52	36	40	38	166
Cardwell	-4-					11	8	6	- 8	33
Charleville						8	5	14	7	34
Clermont						7	7	7	8	29
Cloncurry						6	7	11	10	34
Cook						10	6	4	5	25
Croydon						4	2	3	3	12
Cunnamulla						3	4	2	8	17
Dalby						29	$2\overline{5}$	$1\overline{2}$	26	92
Darling Downs	s West					10	7	3	2	22
Enoggera						54	56	61	70	241
Etheridge						5	4		2	
Fassifern						8	16	• •		11
Hadstone						9	9	8	8	40
Hympie						30		6	7	31
Herberton						$\frac{50}{24}$	36	19	40	125
Hughenden			• •				25	18	13	80
pswich						8	3	8	10	29
Kennedy						67	10	80	104	327
						26	49	28	43	146
Logan						23	26	12	18	79
Iackay						44	32	28	32	136
Iaranoa						22	18	12	28	80
Iarathon						9	7	8	6	30
						64	68	40	60	232
Iount Morgan						20	23	29	19	91
Vanango						25	14	22	15	76
						16	19	18	17	70
almer										
Cockhampton						93	82	89	83	9.47
, -						3	11	4	6	347
						5	8			24
11						6	12	6	10	29
L = 41						4		8	6	32
T - 1							8	9	5	26
iaro						1	• •		1	2
					• •	2	3	3	5	13
			• •			28	16	16	26	86
			• •			104	88	96	91	379
						68	57	74	69	268
									2	2
Varwick						44	34	29	44	151
Тот	ALS					1,530	1,469	1,368	1,528	5,895
							2,200	1,000	1,020	0,000

Table No. V.

Showing the Number of Marriages of each Denomination Registered in each Registry District during the Year 1914.

					T.I	ne YEA	R 1914.								
1	Registr	y Distric	et.	Church of England.	Roman Catholic Church.	Methodist,	Presbyterian.	Baptist.	Lutheran.	Congregational.	Salvation Army.	Other Christian Sects.	Hebrew.	By Registrar and Justices Marrying Act.	Total.
Aramac Balonne Blackall Bowen Brisbane Burke Burke Burnett Caboolture Cairns Cardwell Charleville Clermont Cloncurry Cook Croydon Cunnamulla Dalby Darling Dow. Enoggera Etheridge Fassifern Gladstone Gympie Herberton Hughenden Ipswich Kennedy Logan Mackay Maranoa Marathon Maryborough Mount Morga Nanango Oxley Palmer Rockhamptor Somerset Springsure Stanley Stanthorpe St. Lawrence Tiaro Toowong Toowoomba Townsville Warrego Warwick		est		23 7 10 9 430 26 9 28 67 13 15 13 14 12 10 4 26 7 86 6 5 7 27 22 13 61 22 14 52 30 10 53 13 14 25 71 10 16 13 1 3 28 135 99 51 1,620	17 17 11 400 16 1 14 45 37 4 66 88 7 6 2 5 20 5 1 2 4 7 35 23 8 68 25 19 18 27 5 30 26 10 78 7 4 7 6 75 62 1 44 1,173	6 8 8 8 256 299 12 29 24 5 6 7 17 1 48 7 3 43 118 51 663 11 266 5 5 10 666 27 27 27 15 35 8 4 4 47 35 7 24 4 47 35 21 1,020	2 13 217 62 12 28 10 9 23 2 9 23 2 9 17 5 54 24 8 32 13 1 41 18 16 13 52 7 2 1 3 10 49 55 32 886	78	23 5	66	2 10 1	259 259 2 	1	7 10 1 1 80 6 4 7 1 9 11 3 2 2 4 1 1 29 3 3 2 4 4 1 3 2 2 3 4 4 6 4 4 7 7 6 4 4 3 1 1 1 5 7 1	55 17 38 44 1,823 147 5 42 77 166 33 34 29 34 25 11 40 31 125 80 29 327 146 80 30 232 91 76 70 347 24 29 347 36 80 30 30 31 31 31 31 31 31 31 31 31 31
															, , ,

Table No. VI.

Showing the Birthplace of 5,895 Husbands and 5,895 Wives Married during the Year 1914.

							В	IRTHPI	LACE C	F WIV	ES.						
BIRTHPLACE OF HUSBANDS,	EL/EMPERIORISME MODERNOS ET LO PRESIDENTE MALITIMETON, ORONIMENTO ARRESTANCE.	Queensland.	Other Australian States.	United Kingdom	Germany.	British Possessions in Europe.	Other Countries in Europe.	British America.	Other Countries in America.	British Africa.	British Possessions in Asia.	Other Countries in Asia.	Pacific Islands.	Other British Possessions.	At Sea.	Unspecified.	Total Husbands.
Queensland		2,933	345	340	11		14	3	5	2	4	5	4	9	5	1	3,681
Other Australian States		525	210	77	2		7		4	1	1	2		10	2	2	843
United Kingdom		514	89	485	7		6	2	1		2	2		9	2		1,119
Germany		22	3	8	16							1			1		51
British Possessions in Europe																	
Other Countries in Europe		23	5	10	2		29							1			70
British America		3	1		2												6
Other Countries in America		7	2	6	* D		2							1			18
British Africa		3	1														4
British Possessions in Asia		3	1	1										1			6
Other Countries in Asia		12	4	2								1					19
Pacific Islands		21		1									1				23
Other British Possessions		25	11	6	2									2			46
At Sea		4		3													7
Unspecified		1	• •	1												• •	2
TOTAL WIVES		4,096	672	940	42		58	5	10	3	7	11	5	33	10	3	5,895

Table No. VII.

SHOWING the AGES of 5,895 HUSBANDS and 5,895 WIVES MARRIED in QUEENSLAND during the YEAR 1914.

AGE.		16 17 18 19 20	21 22 23 24	25 26 27 28 29	30 32 32 34	35 35 35 35 35	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	45 44 48 49 49
spur.		222 22 22 22 22 22 22 23 23 23 23 23 23	332 407 491 515	493 502 454 398 311	271 202 181 142 142	98 96 87 69 45	58 27 32 44 44	31 26 17 9 18
	182			7. 4. 6. 6. 6.			1::::	:::::
	757							
	747						: :::	
	73				1 - 1 1 1	1 1 1 1		:::::::
	70							
	69		: : : :					
	499							
	65 66							
	646							
	63						1 1 1 1 1	11:::::
	62		:::::					
	19 (01							:::::
	59 60							- : : - : : : : : : : : : : : : : : : :
	58							
	575							
	26		: : : :					:::::
	13		: : : :			: : : : =		::::::
	5 5 4							
	52 53							
	515							: : : : H
	909							2
	49						: : : : : : : : : : : : : : : : : : : :	::::
	84				: : 	1117		: 0 : : :
	6 4.7			7 : : : :			1 : : : : : : : : : : : : : : : : : : :	1 1 2
	45 46						2 : : :	
	44 4					: : m : :	: : - : -	:::
	43				H : H Ø :		- N	3344
rô.	42		:7 : :	::: 12	:::-2	:::	22121	2 : 4 : 4
Wives) 41					:::01		- : : : N
	39 40				H : N : N	- : 0 0 0 0	6 : : : : : : : : : : : : : : : : : : :	: : - :
of	80		: - 0 -	: H : : N	ю -	- N N O N	H : :HH	N : H : H
ges	57	1 1 1 1 1		HH: : 4	0 :HH0	0100 : :	01-01-	
A	36			: :012121	40001-	NH9H:	HH01 :H	H 20 :::
	50			: u u 4 :	4213313	907:1	4-0-1	지 ~ 저 : :
	46		H : H H		40440	21222	4:040	2021-
	233	: : : : : : : : : : : : : : : : : : : :	: 221	0 2 4 1 0	44045	4 6 0 8 8 9 0 8 8 H	H : 21 H :	12 : :1
	31 32		; m ; m	70 70 70 CO	42140	20101	SH-181 :	: H : H :
	30 3		214400	01 200	20 121 121 8	400011	имими	ดง:::
	29	· · · · ·	0000	10 18 18 30 20	124 19 10 10 10 10 10 10 10 10 10 10 10 10 10	999	: 7 : : 6	: : :
	200	11117	10001	10 119 22 27 27 20	02 41 20 21 21 3	04011	21 – 21 20 00	:::
	- 27		127	22 04 22 42 31	13 13 7	w 12 00 cs 1 4	H - 400 00	401 : :-
	26	: : : : 4	16 16 28 28	223327	22 18 13 14 10	r000 :	00 10 10 00	¬ : : : :
	50	: : : : 4	123	2 4 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	421 41 41 61	77.04:	H 12 12 13 14	러 : : :
	24	: :H-70	19 32 56 61	600 44 600 600 600 600 600 600 600 600 6	22 22 28 21 28 22 28 21 22 28 21 22 28 21 22 28 21 21 21 21 21 21 21 21 21 21 21 21 21	000000000000000000000000000000000000000	рн :H2	H : H : :
	23	11 22 22 ::	21 39 61 73	65 63 89 44 29	23 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ro co 21 4	10 to	67 : : : :
	67		48 468 000	45 45 45 33 26 26	20 10 13 14 12	202011	::::	- :- : :
	21	: : : : : : : : : : : : : : : : : : : :	63 63 74	\$2 4 60 40 \$2 60 60 70	20 20 90 44	20000	юн : ол н	: - : - :
	20	10 10 18	41 40 50 50	41 42 26 20 20 13	70000	o :o :⊣	₫ : : : □	:::
	19	11 11 12 12	50 56 42 40	27 29 26 17	018266 ::	∞ : : : : : : : : : : : : : : : : : : :	- : : : :	:::::
	18	1:417	00 00 00 00 00 00 00 00 00	23 25 16 16 11	00H4W	21 4 1 2 22	:::::	: : : : :
	17	11001	13 12 17 22	411 00 00 00 00 00 00 00 00 00 00 00 00 0	нн : m :	[N : : N :	7 : : 7 :	:::::
	16	H 70 4 4	001/10	44430	21:21	11111	:::::	: : : : :
	12		- N 20 20		: : - : :	7 : : : :		:::::
	3 14		: : - :					
	E. 13					11111		
	AGE	16 17 18 19 19 20	222	22 25 26 29 29 29 29 29 29 29 29 29 29 29 29 29	000000000000000000000000000000000000000	00 00 00 00 00 00 17 00 00	04444	64 4 4 6 8 4 4 6 8 4 6 9 6 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
			\		aniino an Tr	g = 9-	-	

Ages of Husbands.

Table No. VII.—continued

Showing the Ages of 5,895 Husbands and 5,895 Wives Married in Queensland during the Year 1914.

																								Age	s of	Wi	ives.																										otal	A	GE
AGE.	13 1	4 15	16	17	7	18	19	20	21	1 2	2 28	3 24	1 25	26	2	7 2	3 2	9 3	0 :	31 33	2 33	34	35 3	6 37	38	39 40	0 41	42 4	3 44	4 45	46 4	47 48	8 49	50 5	51 5	2 53	54	55 5	6 57	7 58	59 (60 6	1 62	63	64 6	65 6	6 67	69	70	73 7	747	5 78	Total		
50 51 52 53 54								1			1	1	i			1	2 .	1		1	. 1	1	1 . 2	1	3	1 1	1 1 1		1	2 2 1 . 1	1.	1	1	1 2	1	1	2 1 	1															25 15 11 5 11		50 51 52 53 54
55 56 57 58 59						1				1	1	1		i			1 .	1	1		i		1 . 1 . 1 .	•••••			. 1	1		1 1	1.	1		2	2	2	1 1 	1.	1	. 1	1		. 1		1.								13 6 9 11 8		55 56 57 58 59
60 61 62 63 64													1						1				1		1					1		1	1	2	1	1 1		1		1	2						1			1			14 7 4 2 3		60 61 62 63 64
65 66 67 68 69								1]	L					1			1			1	i i					1 . 1 .		1				1					2 2 3 1	3	66666
70 71 72 73 74												1												1					1 .	• • • • • • • • • • • • • • • • • • • •		1 .			••••			1				1		1		1	1	.]	1				64	3	77777
75 77 79 83																														1	_			_			_								 1						1	1 1		1 2	7778
Wives								409					4 2	337	-																-			-				-							2 64				_			1 1 75 78	5,89	95	

Table No. VIII.

Number of Deaths of Persons of both Sexes Registered during each Month of the Year ended 31st December, 1914, distinguishing Ages at Death.

	January.	. February.	March.	April.	May.	June.	July.	August. 8	September. Oe	tober. Novem	ber. December.	Total for th	e Year.
Age Groups.	Males.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females.	Males. Females. Males.	Females.	Females. Females.	Males. Female	s. Persons.
Under 1 month	48 23 6 4 12 6 18 15	6 4 3 . 6 3 6 6 13	30 20 7 4 4 2 12 10 10 20	27 15 5 2 1 7 14 7 17 13	40 17 3 4 4 2 9 1 10 9	27 31 6 4 3 2 4 10 9 8	34 28 11 5 2 1 8 14 8 11	29 20 3 6 6 2 5 5 10 12	20 20 22 6 7 2 1 3 9 3 3 14 9 12	1 3 2 5 3 6	19 30 22 2 1 2 1 6 1 12 6 12 14 16 13	356 261 51 46 45 23 94 96 155 143	97 68 190
Total under 12 months	82 50	0 58 55	63 56	64 44	66 33	49 55	63 59	53 45	50 39 42	35 52	48 59 50	701 569	1,270
1 year and under 2 years	1 2	9 14 10 . 4 2 2 2 2 2 1 1 5	12 7 3 3 1 2 3 2	13 9 5 6 2 3 2	10 6 5 5 5 3 2 1	5 7 4 3 3 5 3	6 7 8 6 3 3 4 3	11 3 1 5 2 2 1 3	3 10 16 6 6 8 1 3 7 3 4 2	8 12 1 6	19 8 8 7 9 5 6 2 4 3 1 5	133 111 67 56 35 36 27 27	123 71
Total under 5 years	104 72	2 79 74	82 70	86 62	88 48	64 70	84 78	68 58	63 62 75	50 91	83 79 72	963 799	1,762
5 years and under 10 years <	20 8 22 9 30 5 22 6 17 9 28 15 32 10 25 9	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	7 2 1 4 11 10 12 4 18 7 10 10 10 18 5 16 6 22 8 21 12 25 10 20 4 21 9 21 15 23 8 11 5 4 7 1 1	12 9 4 4 5 3 14 4 20 6 26 12 15 8 14 3 24 7 29 6 25 10 17 14 18 11 21 11 22 11 6 6 3 4	6 8 6 2 3 2 11 12 13 6 8 10 22 4 17 7 16 8 25 10 19 9 25 10 21 9 20 14 28 14 10 4 4 2 1 2 1 1 1	7 8 5 3 3 5 2 12 10 10 11 7 7 7 3 3 3 15 10 24 5 20 12 12 12 12 12 12 12 12 12 15 5 5 5 5 5	6 4 4 5 6 6 6 11 11 22 11 6 14 15 11 21 6 28 4 26 16 23 12 21 10 25 12 19 16 26 18 16 6 8 2 1 1	5 7 3 5 10 14 18 7 14 7 8 3 16 7 22 4 27 10 26 9 19 8 25 13 25 17 15 9 17 8 5 1 3 4 2	4 8 4 5 3 4 7 6 7 8 7 10 12 10 19 12 13 12 19 9 14 16 6 21 14 8 20 20 12 22 19 12 18 25 9 26 22 10 27 26 20 26 22 14 20 8 6 17 6 6 4 4 4 1 2 1	8 15 11 21 5 9 8 8 17 10 12 1 10 17 2 14 17 6 12 13 7 11 15 6 20 26 0 14 26	8 7 3 3 11 3 9 12 10 7 16 9 12 25 8 7 10 10 7 12 11 8 21 10 6 32 16 6 18 13 8 14 12 7 21 17 12 15 13 16 22 10 9 20 15 10 5 10 5 4 2 2	54 59 24 23	98 157 257 312 256 250 297 348 408 362 364 411 455 429 6 232 113 3 47
Total over 5 years											144 269 173		
Total all Ages, Male and Female	406 223	3 316 216	344 197	361 191	345 182	308 228	367 250	329 198			227 348 245	4,132 2,59	9 6,731
Total Deaths of Persons each month	629	532	541	552	527	536	617	527	540	562 57	5 593	6,73	1
Percentage to total number of Deaths for the year	9.35	7.90	8.04	8.20	7.83	7.96	9.17	7.83	ECHORENIC STREET, MOTORIA	8.35 8.1	SECTION SECTIO		
Total Deaths each quarter	1,066		Persons. 1,702	1,014	Females.	Persons. 1,615	1,009	Females.		Males. Fem 68			

VITAL STATISTICS—continued.

DEATHS.

Table No. IX.

SHOWING the NUMBER of DEATHS REGISTERED in each REGISTRY DISTRICT in each MONTH of the YEAR 1914.

			Þ 9 4	Ahi.	VELLABO	OABI.	H	-		.				ment Colored			E	. 10	PTEMERE		BER.		EMBER	· Arrigani	FORMRER	THE PARTY OF THE P		TOTALS	
DISTR	ICT.		TA WITH	JANU	TEDD	FEDR	MARCH	ON WHITE	ADDIT	Armi	MAN	MAI.	S N III	TATO P	* * * * * * * * * * * * * * * * * * * *	0000	TOTA	AUGUST	TTGAS		OCTOBER.		NOVE		TOWN	DECE	es.	ales.	Persons.
			М.	F.	М.	F.	м.	F.	М.	F.	М.	F.	М.,	F.	М.	F.	М.	F.	м.	F.	м.	F.	М.	F.	м.	F.	Male	Females	Pers
		- 8							-																				P
ramac			5 4	8	4 2	4	7 5	2	13	1 1	4	2	4 7	2	7 2	3 3	6 4	4 1	2 2	3	7	1	2:	1	8 2	2	69 34	33 8	10
alonne lackall			5	3	7	2	2	2	9	1	4	2	2	3	4		4	2	2		2	1	2	1	3	1	46	17	6
owen			8	1	2		3	1	1	1	4		1	6	5		2	1	2		5		4	1		1	37	12	4
risbane			86	64	69	60	105	55	96	48	74	50	66	60	79	82	91	55	83	72	104	64	110	77	81	71	1,044	758	1,80
undaberg			9	4	7	6	5	4	3	7	6	5	5	9	7	6	8	1	8	4	15	6	6	5	5	3	84	60	1
arke arnett			6	4	4	3	3		1 4	2	2		2		2	1	3	1		1	4	1		2	1	4	28	19	
boolture			4	4	2	1	4		4	6	8	1	4	6	3	1	2	1	3	1	3	4	5	2	4	3	46	28	
irns			17	6	8	6	17	1	10	2	13	3	13	3	20	9	10	4	10	6	15	7	ti	7	14	-8	153	62	2
rdwell			3	1	5	2	1		5	2	1		5	1	4		1	2	3	3	4	1	3		4	1	39	13	
arleville			8	2	4	1	5	3	4	2	4	2	6	2	2	5	4	2	2		4	1	3	2	3	2	49 20	24 13	
ermont			2 4	1	1 8	2 3	7	3	3 5	2	2 4	2 2	7	1 2	2 5	1	1 6	2	2 4	2	1 3		2 4		8	3	65	16	
oncurry			3	1	2	2	3	2	3	1	2		3	4	1	2	4	1	2	1	2		2		4	2	31	9	1
oydon			1	1		ĩ	2	ī	3		1			1	1		2						1		1	1	12	1 5	
innamulla			1	1	2		1		2	1	1	1			2	2	2	2	1		3	1	2	2	1		18	10	
alby			6	6	1	2	4	2	10	6	. 6	8	9	3	10	5	8	6	9	3	5	3	4	3	3	3	75	50	1
arling Down			3			10	1	17	2	1	3		1		1	3	1	1	2	7		2	2	19	1 12	1 8	17 92	109	2
noggera theridge			9	7	8 3	10	5 2	11	3	6 2	6	7	6	8	6	8	8	12	11 3	1	6 3	12	11	13	2		20	3	4
ssifern			2	4	1	2	5	5	2	3	3	1	3		1	1	3		1	1	1		2		3	2	27	19	
adstone			4	2	2	-	1	2	3	2	6	1		1	1		5	2	3	1	3	3	2	1	2	3	31	18	
ympie			14	7	4	8	8	4	4	2	9	6	8	7	7	7	9	3	7	6	5	7	9	5	10	5	95	67	1
erberton			14	3	2	4	6	2	9		9	1	6	1	12	2	4	5	8	3	7	4	6	5	6	6	89	36	1
ughenden swich			23	1 14	28	2	14	18	5 20	12	33	1	17	10	9 21	1 16	9	1 12	2 15	12	3 16	1 14	8	1 19	3 19	12	37 230	159	3
ennedy			15	4	11	7 6	9	10	6	4	6	7 3	17 15	16	14	8	8	2	6	9	9	6	10	13	15	15	124	90	2
ogan			4	3	6	1	6	5	4	3	3	2	4	10			12	2	3		2	3	1		6	5	51	24	-
ackay			11	6	8	4	9	4	12	3	8	3	8	6	12	7	11	4	7	4	8	4	14	4	10	5	118	54	1
aranoa			5	6	8	3	2	1	3	3	5	3	6	õ	5	2	3	4	4	2	8	4	5	3	3	2	57	38	
arathon aryborough			3	9	3 6	4	5 6	2 8	5	6	5 7	9	5 10	1	9	9	5 10	15	7	11	2 7	4	4	6	8	11	46 95	14 95	1
ount Morga			17	2	8	1	4	2	6	2	6	4	5	3	8 5		4	3	3	2	6	3	8	3		1	61	24	1
anango			3	1	2	3	2	2	1	2	10	4	7	3	1		4		1	5	4	3	4		3	1	42	24	1
xley			8	2	8	8	5	8	11	4	10	9	7	10	4	11	8	3	13	11	9	8	16	6	12	10	111	90	2
almer										1							1										1	1	1
ockhamptor omerset			24	9	15	16	16	8	19	13	24	14	19	12	29	14	19	14	14	- 9	22	10	20	8	19	16	240	143	3
ringsure			1		7 2		3		5	1	1	1	5	3	2 4	1	4		1	2	3	1	1 3	1	2 4	1	32 28	11	
anley			1	i	2	ï			2	2	1	1	1	4	1		1			1		1			1	1	10	11	
anthorpe			4	1	1	3	2	2	1	1	1	1	4	4		1	3	1	3	2	2	3	1	1	4	4	26	24	
. Lawrence									1	1			1	1			1	1								-	3	3	
aro		• • • •	2	1		4	6	5	1 3		3	3	1	1	3	2	2		1	6						i	5	1	1
owoomba			3 20	13	25	21	24	12	20	16	20	11	15	2 12	22	15	19	3 18	8 12	13	22	5 15	6	8 19	5 20	13	47 230	40 178	4
ownsville			19	8	9	8	17	4	8	12	14	7	9	10	24	13	4	3	32	18	9	7	16	3	21	9	182	102	20
arrego			2	1	2		1	1			2			1		1					1		1	1		1	9	2	1
arwick			12	10	11	5	8	4	17	6	11	3	- 6	7	10	5	11	5	9	4	10	5	9	4	6	6	120	64	1
TOTALS OF	Month	s	406	223	316	216	344	197	361	191	345	182	308	228	367	250	329	198	313	227	347	215	348	227	348	245			-
TOTALS OF	QUARTI	ERS-		1	1	1	1	1	ACID MICELL						ALL STATE OF THE PARTY OF THE P	l							1	1	1	1	The second		
Male Female		***		1,060	6		636		No. of Concession, Name of Street, or other Persons, Name of Street, or ot	1,014	b		60	l		1,009	9		675		The state of the s	1,048	3		687		4,132	2,599	
TOTALS OF Persons		ERS-			1,	702					1,	615			Constitution of the Consti		1,	684					1,	730	7				6,7

Table No. X.

Showing the Number of Deaths of Children under FIVE Years of Age Registered during the Year 1914.

D	istric	t.		UNDER (ONE YEAR.		UNDER TWO		EARS AND IVE YEARS.		NUMBER OF FIVE YEARS DISTRICT.	
				Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Persons.
-												22
Aramac				13	10	2	3	1	3	16	16	32
Balonne Blackall				2	4		1	1	• • •	3	5	8
Bowen				6	6	2	1	1	2	9	9	18
Brisbane				8 146	$\begin{array}{c} 2\\126\end{array}$	90	1	2		10	3	$\begin{array}{c} 13 \\ 412 \end{array}$
Bundaberg				15	13	38	30	40	32	$\begin{array}{c} 224 \\ 21 \end{array}$	$\frac{188}{21}$	412
Burke												1
Burnett				7	6	3	2	1	3	1	11	$\frac{1}{22}$
Caboolture	• •			9	10		1			11	11	23
Caboonure	• •			16	16	3	7	$\frac{1}{3}$	$\frac{2}{5}$	$\begin{array}{c} 10 \\ 22 \end{array}$	$\begin{array}{c} 13 \\ 28 \end{array}$	50
Cardwell				3	4	2				5	4	9
Charleville				9	7		i		2	9	10	19
Clermont				1	4					1	4	5
Cloneurry				9	7	1	4			10	11	21
Cook				2	3					2	3	5
C 1				1			i	i		2	1	3
Cunnamulla				3	3	i	î			4	4	8
T) 11 '				10	16	3	3	6	6	19	25	44
Darling Down		est		8	3					8	3	11
7.3				32	35	4	1	3	2	39	38	77
T1/1 : 1				1	2		1			1	3	4
Fassifern				10	4	1		1	1	12	5	17
01-1-4				6	2	1	1		i	7	4	11
Gympie				18	12		1	3	5	21	18	39
Herberton				14	9	3	4		1	17	14	31
Hughenden				4	3		1			4	4	8
Ipswich				45	30	2	10	16	13	63	53	116
				19	14	3	3	3	3	25	20	45
				10	6	2	1	2	1	14	8	22
				11	10	5	2	4	5	20	17	37
				13	13	1		1	2	15	15	30
				4	6			1	1	5	7	12
Maryborough			,	13	21	3	2	3	3	19	26	45
Mount Morgan	n			14	9	5	1	2		21	10	31
				17	9	4	1	1	2	22	12	34
D 1	• •			.9	8	4	1	3	1	16	10	26
		• •		• •	•••	• •	• •					
Rockhampton				50	27	7	7	8	2	65	36	101
0				3	• •	• •				3		3
Chamler	• •			4	3	2			1	6	4	10
Stanthama	• •			6 8	5 4	1			1	7	6	13
	• •					1		1		10	4	14
St. Lawrence Tiaro				1 2	1				,	1	1	2
er .	• •			3		• •				3		3
77	• •			11	9	2	2	• •	1	13	12	25
117	• •			51	44	10 6	6	3	3	64	53	117
747.0	• •		• •	$\begin{array}{c} 37 \\ 2 \end{array}$	21		7	10	7	53	35	88
77 1	• •				$\frac{1}{21}$	9			• •	2	1	3
vv af WICK	• •		• •	17	21	9	1	2	2	28	24	52
TOTALS				701	569	133	111	129	119	963	799	1,762

Table No. XI.

Showing the Ages of Persons who Died in Queensland during each Year since 1860.

1860
$\begin{array}{cccccccccccccccccccccccccccccccccccc$

Table No. XII.

Showing the Birthplace of Race of 6,731 Persons who Died in Qubensland during the Year 1914.

													ві	RTHP	LACI	Ε.														R	ACE.							ВІ	RTHP	LACE.			
GEOGRAPHICAL DIVISION.		Ψuθensland,	New South Wales.		Victoria.	South Australia.	Western	Tasmania.	New Zealand.	England and	Wales.	Scotland.		Ireland.		Germany.	Norway.	Sweden.	Denmark	Italy	Other British	Possessions in Europe.	Other Countries in Europe.	British America.	United States of America.	British Africa	DITTED ATTICA.	India.	Japan.	China,	Other Countries in Asia.		Pacific Islands.	Other British	Possessions.	Other Countries.		Not Specified.		At Sea.		TOTALS	
	M.	F.	M. F	. м.	F.	м. ғ.	м. г	. м. г	м. г	м.	F.	м.	F.	м. г	. M	. F.	м. Г	. M. I	. M.	F. M.	F. N	1. F.	M. F.	м. г.	M. 1	м.	F. M	. F. N	1. F.	м. ғ.	м. І	. м.	F.	М.	F. 1	м. Г	. M.	F.	м.	F.	М.	F.	Р.
Metropolitan (10-mile	467	404	32 3	5 26	13	5 3		. 6	2 4 4	253	184	69	75	107 12	26 2	5 24	3]	3	. 5	4 3	1	1	8 2	2	3	. 1	6	3	1	6 1		3		2	3	3 2	2 6	2		1	1,047	887	1,934
radius) Metropolitan (outside 10- mile radius)	27	28	17	1 3	1			. 1	. 1	77	41	16	6	46 1	6 1	1 5	1 1	l	. 4	2 2.			8 3	1	2	. 1	8	3		6	10	8				1]	1	3		2	247	110	357
Total Metropolitan	494	432	49 3	6 29	14	5 3		7	2 5 4	330	225	85	81	53 14	2 3	6 29	4 2	3	. 9	6 5	1	1	16 5	3	5	. 2	(3	1	12 1	10	. 11		2	3	4 3	7	5		3	1,294	997	2,291
Moreton	175	136	10 1	1 3	1		1	. 1	1 3 1	77	35	18	9	33 2	9 3	5 16			1				3							2		2									364	241	605
Wide Bay	154	134	13 1	1 10	3	2 1	1	1	1	64	43	25	22	29 2	7 2	5 14	1	. 5	3 5	6		:	3	1	1	. 1	1			2		3		1		1		1			349	266	615
Port Curtis	148	99	12	3 7	4	1		1	2	68	26	20	8	41 3	86 1	1 5	1 1		. 3	1			5	1	1		1		1	6	1 .	4	1	1	1 .				1		335	188	523
Edgecumbe	192	146	13	4 6	5	3 1			1 2	99	33	28	10	57 3	8 1	5 9	3 1	1 :	2 6	1 5.		1	4 2	2	2	2	1		1	11	1	1 7			2 .				1		461	258	719
Rockingham	79	66	14	8 9	2	2		2	1	48	9	19	3	36 1	7	3 1	1		. 4	1 3.			6 1	1					4 1	32 1	5 .	10		2					1		281	111	392
York Peninsula	10	5		1 1				1		12	2	2	2	6	2	1	1						1		1		2	2 1	5	6	4 .	1									64	12	78
Carpentaria	42	21	16	2 13	2	2			2	26	3	6	2	16	1	2		3	. 1	1 .				2	1					5	1 .						. 1				140	32	172
Central Western	8	10	12	. 8	1.			2	2	10	2			6	1				. 1					1]	1		2											53	14	67
South Western	29	24	15	3 2	1.					13	3	7	1	6	4	2									1]	1													76	36	112
Central	70	50	15	5 8	2	2 1		2		23	5	12	3	12	7	5	1	1		,			1				1			2			1	1					1	***	156	74	230
Maranoa	31	25	14	6 5	3	1 2		1	. 1	14	3	5		7	5	5 1	1			1			1					,		5											91	46	137
		185	44 2	1 15	4	4 2		3 2	2	75	32	25	10	56 5	1 2	2 14	1	2 .	. 7	1			6 1		1					6							1 1		1		468	324	792
TOTALS	1,631	1,333	227 11	1 116	422	21 11	2	21 8	3 17 7	859	421	252	151 4	58 36	0 16	2 89	14 4	15	37	17 14	1	2	46 9	11	13	2 3	2 15	2 2	2 1	91 2	22	1 38	3 1	7	6	5	5 (9 6	5	3	4,132	2,599	6,731

TOTALS	Downs	Maranoa	Central	South Western	Central Western	Carpentaria	York Peninsula	Rockingham	Edgecumbe	Port Curtis	Wide Bay	Moreton	Total Metropolitan	ra.	Metropolitan		GEOGRAPHICAL DIVISION.	
:	:	:	:	:	:	*	:	:	:	:	:	:	itan	(out- dius)	(10-		E	
60	ω :	:	:	:	-	just :	120	2	4	22	6	co :	36	ω :	33	M. F.	Order 1.—Government, Defence, Law, and Protection.	PROFESS
74	15	-	:	ы	Н	Н	Н	4	4	A	9	7	25	:	25		Order 2.—Religion, Charity, Health, Education, Art and Science, &c.	CLASS I.— PROFESSIONAL.
00	6.1	:	:	:	-	:	:	:	:	22	:	:	1	:	4	F.	ton, in the solution, wer	
97 288	11 38	3 11	6 13	4 10	2	6 1	:	4 16	16 43	13 23	6 30	7 33	18 65	- :	17 65	M. F.	Order 3.—Board and Lodging and Paid Personal Service.	CLASSII.— DOMESTIC.
24	ω	:	н	:	Н	н	:	:	12	Н	н	—	13		12	I K	Order 4.—Exchange, Valuation, Insurance, Lease, Custody of Money, Land or Pro-	•
		:		:	:		:	:	:	-	:	:	1 4	-	: :	F. M. F.	order 5.—Dealing in Art and Mechanic Productions.	
.14		:	:	<u>-</u>	:	:		:		co :	:	:	1 9	:	. 9	M.	Order 6.—Sale, Hire, or Exchange of Textile Fabrics and Fibrous Materials.	
1 46	00		:		- - -	-	. 22	. 10	3 :	51	01		15	-	14		Order 7.—Sale of Food, Drinks, Narcotics, and Stimulants.	CLASS
12	-	:	22	:	1	:	:	:	22	2	:	-	ω :	:	<u>.</u>	🗷	Order 8.—Animals, and Animal and Vegetable Substances, Treating, Dealing (excluding	S III.—COMMERCIAL.
			:	-	:	:	:	:	:	:		:	1: 1	:	:	F. M.	Food). Order 9.—Dealing in Minerals and Substances	COMM
10		:	:	:	:	:	:	:	:	:	:	:	: 1	:	:	F. M.	mainly used for Fuel and Light. Order 10.—Dealing in Minerals other than for	ERCL
179	16	:	07	4	- 1			13	20	: 9	: 13	. 11	77	: 1	76	F. M.	Fuel. Order 11.—General Dealers, Undefined Mercantile Pursuits.	AL.
13 1	p=	:	:	:			:	:	:	:	:	2 :	16		6 :	F. M. F.	Order 12.—Persons engaged in Speculating on Chance Events.	
						:			:	:		:	1: 1			K. F.	Order 13.—Persons engaged in Storage.	
218	16	O1	9	1 ::	1	9	. 17	13	. 21	. 13	7	. 14	92	. 18	74	м. г.	Order 14.—Transport of Passengers, Goods, or Communications.	TRANSPORT AND
93	9	:	:	12	22	ω	2	4	13	11	13	4	1 30	-	1 29	1	Order 15.—Manufacture, Process relating to	. 0
4.8		: 2	:	:	:	:	:	1	: 2	6	: 22	6	24	: -	23	F. M.	Art and Mechanic Productions. Order 16.—Manufacture, Repairs, Cleansing,	
16 2	:	:	:	:	:	:	:	:	:	12		1	12	:	12	5	&c., Textile Fabrics and Fibrous Materials.	
29 1	<u>+</u>	:	:	:	:	:	:		: :	: :	1 1	: :	7	:	7	M. F.	Order 17.—Manufacture or Processes re Food, Drink, Narcotics, and Stimulants.	CLASS
9	-:	:	20	-	:	:	:	:		:	:	:	4	:	£:	M. E	Order 18.—Manufactures or Processes re Animal and Vegetable Substances, not otherwise classed.	
50	-	-	-	-		:		6		01	5	7	10		10	I E	Order 19.—Alteration, Modification, or Manufacture, re Metals or Mineral Matters.	-INDI
4	:	-	:	:	:	:	:	:	:	:	:	-	2	:	22	M.	Order 20.—Conversion of Coal or other substances to purposes of Heat, Light, or Con-	VINDUSTRIAL.
119	12	: w	:	; p=4	:	: :	: w	: 7	: 9	10	:	10	54	:	53	F. M.	order 21.—Construction or Repair, Buildings,	I.
	:	:	:	:	:	:	:	:	:	:	:	:	1: 1	:	:	F. M.	Roads, Railways, Earthworks, &c. Order 22.—The Disposal of the Dead or of	
511		:	:	:	:	:	:		:	:	: CT	:	1:1		123	15	Refuse.	
10	53	22	41	25	12	40	4	13	39	40	51	41	130 2	7	22	M. F.	Order 23.—Industrial Workers, imperfectly defined.	
1,015	122	29	45	11	19	53	19	153	169	86	103	96	111	10	101	M.	Order 24.—Cultivation of Land, Rearing or Breeding Animals, or obtaining Products	AGR
6	:	:	:	:	:	:	:	:	1	10	1	1	1	:	_	F.	from Natural Sources.	AGRICUL- TURAL, ETC.
85	15	:	:	:	: ,	1	1		7	7	6	6	41	12	39	M.	Order 25Occupations Undefined, Incomes	
60	11	:	:	:	:	:	:	j d	1	4	00	Or	30	100	28	F.	derived from Sources not related to other Classes.	CLASS VII.— INDEFINITE.
1,127	155	20	38	19	OT	19	00	50	134	103	113	129	334	8	328	M.	Order 26.—Dependent upon Natural Guard-	CLASS
2,057	256	35	58	26	11	31	9	93	211	149	224	194	760	23	737	F.	ians.	
310	18	š	12	-	:	:	:	7	:	10	12	15	255 1	193	62	Ĭ.	Order 27.—Dependent on State, Public, or	DANTS.
145	16	:	_	:	:	:	:	-	:	OT	-	Ol	116 1	80	31 1	13	Private Support.	EN-
4,132	468	91	156	76	53	140	64	281	461	335	349	364	1,294	247	1,047	Ĭ.	H	
2,599	324	46	74	36	14	32	12	111	258	188	266	241	997	110	887	F.	POTALS,	
6,731	792	137	230	112	67	172	76	392	719	523	615	605	2,291	357	1,934	P.		

Table No. XIV.

Causes of Deaths in Queensland during the Year 1914, arranged in Order of Degree of Fatality.

Cause of Death.	and Female	Deaths, Male e, Registered ch Cause.	Total Deaths from each Cause in	Total Deaths from each Cause in	Increase or — Decrease
	Males.	Females.	1914.	1913.	in 1914.
organic Diseases of the Heart	457 301	294	751 552	725 501	26 51
biarrhea and Enteritis (under and over 2 years) ancer (all kinds)	268	251 175	443	426	17
ongenital Debility, Icterus and Scleroma	225	164	389	372	17
uberculosis (all parts)	229	104	333 327	389 335	-56 -8
enile Debility	192 171	135 130	301	280	— ° 21
neumonia	137	81	218	217	1
Lemorrhage of Brain, Apoplexy	124	70	194	190	4
Gronchitis (Acute and Chronic)	109	64 38	173 128	$ \begin{array}{c} 173 \\ 127 \end{array} $	1
'yphoid Fever	87	33	120	101	19
Prowning (Accident)	107	7	114	117	— 3
Diphtheria	49	62	111	81	30
ongenital Malformations (exclusive of stillborn)	40	55 44	95	112 81	$-\frac{17}{12}$
onvulsions of Children (under 5)	45	40	85	64	21
Other Diseases Peculiar to Infancy (under 3 months)	52	28	80	95	— 15
imple Meningitis	40	32	72	69	3
Appendicitis	$\begin{array}{c} 44 \\ 25 \end{array}$	$\begin{array}{c} 17 \\ 32 \end{array}$	61 57	56 109	-52
nfluenza	32	25	57	61	$-\frac{52}{-4}$
Animals (Accident)	52	5	57	72	- 15
Other Diseases of Stomach (Cancer excluded)	30	26	56	52	4
Paralysis without indicated cause	30 34	24 18	54 52	43	11
$egin{array}{lll} { m Calls} & ({ m Accident}) & \dots & $	23	27	50	47 46	5 4
Other Diseases of the Spinal Cord	32	18	50	20	30
Burns (Accident)	17	32	49	46	3
Vehicles (Accident)	44 40	3 6	47 46	47	10
Oseases of the Bladder	24	21	45	30 45	16
Vhooping Cough	0.9	21	44	84	— 40
uicide by Firearms			42	37	5
Acute and Chronic Alcoholism	0 -	7	41	35	6
Sirrhosis of the Liver	0.7	13 16	38 37	51 60	-13 -23
letanus	07	9	36	34	25
Anæmia Chlorosis		11	36	30	6
Asthma	90	11	35	45	— 10
Embolism and Thrombosis	25	13	33	$\frac{41}{29}$	— 8 4
Railways and Tramways (Accident)	90	5	33	42	- 9
Other Diseases of the Liver		15	32	29	3
Epilepsy $Iiner$'s Phthisis	0.7	13	31	46	— 15
Acute Articular Rheumatism	0	20	$\begin{array}{c c} 31 \\ 29 \end{array}$	$\begin{array}{c} 34 \\ 32 \end{array}$	— 3 — 3
Syphilis	13	15	28	28	- 3
Diseases of the Prostate			28	34	— 6
Sunstroke (Accident)	7.0	5	28	31	- 3
Other Diseases of the Nervous System	0.7	10 4	$\begin{array}{c} 26 \\ 25 \end{array}$	26 26	
Purulent Infection and Septicæmia	0	15	24	26	$-\frac{1}{2}$
deneral Paralysis		8	24	20	4
Simple Peritonitis (non-puerperal)	0.1	13	23	22	1
Cimber Felling, Logging, etc. (Accident)	7.4	$\frac{1}{7}$	$\begin{array}{c} 22 \\ 21 \end{array}$	14 26	8
Ulcer of the Stomach	10	8	21	12	-5
Puerperal Septicæmia		21	21	17	4
Pleurisy	10	4	20	18	2
Suicide by Cutting Instruments Other Diseases of Kidneys and Adnexa		$\frac{2}{10}$	$\begin{array}{c} 20 \\ 19 \end{array}$	17	3
Other Accidents of Childbirth		19	19	15 16	$\frac{4}{3}$
Accidents of Pregnancy		18	18	21	- 3
Venomous Creatures and other Acute Poisons	. 11	6 6	18 17	14 15	$\frac{4}{2}$
Other General Diseases		4	16	14	2
Congestion of Lungs and Pulmonary Apoplexy Phlegmon, Acute Abscess	7.7	7 5	16 16	22	- 6
Mines and Quarries (Accident)	7.0		16	6 16	10
Starvation	. 16		16	16	2
Diseases of the Larynx		7	15	20	- 5
7 1 4 11 '' 1 TI-lamenta	_	15 8	15	21	- 6
Puerperal Albuminuria and Eclampsia	1 1	1	15	11	4
Non-Tuberculous Diseases of the Bones	. 2	19	1/1		
Non-Tuberculous Diseases of the Bones	7.0	12	14 14	51	
Non-Tuberculous Diseases of the Bones	10 4		14 14 14	51 13 18	1
Non-Tuberculous Diseases of the Bones	10 4 8	4	14	13	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$

Table No. XIV.—continued.

Causes of Deaths in Queensland during the Year 1914, arranged in Order of Degree of Fatality—continued.

Cause of Death.	and Female	Deaths, Male e, Registered ch Cause.	Total Deaths from each Cause in	from each Cause in	Increase or — Decrease in 1914
	Males.	Females.	1914.	1913.	111 20 22
	Males. 11 8 8 10 6 5 9 6 5 4 7 7 5 5		Cause in		
Uterine Hæmorrhage (non-puerperal) Other Puerperal Accidents, Sudden Death Suicide by Crushing		1 1 1	1 1 1	1	1 2
Murder by Cuts	• •	1	1	7	_ 3 _ 7
Total	4,132	2,599	6,731	6,783	52

TABLE No. XV.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1914.

						years.															ls.			TOTA LS	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 y	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Males.	Females.	Persons.
CLASS I.—General Diseases. 1. Typhoid Fever 2. Typhus 3. Recurrent Fever 4. Intermittent Fever 4. Malarial Cachexia 5. Small-pox 6. Measles 7. Scarlet Fever 8. Whooping Cough 9. Diphtheria 9a. Croup 10. Influenza 11. Miliary Fever 12. Asiatic Cholera 13. Cholera Nostras 14. Dysentery 14a. Epidemic Dysentery 15. Plague 16. Yellow Fever 17. Leprosy 18. Erysipelas 19. Other Epidemic Diseases 19a. Dengue 20. Purulent Infection and Septicæmia 21. Glanders and Farcy 22. Malignant Pustule and "Charbon" 23. Rabies 24. Tetanus 25. Trichinosis, etc. 26. Pellagra 27. Beri Beri 28. Tuberculosis of the Lungs 29. Tuberculosis of the Meninges 31. Tuberculosis of Other Organs 35. General Tuberculosis 36. Rachitis 37. Syphilis 38. Gonococcic Dis. 39. Cancer, etc., of the Stomach and Liver. 41. Cancer, etc., of the Stomach and Liver. 42. Cancer, etc., of the Breast 44. Cancer, etc., of the Breast 44. Cancer, etc., of the Breast 45. Cancer, etc., of the Breast 46. Cancer, etc., of the Breast 47. Cancer, etc., of the Breast 48. Cancer, etc., of the Breast 49. Scurvy 50. Diabetes 51. Exophthalmic Goltre 52. Addison's Disease 53. Auteemia 54. Anæmia, Chlorosis 55. Other General Diseases 56. Acute and Chronic Alcoholism 57. Lead Poisoning 58. Other Chr. Poisonings due to Occupation 59. Other Chronic Poisonings 50. Other Chronic Poisonings	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1 1	10	100	1	1	2 2	2	11	23	222	10	44	7	1	3 3	1	1					90	38	128
OLASS II.—Diseases of the Nervous System and of the Organs of Special Sense. 60. Encephalitis	5	1 7 4 7 2 1 222	5 1	1 2 1 4	1 2 2 1 6	3 26 9 5 45 4 4 95	1 5	2	1 2 3 1 1 7	1 1 1 1		 4 	1 1 1 2 1 2 1 2		1 7 1 2 1 3 17 17	33 2 2 2 100 3 6 6 4 1 2 2 333	 1 2 10 1 5 2 1 	 1188 3 	 1144 5 1 1 1 	 1 4 21 2 2 4 1 33	 1 23 1 9 1 1 36		44 40 432 124 6 30 16 3 18 5 16 5	32 18 70 7 24 8 13 40 1 4 10 2 229	4 72 4 50 194 13 54 24 3 31 85 1 9 26 7 577

TABLE No. XV.-continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1914—continued.

						years.															1.			TOTALS	
CLASSES AND DISEASES,	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 ye	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 80.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Males.	Females.	Persons.
CLASS III.—Diseases of the										0															
Circulatory System.		1				1	1	1	1				1	1	1				1				8	3	11
78. Acute Endocarditis 79. Organic Diseases of the Heart		 1				 1	4	1 5	1 4	12	1 16	7	19 19	4 24	36	39	43	53	51	68	74	ï	21 457 6	16 294 4	37 751 10
80. Angina Pectoris 81. Dis. of Arteries, Atheroma, Aneurism, &c.										"i		•••	4 2	8	11	6 1	10 3	8 3	9	1 14 1	3 16 4		87 20	33 13	120 33
82. Embolism and Thrombosis 83. Dis. of Veins (Varices, Varicose Ulcers, &c.) 84. Diseases of the Lymphatic System						1			1						···· 1								2	1	1 2
84. Diseases of the Lymphatic System 85, Hæmorrhage										***	ï			ï			1	ï	1				5	1	6
TOTAL CLASS III	1	2				3	5	7	8	13	18	7	28	39	54	51	61	65	65	84	97	1	606	365	971
CLASS IV.—Diseases of the Respiratory System. 86. Diseases of the Nasal Fossæ 87. Diseases of the Larynx 88. Diseases of the Thyroid Body	3			2														"i						 7 1	 15 1
89. Acute Bronchitis 90. Chronic Bronchitis	25	4	2		1	32 1	1			 1		2			3	3	1 6	6	1 9	1 10	32		36 73	28 36	64 109
91. Broncho-pneumonia 92. Pneumonia	16 18	9 7	6	2 4	1	31 36	5	1	3		1 4	5	6	7	1 14	$\frac{2}{12}$	6	2 5	9	2 10	6 11		49 137	81	93 21 8
93. Pleurisy 94. Congestion of Lungs and Pul. Apoplexy 95. Gangrene of the Lungs	2					2		1		1	2		1	ï	3	1	1	2	3	1	1	ï	16 9	7	20 16 2
96. Asthma 97. Pulmonary Emphysema				"i		1	:::							2	$\frac{1}{2}$	1 3	3	4	2		7		24	11	35
97a. Miner's Phthisis 98. Other Diseases of the Respiratory System			•••										2	1 2	4	5	11	4	3		1		31		31 3
TOTAL CLASS IV	64	21	13	9		110	6	2	3	5	7	8	9	14	28	27	28	24	29	26	60	1	387	220	607
GI ASS V. Dinasus of Ale																									
CLASS V.—Diseases of the Digestive System.																									
99. Dis. of Mouth and associated organs 100. Diseases of the Pharynx 101. Diseases of the Œsophagus	1		2		1	2 2									ï	 1							2 4	5	3
101. Diseases of the Esophagus 102. Ulcer of the Stomach 103. Other Dis. of Stomach (Cancer excluded)	6	4		 1		 11	3	 1	ï	,	2 1	 1	2	 1	2 1	3 2	2 2	2	1	1 1	1 2		13 30	1 8 26	1 21 56
104. Diarrhœa and Enteritis (under two years) 105. Diarrhœa and Enteritis (over two years)	186	48	 18	5	 1	$\begin{array}{c} 234 \\ 24 \end{array}$	9	 1		2			2		3	1	l	3	2	7	iii		234 67	182	416 136
106. Ankylostomiasis 107. Intestinal Parasites											1						1						2	3	5
107a. Sprue					 1	1	2	3	5	7	4	3	2	3	4	3	3	2 2	2		1 2		44	17	8 61
110. Other Diseases of the Intestines 111. Icterus Gravis	5	3	"i			8 2	1			1		1	3		7 3	$\begin{array}{c c} 2 \\ 1 \end{array}$	3	2	2	1			32 10	25 4 4	57 14
112. Hydatid Tumours of the Liver 113. Cirrhosis of the Liver											··· 1			···	1	5	3	5	 1	2	6		25	1 13	4 1 38
114. Biliary Calculi 115. Other Diseases of the Liver		ï				 1		1			···				$\frac{1}{2}$	···	2	1 1	2	2	2 4		17	10 15	14 32
116. Diseases of the Spleen 117. Simple Peritonitis (non-puerperal) 118. Other Diseases of the Digestive System							1 1			1	1			1	ï			1	2	1	1		10	13	3 23
m - G H	199	56	21	6	$\frac{1}{4}$	$\frac{1}{286}$	17	6	6	12	1 13	$\frac{1}{7}$	10	6	26	20	20	19	12	$\frac{2}{18}$	30		508	403	9 911
					-			_	-				-		-			-		-					
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa. 119. Acute Nephritis	0		1	7											9		0	9					0.4	01	45
120. Bright's Disease	1		1	1		1	$\frac{1}{2}$	1 2	5	12	12	13	10	ii	10 	17	13 	15	21	12	1 15		171	$\begin{array}{c c} 21 \\ 130 \end{array}$	301
122. Other Diseases of Kidneys and Adnexa 123. Calculi of Urinary System 124. Diseases of the Bladder		ï				1				2	1			4		···		ï	1		1 1		9 5	10 5	19 10
125. Other Dis. of Urethra, Urin. Abscess, &c. 126. Diseases of the Prostate															2	4	3	3	6 2	8	14		40	6	46
127. Non-venereal Dis. of Male Genital Organs 128. Uterine Hæmorrhage (non-puerperal)						:::						ï				1	1	3	3	4	16		28		28 1
129. Uterine Tumour (non-cancerous) 130. Metritis and other Diseases of the Uterus																								5 7	1 5 7
131. Cysts and other Ovarian Tumours 132. Other Dis. of Female Genital Organs																								2	2
133. Non-puer. Dis. of Breast (Cancer excepted)																									
TOTAL CLASS VI	3	1	1	1		6	3	3	6	18	17	14	11	15	15	24	20	25	34	24	49		284	191	475
CT. A SS WII - Promovel Carrie																									
CLASS VII.—Puerperal Condition. 134. Accidents of Pregnancy 135. Puerperal Hæmorrhage																								18	18
136. Other Accidents of Childbirth																								10 19 21	10
138. Puerperal Albuminuria and Eclampsia																								15	21 15
140. Other Puerperal Accidents, Sudden Death																								1	1
TOTAL CLASS VII																								84	84
					-				-		1	1		1)			1)	1				

TABLE No. XV.—continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1914—continued.

						urs.																		TOTALS	5.
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Males.	Females.	Persons.
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue. 142. Gangrene	 1 3 1 5					 1 3 1 5	 1 1		 2 2		1 1 2	1 1 2	 1 	1	1 1		 1 	"i "· —	 1 1	1 2	6 1 7		8 5 11 3 ————————————————————————————————	6 1 5 5 5	14 6 16 8 44
CLASS IX.—Diseases of the Organs of Locomotion. 146. Non-tuberculous Diseases of the Bones 147. Arthritis and other Dis. of Joints 148. Amputation			1 1			1		1			1	2	:::	1 1 2	::: ::: :::		2 2					:::	7 2 9	8 2 10	15 4 19
CLASS X.—Malformations. 150. Congenital Malfor. (excl. of Stillborn) TOTAL CLASS X	34	1 1	1 1	1		37 37	2 2	1 1												<u></u>			40	55	95
CLASS XI.—Infancy. 151. Congenital Debility, Icterus, and Scleroma 152. Other Dis. Pec. to Infancy (un. 3 mths.) 153. Want of Care (Infants) TOTAL CLASS XI	225 52 277					225 52 277														,		::: :::	225 52 277	164 28 2 	389 80 2 471
CLASS XII.—Old Age.																1	1	7	14		134		192	135	327
TOTAL CLASS XII																1	1		14		134		192	135	327
CLASS XIII.—Violence. 155. Suicide by Poison	3	3	1	i						2	3	2 1 2 6 4 1 7 3 11 1 11 1 1 11 1 1 2 2 52	1 1 77 1 1 6 6 2 1 1 1 5 5 4 4 2 3	3 5 1 1 3 1 1 8 1 1 3 3 3 3 100 22 7 7 2 2 2 2	4 1 1 6 4 1 1 1 6 6 2 1 4 4 3 3 3 1 3 1 3 1 1 1 42	3 1 22 5 2 1 9 2 4 4 2 1 1 1 2 4 4 6 ———————————————————————————————	3	1 1 1 1 3 3 1 1 1	1	1 1 1 1 1 2 2		1	25 12 11 42 18 2 17 5 107 9 16 3 44 28 5 2 2 16 21 3 21 3 21 5 30	8	33 12 17 42 20 2 1 4 18 8 49 6 114 10 21 16 22 16 24 4 1 5 25 639
CLASS XIV.—Ill-defined Diseases 187. Organic Lesion (not Defined) 188. Sudden Death 189. Unspecified or Ill-defined Causes of Death TOTAL CLASS XIV TOTAL DEATHS OF MALES FROM ALL CAUSES		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	67	35	27	1 1 963	88	58	83	 1 1 1 148	1 1	144	163	206	1 1	280	238	253	260	287	491	5	2 2 4 4,132	2,599	2 2

TABLE No. XVI.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1914.

							5 years.											b				ds.		1	TOTALS.	
CLASSES AND DISEASES.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 y	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Females.	Males.	Persons.
CLASS I.—General Disease					2		2	2	3	7	7	5	3		1	2	2	2	1			1		38	90	128
1. Typhoid Fever																								7	,	
4. Intermittent Fever				•••																					11	11
5. Small-pox	· · · · · · · · · · · · · · · · · · ·	5		 1						···	···	 1												12	₂	14 2
7. Scarlet Fever		12	5	3	 1		21																	21	23	44
9. Diphtheria		3	11	12	10	6	42	17	1	1			1								2			62	49 2 25	111 2
9a. Croup		6				1	7	1			2		2		1	1		3	1	3		9		32		57
12. Asiatic Cholera																										
14. Dysentery		1	1			1	3			1		1	1									1		7	14	21
15. Plague																									7	8
17. Leprosy		···					 1		,								2		1					1 3	6	9
19. Other Epidemic Diseases 19a. Dengue							 2	1				1	···						 1					3 15	5 9	8 24
20. Purulent Infection and Septicæmia 21. Glanders and Farcy		1	1					1			3	4		1		1	1	1								
22. Malignant Pustule and "Charbon" 23. Rabies																 1								9	27	36
24. Tetanus		4			1		5		1	1		1					•••			1				1	1	2
26. Pellagra								2			10			12	7	6		 1		2				87	10 209	10 296
28. Tuberculosis of the Lungs 29. Tuberculosis, Acute Miliary		1	1				$\frac{3}{1}$		2	4	12	10	18								1			1 4	5 8	6
30. Tuberculosis of the Meninges 31. Tuberculosis, Abdominal, etc		$\frac{1}{2}$	ï			1	3	ï		1			ï	1			1		1	1				9	4	13
32. Pott's Disease 33. White Swellings																									2	3
34. Tuberculosis of other Organs 35. General Tuberculosis										1		1												2	1 3	3 3
36. Rachitis		12					12	1			1		1											15	13	28
38. Gonococcic Dis						•••				•••				··· 1	1	1	2 10	1 7		10	9	1 8		4 55	37 124	41 179
49. Cancer, etc., of the Stomach and Li 41. Cancer, etc., Peritoneum, Intestine	s, etc.											ï	1	2 4	1 3	1 3	1 6	3 4	1 7	5 3	4	5		19 36	26	45 36
42. Cancer, etc., of the Female Genital C 43. Cancer, etc., of the Breast													1	1		4	3	3	4	3		1 2		20	3 9	23 12
45. Cancer, etc., of other Organs					ï		1	1	2	1	2	2	1	1	2	2	3	4	3	4 2	5	4		38	69	107
46. Other Tumours (excl. F. Genital O 47. Acute Articular Rheumatism	_	1				2	3	1	3	1	1	2	1	1	1	1		1	2	1	1	2		20	9 8	29 11
48. Chronic Rheumatism and Gout 49. Scurvy		•••			 1		 1					 1	1			1	1	6	6	1		1		27	23	50
50. Diabetes 51. Exophthalmic Goître	•••									1	2	1		2	···	1	1							7 3		7 3
52. Addison's Disease 53. Leucæmia		····					1	1				1 3	·	1	2			2		1				2 11	3 25	5 36
54. Anæmia, Chlorosis 54a. Filaria							2		1						1	1								1 4	$\frac{1}{12}$	2 16
55. Other General Diseases 56. Acute and Chronic Alcoholism								1				1	2	•••	1	1			2					7	34	41
57. Lead Poisoning 58. Other Chr. Poisonings due to Occup		•••		•••																					$\frac{1}{2}$	1 2
59. Other Chronic Poisonings		55	23			11	121	30	13	21	33		36	27	22	27	41	38	38	37	30	37		587	920	1,507
TOTAL ULASS I							CONTRACTOR OF THE CONTRACTOR O	- Control of the cont											-							
CLASS II.—Diseases of the Nervous System and of Organs of Special Sense	the																									
60. Encephalitis		10					9.1				•••														4	4 79
61. Simple Meningitis 61a. Epidemic Cerebro-spinal Meningit			6	4	1		24	1	1	1	2			1								1		32	40	72
62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord		 1	3	2	2	1	9	3							***		1	3	2		1.0	1.0		18	32	50
64. Hæmorrhage of Brain, Apoplexy 65. Softening of the Brain			1	2			9				1	2	2		2	2	4	10			2	4		70 7	124	194
66. Paralysis without indicated cause 67. General Paralysis	. •											1	2	2 2		1		3		1				24 8	30 16	54 24
68. Other Forms of Mental Alienation 69. Epilepsy						2	2		1	3			···	2		1 1		1						13	3 18	31
70. Eclampsia (non-puerperal) 71. Convulsions of Children under fiv					2		40																	40	45	85
72. Chorea 73. Hysteria, Neuralgia, and Neuritis.							1							1			2		1				1	1 4	5	1 9
74. Other Diseases of the Nervous Sys 75. Diseases of the Eyes and Appenda	stem					1							1					1		1	. 2	1		10	16	26
76. Diseases of the Ear		. 1					1		- 0			-		-										-	5	7
TOTAL CLASS II		. 49	19	9	5	4	86	1 4	2	4	3	4	6	10) 4	6	7	19	12	13	3 23	3 26		229	348	577

TABLE No. XVI.-continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1914—continued.

						years.	1														1			TOTALS	
CLASSES AND DISEASES,	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 year	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 3 5 .	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards,	Unspecified.	Females,	Males.	Persons.
CLASS III.—Diseases of the Circulatory System. 77. Pericarditis	1			i i 		1	3	1 8 	 5 11 1 	3 11 	8	1 1 14	9	 18 	1 15 1 2 	2 17 1 2 	 3 23 4 	1 17 4 1	 40 1 5 2 	 42 1 2 1 1	 57 1 17 3 		3 16 294 4 33 13 1	8 21 457 6 87 20 	11 37 751 10 120 33 1
85. Hæmorrhage	1			1		2	3	9	17	14	9	16	9	18	$\frac{1}{20}$	22	30	23	48	47	78		365	606	971
92. Pneumonia 93. Pleurisy 94. Congestion of Lungs and Pul. Apoplexy 95. Gangrene of the Lungs 96. Asthma 97. Pulmonary Emphysema 97a. Miner's Phthisis 98. Other Diseases of the Respiratory System	2 18 17 111 1 1	1 3 4 7 	2 1 3 44 1 	 1 2 3 	J 1 1 1	6 24 26 26 2 1 1 	 1 1 1 	 	 	 1 3 			 					 14 3 		2 9 1 1 2 1 1 1	 144 7 133 3 3 		7 1 28 36 44 81 1 4 4 7 11 1 220	8 36 73 49 137 16 9 2 24 31 2	15 1 64 109 93 218 20 16 2 35 31 3
CLASS V.—Diseases of the					-30																40			387	607
Digestive System. 99. Dis. of Mouth and associated organs 100. Diseases of the Pharynx 101. Diseases of the Esophagus 102. Ulcer of the Stomach 103. Other Dis. of Stomach (Cancer excluded) 104. Diarrhœa and Enteritis (under two years) 105. Diarrhœa and Enteritis (over two years) 106. Ankylostomiasis 107. Intestinal Parasites 107a Sprue 108. Appendicitis 109. Hernia, Intestinal Obstruction 110. Other Diseases of the Intestines 111. Iterus Gravis 112. Hydatid Tumours of the Liver 113. Cirrhosis of the Liver 114. Biliary Calculi 115. Other Diseases of the Liver 116. Diseases of the Spleen 117. Simple Peritonitis (non-puerperal) 118. Other Diseases of the Divertive System		 1 1 39 1 1 		 2 	1 1 2	2 11 182 14 1 1 6 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 1 3 1 4 2	1 1 1 1 			1 2 1				1 2		1 1 1 2 2 2	1		 			1 5 1 8 26 182 69 3 4 17 25 4 4 1 13 10 15 13 2	2 4 13 30 234 67 2 4 44 32 10 25 4 17 3 10 7	3 9 1 21 56 416 136 5 8 61 57 14 4 4 1 32 3 23 9
TOTAL CLASS V 1	158	43	12	3	5	221	15	4	7	7	8	11	5	10	9	15	14	14	15	13	35		403	508	911
CLASS VI.—Diseases of the Genito-Urinary System and																									
Adnexa. 119. Acute Nephritis	1	2				4	1	1 1 1 3	1 6 	5 20 2 1 2 1	2 18 2 2 24	2 8 1 1 1 1 	1 4 2 1 2 3	1 11 1 1 1 	8 1 1 1 1	2 15 1 2 1 1 1 2	8 1 2	4 1	1 6 1	9 9	12 1 2 1 1 1 1 		21 130 10 5 6 1 5 7 2 4 	24 171 9 5 40 6 28 1 	45 301 19 10 46 6 28 1 1 5 7 2 4
CLASS VII.—Puerperal Condition. 134. Accidents of Pregnancy 135. Puerperal Hæmorrhage 136. Other Accidents of Childbirth 137. Puerperal Septicæmia 138. Puerperal Albuminuria and Eclampsia 139. Puerperal Albuminuria Alba Dolens 140. Other Puerperal Accidents, Sudden Death 141. Puerperal Diseases of the Breast TOTAL CLASS VII,								;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	4 1 5	1 2 6 3 1 13	1 3 2 3 5 	2 3 9 6 3	6 2 3 4 3 	3 1 3 1 	1 1 2								18 10 19 21 15 1 		18 10 19 21 15 1

TABLE No. XVI.-continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1914—continued.

						years.															ds.			TOTALS	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards	Unspecified.	Females.	Males.	Persons.
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																									
42. Gangrene		1				1					 1								2		3		6	8 5	1
44. Phlegmon, Acute Abscess 45. Other Diseases of the Skin and Adnexa						3					1	1 1					1			1	1		5 5	11 3	1
TOTAL CLASS VIII	3	1				4					2	2					1		2	1	5		17	27	4
CLASS IX.—Diseases of the Organs of Locomotion.																									
16. Non-tuberculous Diseases of the Bones	1 7	2	1	1		4	1					1					1	···i			1		8 2	7 2	1
18. Amputation																									1 ::
49. Other Dis. of Organs of Locomotion	1	2	1	1		5	1					1					1	1			1		10	9	-
TOTAL CLASS IX	1	- 4	-			-											-	-			_	-			
CLASS XMalformations.																								10	
50. Congenital Malfor. (excl. of Still-born)	-	-	4			53	1	1															55	40	
TOTAL CLASS X	46	3	4			53	1	1															55	40	- 8
CLASS XIInfancy.																									
51. Congenital Debility, Icterus, and Scleroma 52. Other Dis. Pec. to Infancy (un. 3 mths.)						1 64 28																	164	225 52	38
53. Want of Care (Infants)	0					2																	2		
TOTAL CLASS XI	194					194																	194	277	4
CLASS XII.—Old Age.																									
54. Senile Debility																1		5	11	26	92		135	192	32
TOTAL CLASS XII																1		5	11	26	92		135	192	32
GT AGG WIII Wielenes																									
CLASS XIII.—Violence. 55. Suicide by Poison									1	1	1	1	1		2	1							- 8	25	1
56. Suicide by Asphyxia 57. Suicide by Hanging or Strangulation																								12	
58. Suicide by Drowning 59. Suicide by Firearms									1		2					2					1		6	11 42	
30. Suicide by Cutting Instruments 31. Suicide by Precipitation from a Height													•••	1		1							2	18 2	
32. Suicide by Crushing												1			 1					1			1 1		
34. Poison by Food					 1		1																	12	
36. Incendiarism				3	1	12	2	3	3	2	1	1		2	1	2			1	ï	1		32	17	
38. Noxious Gases		1		1		1	1	1				1			1	1		1					1 7	5 107	1
39. Drowning										ï													1	9	1
71. Cuts and Stabs			2			2	ï						1			2	2		ï	1	8		18	34	
73. Mines and Quarries																								16	
75. Vehicles			1		1	1	 1		1			1	1			2		···					3 5	44 28	
76. Animals							1		2	1			1										5	52 16	
78. Cold																			2		1			23	
79. Sunstroke						1										1							5	23	
Bl. Others, Electric							ï																	21	1
32. Murder by Firearms										1	1												1	3	
34. Murder, Other										1													i	4	
66. Other Violence	1 7					1	ï				1							1					4	21	
TOTAL CLASS XIII	11	3	2	4	3	23	9	4	8	7	6	5	4	3	5	13	2	3	4	2	11		109	530	63
LASS XIV.—Ill-defined Diseases																									
87. Organic Lesion (not Defined)			000																					2	
88. Sudden Death 89. Unspecified or Ill-defined Causes of Death																								2	
2	-	-	-	-		-	-	-																4	-
TOTAL CLASS XIV																1								-	
TOTAL CLASS XIV	-	-	-																						

TABLE No. XVII.

CAUSES of DEATHS of PERSONS, at different Periods of Life, Registered in Queensland during the Year 1914.

						ears.	1																7	OTALS.	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 yea	5 to 10,	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Persons.	Males.	Females.
CLASS I.—General Diseases.																									
1 Typhoid Fever		1				3	4	5	18	30	27	13 1 1 1 1 3 1 1 1	4	8	6	5	3	1			1		128 11 11 12 444 1111 2 57 8 9 8 24 36 2 10 2966 6 12 13 3 3 3 3 8 8 24 177 8 179 45 36 23 112 107 7 8 8 29 11 50 7 7 3 5 6 6 6 12 11 12 11 179 18 18 19 10 10 10 10 10 10 10 10 10 10 10 10 10	90 1 1 2 2 2 3 14 7 6 7 6	38
	108	47	31	29		235	57	30	44		113	82	71		104		100		106		101	1	1,507	920	587
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.	108	47	91	28	20	200	37	30	Ti		113	04	71	18	103	110	100	31	100	00	101		1,507	920	987
60. Encephalitis	111	-	3	 1	1 2 3 2 1	3 50 18 14 85 3 5		3 2 2 2 1 		3	1 1 2 1 1 1 1 1 7	 6 1 1 1 	2 1 1 1 2 4 1 4 1 2 4 1 1 4 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 1 1 1 		3 14 3 6 4 3 2 2 3 14 4 	1 5 20 2 8 2 1 1 1 1 1 1 1 41	3 22 6 3 1 35	8 1 1 1 1				7	4 40 4 32 124 6 6 30 16 3 18 45 5 16 5 348	32 18 70 7 24 8 13 40 1 1 4 10 2

TABLE No. XVII.-continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in Queensland during the Year 1914—continued.

		1			1	rs.																	Г	TOTALS.	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	00	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Persons.	Males.	Females.
CLASS III.—Diseases of the Circulatory System. 77. Pericarditis	1 1 	1 1 2		 1 1		2 2 1 5	1 7 8	1 2 13 16	1 6 15 2 1 	3 23 1 	1 24 1 1 27	1 1 21 23	1 2 28 4 2 37	1 4 42 8 1 1 57	1 5 51 2 11 2 1 1	 6 56 1 7 3 	7 66 14 3 1	1 70 12 4 1 88	1 91 1 14 5 1 113	110 2 16 2 1 131	4 33 7 	 1 1	11 37 751 10 120 33 1 2 6	8 21 457 6 87 20 2 5	3 16 294 4 33 13 1 1
CLASS IV.—Diseases of the Respiratory System. 86. Diseases of the Nasal Fossæ 87. Diseases of the Larynx 88. Diseases of the Thyroid Body 89. Acute Bronchitis 90. Chronic Bronchitis 91. Broncho-pneumonia 92. Pneumonia 93. Pleurisy 94. Congestion of Lungs and Pul. Apoplexy 95. Gangrene of the Lungs 96. Asthma 97. Pulmonary Emphysema 97a. Miner's Phthisis 98. Other Diseases of the Respiratory System Total Class IV.	-	2 7 13 14 	2 3 1 7 10 1	2 1 4 7 1 1	2 2 2 1	 13 56 1 57 62 2 3 2 196	1 2 1 6	 4 1 	 1 7	1 1 6 1 	 2 8 2 	 2 1 5 	 1 6 1 2	 3 16 2 2 2 1 2	 3 2 17 4 1 4 35	 4 3 17 1 1 3 5 	 1 9 10 1 1 3 36	1 10 2 8 2 4 4 32	 1 14 4 10 3 1 6 42	 3 19 3 12 3 1 1 1 43	 46 13 24 2 4 10 100	 1 	 15 1 64 109 93 218 20 16 25 31 3	 8 36 73 49 137 16 9 2 24 31 2	7 1 28 36 44 81 4 7 11 1
CLASS V.—Diseases of the Digestive System. 99. Dis. of Mouth and associated organs 100. Diseases of the Pharynx 101. Diseases of the Csophagus 102. Ulcer of the Stomach (Cancer excluded) 103. Other Dis. of Stomach (Cancer excluded) 104. Diarrhœa and Enteritis (under two years) 105. Diarrhœa and Enteritis (over two years) 106. Ankylostomiasis 107. Intestinal Parasites 107a. Sprue 108. Appendicitis 109. Hernia, Intestinal Obstruction 110. Other Diseases of the Intestines 111. Icterus Gravis 112. Hydatid Tumours of the Liver 113. Cirrhosis of the Liver 114. Biliary Calculi 115. Other Diseases of the Liver 116. Diseases of the Spleen 117. Simple Peritonitis (non-puerperal) 118. Other Diseases of the Digestive System	15 329 10 1 1 1 	1	28 1 1 1 33	77	1 1 1	2 4 4 2 14 4 2 1 2 2 2 507	12 11 6 3 13 	1 1 2 1 4 1		2 3 9 1 1 1 1 1 1 19	3 1 2 1 6 1 1 1 1 2 1 1 21			1 2 2 1 4 2 1 1 1 2 16	1 1 1 2 1 5 2 4 4 77 3 1 1 1 4 3 3 35	1 4 3 5 1 3 3 1 7 5 1 1 1	3 2 2 1 1 4 77 1 5 2 4 1 1 1 34	1	 1 1 9 2 4 1 1 1 2 2	1 1 16 2 3 1 1 1 3 3 31	2		3 9 1 21 56 416 136 5 8 61 57 14 4 4 1 38 32 3 23 9	2 4 13 300 2344 677 2 44 44 32 10 25 4 177 3 10 7 508	1 5 1 8 26 182 689 3 17 25 4 4 1 13 10 15 13 2 403
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa. 119. Acute Nephritis								2 3 1	2 11	9 32 4	6 30 1 2 2 41	2 21	2 14 2 1 2 3 22 4	1 22 4 1 1 29	2 18 1 1 2 1 1 1 	3 32 1 3 4 1 1 1 1 46	2 21 1 5 1 1 1	2 19 1 1 3 1 3 2 32	1 27 1 1 7 2 3 42	21 8 4 	1 2 16 1 16 		45 301 19 10 46 6 28 1 1 5 7 2 4 4 	24 1711 9 5 400 66 288 1 	21 130 10 5 6 1 5 7 2 4
CLASS VII.—Puerperal Condition 134. Accidents of Pregnancy 135. Puerperal Hæmorrhage 136. Other Accidents of Childbirth 137. Puerperal Septicæmia 138. Puerperal Albuminuria and Eclampsia 139. Puerperal Phlegmasia Alba Dolens 140. Other Puerperal Accidents, Sudden Death 141. Puerperal Diseases of the Breast TOTAL CLASS VII			• • • • • • • • • • • • • • • • • • • •					 1	4 1 5	3	1 3 2 3 5 14	2 3 9 6 3	6 2 3 4 3 18	3 1 3 1	1 1								18 10 19 21 15 1 		18 10 19 21 15 1

TABLE No. XVII.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in Queensland during the Year 1914—continued.

						l's																		TOTALS.	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Persons.	Males.	Females.
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue. 142. Gangrene 143. Carbuncle 144. Phlegmon, Acute Abscess 145. Other Diseases of the Skin and Adnexa TOTAL CLASS VIII	1 3 4 - 8	1 1	:::			1 1 3 4 	1		 2 2		 2 2 4	1 2 1 4	 1 	 1 1	 1 1		 2 2	"i … 1	2 1 3	1 2 3	9 1 2 12		14 6 16 8 44	8 5 11 3 27	6 1 5 5 5
CLASS IX.—Diseases of the Organs of Locomotion. 146. Non-tuberculous Diseases of the Bones 147. Arthritis and other Dis. of Joints 148. Amputation 149. Other Dis. of Organs of Locomotion TOTAL CLASS IX CLASS X.—Malformations.	1	2 2	1 1 2	1 1		4 2 6	1	1			1	3		1 1 2			3	1 1		::: ::: :::	1		15 4 	7 2	8 2 10
150. Congenital Malfor. (excl. of Still-born) TOTAL CLASS X	80	4	5	1		90	3	2 2															95	40	55 55
152. Other Dis. Pec. to Infancy (un. 3 mths.) 153. Want of Care (Infants)	389 80 2 471					389 80 2 471																	389 80 2 471	225 52 277	164 28 2 2
CLASS XII.—Old Age.													•			2	1	12	25	61	226		327	192	135
TOTAL CLASS XII																2	1	12	25	61	226		327	192	135
CLASS XIII.—Violence.									1	3	4	3	2	3	6	4	3	1	1	1		1	20	25	
156. Suicide by Asphyxia		4 4		 							2 7	1 2 6 4 1 2 2 2 2 57			1 1 6 1 2 1 2 1 7 7 2 1 1 4 3 3 3 1 3 1 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1 4 4 5 3		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1	2 2 2		33 12 17 42 20 2 1 4 49 6 114 10 512 16 28 2 22 4 1 5 25 639	25 11 42 18 2 3 17 5 107 9 344 16 3 444 28 52 16 23 2 21 3 21 530	8 6 2 1 1 6 32 1 7 7 1 18 5 5 1 1 1 1
187. Organic Lesion (not Defined) 188. Sudden Death 189. Unspecified or Ill-defined Causes of Death Total Class XIV		 1				1 1				 1 1	1				1								2 ₂	2 2 4	
TOTAL DEATHS OF PERSONS FROM ALL CAUSES	1270	244	123	71	54	1762	157	98	157	257	312	256	250	297	348	408	362	364	411	455	832	5	6,731	4,132	2,599

TABLE No. XVIII.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1914.

			۲.				1		-							E E	.			B.		R.		Т	OTALS.	
CLASSES AND DISEASES.	JANUABY.		FEBRUARY.	MARCH.		APRIL.		MAY,		JUNE.		ULY.		пепет		SEPTEMBER		OCTOBER		NOVEMBER		DECEMBER.				
	1	-	1	1	F.	м.	F.	м.	F.	м.	F.	м.	F.	м.	F.	M.	F.	м.	F.	м.	F.	м.	7	Males.	Females.	Persons.
	M. P		1	M.	1	100	1	1	1	1	.	1	1.	м.		ш.	1.		1					K	<u>F</u>	<u>A</u>
CLASS I.—General Diseases.																										
1. Typhoid Fever 2. Typhus	12	4 12	5	12	12	12	2	8	5	4	1	8	2		1			8		2	3	12	3	90	38	128
3. Recurrent Fever 4. Intermittent Fever																				1 2		3		 1 11		 1 11
4a. Malarial Cachexia 5. Smallpox		7		2		1		 1	 1	1			 1	1				1	 1					2		14
6. Measles		1 4		3	ï	3	2				3	2	3	2	3	1	 1	1	2		2	 1	···i	23	21	2
9. Diphtheria 9a. Croup	3	3 2	3	2	1	6	7	7	8	3	5	7	9	4	6	5	7	5	4	2	6	3	3	49	62	111 2
10. Influenza		1 2		2	2	4	2	3	2	2	5	1	1	2	5	3	3	1	4	4	3		3	25	32	57
12. Asiatic Cholera																										
14. Dysentery		1				1	3	3		1		3							1	1	1	1			7	21
15. Plague				1			 1									2		2						7		
17. Leprosy			1					1		ĭ		ï				1		î	2				1	6	3	9
19. Other Epidemic Diseases	1	1				1 1	1 1	 1	1 2	1		1	2		3	1	2	1		2		1	1	5 9	3 15	8 24
21. Glanders and Farcy 22. Malignant Pustule and "Charbon"																										
23. Rabies					"i	2		2	``i	2		2	···i	2		2	·::	2	1	3		3	···	27	9	36
25. Trichinosis, etc									1															1		2
27. Beri Beri 28. Tuberculosis of the Lungs		10 1	1	16	6	$\frac{1}{23}$	5	16	9	1 23	3	18	9	20	7	1 15	9	18	4	1 15	7	1 18 1	ii	209	87	10 296
29. Tuberculosis, Acute Miliary 30. Tuberculosis of the Meninges			1				2	1				2	1 1	2			 1	1	1 1	2	2 2	1 2	 1	5 8 4	1 4 9	6 12 13
31. Tuberculosis, Abdominal 32. Pott's Disease 33. White Swellings																										
34. Tuberculosis of other Organs 35. General Tuberculosis	1 .		1						1			1											1	2	1 2	3 3
36. Scrofula					2		3		 1	2	2		2	2		1 2	2	1		2	·	1	 1	3 13	15	3 28
38. Gonococcic Dis 39. Cancer, etc., of the Mouth	4		4 1				2	3		3		5		4		4		1		···		1	ï	37	4	41
40. Cancer, etc., of the Stomach and Liver 41. Cancer, etc., Peritonæum, Intestines, etc.	1		$\begin{bmatrix} 8 \\ 2 \end{bmatrix} \begin{bmatrix} 5 \\ 4 \end{bmatrix}$	4	1	9 4	2	9	9	10 3	8 3	11	1 4	8	5	10	2	13	1	9	1	13 2	6 2	124 26	55 19	179 45
42. Cancer, etc., of the Female Genital Organs 43. Cancer, etc., of the Breast		3	. 2		3	1	2 4 1		1		3 1 1		2 4	2	3		4		3 2	2	1	ï	5 4 1	3 9	36 20	36 23
44. Cancer, etc., of the Skin 45. Cancer, etc., of other Organs 46. Other Tumours (excl. F. Genital Organs)	2	5	7 3	2	4	4	3	7	3	4 2	7	8	1	6	2	8 1	2	9	3	4	5	8		69	3 38 3	12 107 8
47. Acute Articular Rheumatism 48. Chronic Rheumatism and Gout			1 1	3	1	2	1	2	1	î			ï		2	1 2	3	2	2	 1	2		4	9 8	20	29 11
49. Scurvy			2		2	4	3	 1	2	1	4	1	7	1	1	1		4	3	3	2	2	2	23	27	50
51. Exophthalmic Goître 52. Addison's Disease		2			1		1				1				1		1		1		1		 1		7 3	7 3
53. Leucæmia 54. Anæmia, Chlorosis		1	1 2		1	2	···		1	3	1	1	2	1		4	·::	3	2	···	1	···		3 25	2 11	5 36
54a. Filaria	3		1			1		2			1	1	ï	1		1		1	1	1	1			1 12	1 4	2 16
56. Acute and Chronic Alcoholism 57. Lead Poisoning			4			1		4		3		5		2		4	1	2	1	5	1	1	3	34	7	41
58. Other Chr. Poisonings due to Occupations 59. Other Chronic Poisonings						1						1												$\frac{1}{2}$	•••	1 2
TOTAL CLASS I	85	57 7	5 49	80	43	86	53	74	51	72	49	82	55	63	42	74	43	83	40	69	49	77	56	920	587	1,507
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.																										
60. Encephalitis			2	1		1						1								1				4		4
61. Simple Meningitis 61a. Epidemic Cerebro-spinal Meningitis	7				2	2	3	1	1	2	2	1	2	4		3		6	3	4	4	3	6	40	32	72
62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord	1	3	1 2 7 (1	1	1		1 1	1	3	1	10	2	6	7	5	3	32	18	4 5 0
64. Hæmorrhage of Brain, Apoplexy 65. Softening of the Brain 66. Paralysis without indicated cause.	1	1	7 2 2 2 1	1	1	6 1 4	6	9	6	12	9	11	6	10	7	15	5	5	5 1 2	5	5 1 2	14	9	124	70	194 13
66. Paralysis without indicated cause 67. General Paralysis 68. Other Forms of Mental Alienation	1		2		1	4		3	1	1 2	1	7	3	1	1	1 2	$\begin{vmatrix} 1\\2 \end{vmatrix}$	2 2		3	1	4	1	30 16 3	24 8	54 24
69. Epilepsy 70. Eclampsia (non-puerperal)	1		3	. 3	1	2	2	2	3	1	2			3	1	1		1			2	1	ï	18	13	3 31
71. Convulsions of Children under five 72. Chorea	3	1	5	4	4	4	6	2	6	5	6		1	6	2	3	2		4	7	5	1		45	40 1	85 1
73. Hysteria, Neuralgia and Neuritis 74. Other Diseases of the Nervous System	2	1	2		1	1 2	1	1		1	2	2	2	1 5		1	1		2		1		1 2	5 16	4 10	9 26
75. Diseases of the Eyes and Appendages							1								i	1		1		1				5	2	7
TOTAL CLASS II	37	19 2	27 20	35	14	23	19	22	18	25	-	-	14	-	17	31	12	27	20	28	28	29	25	348	229	577
	,		1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	l)	1	1	1			

TABLE No. XVIII.—continued.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1914—continued.

CAUSES OF DEATHS OF MA	-						l	5001		11 02			14				RER							1		TOTALS.	
CLASSES AND DISEASES.		ANUARY,		EBRUARY.		ARCH.		PKIL.		MA I.	1	ON E.	2 11	JOET.	ESTON	00001.	SEPTEME		0.4.0.0.0.0	CLOBER	dadmanos	NOVEMB	DECEMBER,			vi.	*
	м.	F.	M.	F.	м.	F.	м.	F.	м.	F.	,	F.			М.	F.	м.	F.	М.	F.		F.	м.	F.	Males.	Females	Persons.
CLASS III.—Diseases of the Circulatory System.																											
77. Pericarditis	1 43 1 11 2 	3 1 	24 24 7 2	1 1 21 6 1 	3 32 2 7 2 	1 2 20 1 2 	1 42 1 4 1 	1 15 4 1 	 44 11 1 1	29 1 2 1 	10 1 	1 31 2 4 	2 44 8 2 1	1 1 34 3 1 	2 1 49 9 3 	33	1 4 42 1 3 	28 28 3 1 	1 4 34 5 3 1	27 27 1 3 1 	1 29 1 5 1 1	 2 9 3 1 	6 30 7 2 2	 3 26 1 1 2 1	8 21 457 6 87 20 2 5	3 16 294 4 33 13 1 	11 37 751 10 120 33 1 2 6
TOTAL CLASS III	58	26	35	30	46	26	50	21	57	33	55	38	57	40	64	34	51	34	48	34	38	15	47	34	606	365	971
CLASS IV.—Diseases of the Respiratory System.																											
\$6. Diseases of the Nasal Fossæ \$7. Diseases of the Larynx	1 4 1 11 2 1 2 2	1 1 4 3 1	 1 2 6 11 2 1 	 1 1 2 1 5 1 	2 7 2 8 1 2 2 2	 3 2 2 4 1 1 	 1 3 6 2 16 2 2 4 	3 1 2 	3 10 3 4 1 1 2 	 2 3 5 1 4 	1 7 8 5 16 2 1 1 3 1	 4 3 7 10 2 	1 8 7 5 20 2 2 1 3 1 1	 2 5 3 14 1 2 1	 1 2 5 6 10 2 3 	 1 3 2 5 5 1 1 4 	3 6 7 11 3 2 4	 1 5 3 9 12 1 	 2 6 6 11 1 4 2	 1 5 4 11 1	4 7 3 16 1 5	 3 3 3 6 	 1 5 3 3 1 2 1	1 2 5 4 1 	8 36 73 49 137 16 9 2 24 31 2	7 1 28 36 44 81 4 7 11	15 1 64 109 93 218 20 16 2 35
	24	11	25	11	24	14	36	10	28	15	45	26	51	28	32	22	37	31	32	23	36	15	17	14	387	220	607
CLASS V.—Diseases of the Digestive System.																											
105. Diarrhœa and Enteritis (over two years) 106. Ankylostomiasis	1 1 1 		1 2 1 25 7 4 2 2 3 3 1 2 1 1 5 2					1 2 177 100 2 1 1 1 1 1 2 2 2 2 41	17 6 17 6 1 2 13 1	1 9 3 2 2 1 1 1 1 1 21	1 2 8 6 1 1 1 1 1 2 1 2 1 2 1 2 2			2 3 11 1 1 3 3 2 1 2 1 1 2 1 2 1 3 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		1 2 100 2 1 1 1 1 2			1 2 5 12 7 1 4 5 1 1 1 1	1 2 4 8 5 5 2 1 1 1 2 2 1 1 1 2 2				1	2 4 13 30 234 67 2 4 44 32 10 25 4 17 3 10 7	1 5 1 8 26 182 69 3 4 4 17 25 4 4 1 13 10 15 13 2	3 9 1 21 56 416 136 5 8 61 57 14 4 1 32 3 23 9 9 911
CLASS VI.—Diseases of the Genito-Urinary System and																											
Adnexa. 119. Acute Nephritis	3 13 3 3 2	1 13 	1 10 2 4 	6 1 1 1	2 8 1 7 2	2 11 1 1 	1 13 4 1 	2 2 1 1 1 1 	 12 1 2 4 	1 8 1 1 1 1 	1 15 4 1 1	4 12 1 1 1 1 1	3 21 1 4 1 3	3 19 1 1 1 1 1 	4 10 1 2 3	2 4 1 1	I 177 4 4	2 14 1 2 3 1 1 2 2	2 222 2 1 4 	3 19 1 	2 17 1 2 1 1 	3 12 3 1 1 1	1 1 6 2 1 	110 1	24 171 9 5 40 6 28 1 	10 5 6 1 5 7 2 4	45 301 19 10 46 6 28 1 1 5 7 2 4 4
CLASS VII.—Puerperal Condition. 134. Accidents of Pregnancy		2 1 4 1 2 10		3 1 4 8		1 1 2 4		1 1 3 6		1 2 1 2 		1 2 2 6		1 1 1 3 		1 2 2 1 6		2 1 1 4 1 		2 1 1 3 1 		3 3 1 7		1 1 3 2 		18 10 19 21 15 1 	18 10 19 21 15 1

TABLE No. XVIII.—continued.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1914—continued.

	TANDARY	CART.	Адунаала	POPPET.	To De							٠ د		۲.		UGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.	
CLASSES AND DISEASES.	JAK	- API	9.50	994	HORVE		4 Day	414	,	MAY.		JUNE.		JULY.		AUG		SELI		OCIC		NON	5	DEC	nô.	les.	ns.
	м.	F.	м.	F.	м.	F.	М.	F.	М.	F.	M.	F.	M.	F.	M.	F.	м.	F.	м.	F.	м.	F.	М.	F.	Males.	Females.	Persons
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue. 142. Gangrene	1 1	1					2						2			2	2	2	1 2		1	1 1	1		8 5	6	14 6
144. Phlegmon, Acute Abscess	1		3	1 2	1		1	i 	1		1	1 		1	1		i 	1		•••	1	 1	1	1	11 3	5 5	16 8
TOTAL CLASS VIII	3	1	4	3	1		4	1	1		1	1	2	1	1	2	3	4	3		2	3	2	1	27	17	44
CLASS IX.—Diseases of the Organs of Locomotion. 146. Non-tuberculous Diseases of the Bones.		1			1	1	1						1		2	1	2	2		1		1		1	7	8	15
147. Artbritis and Other Dis. of Joints 148. Amputation 149. Other Dis. of Organs of Locomotion				1															1		1			1	2	2	4
TOTAL CLASS IX		1		1	1	1	1						1		2	1	2	2	1	1	1	1		2	9	10	19
CLASS X.—Malformations.																											
150, Congenital Malfor. (excl. of Still-born)	3	5	1	6	2	6	1	7	10	2	2	6	5	4	4	5	2	3	2	5	3	3	5	3	40	55	95
Total Class X	3	5	1	6	2	6	1	7	10	2	2	6	5	4	4	5	2	3	2	5	3	3	5	3	40	55	95
CLASS XI.—Infancy.																											
151. Congenital Debility, Icterus, and Scleroma 152. Other Dis. Pec. to Infancy (un. 3 mths.) 153. Want of Care (Infants)	25 10 	16 3 	18 2 	13 4 	21 3 	10 1 	17 5 	8 1	22 8 	11	19 3 	18 5 	21 3 	21 2 1	21 1 	13 2 	19 1 	14 4 	16 3 	13 3 	10 6 	12 3 	16 7 	15 1 	225 52	164 28 2	389 80 2
TOTAL CLASS XI	35	19	20	17	24	11	22	9	30	11	22	23	24	24	22	15	20	18	19	16	16	15	23	16	277	194	471
CLASS XII.—Old Age.																											
154. Senile Debility	21	10	-	7	13	9	10	9	25	7	10	12	19	12			12	20	15	-	25	12	10	16	192	135	327
TOTAL CLASS XII	21	10	15	7	13	9	10	9	25	7	10	12	19	12	17	8	12	20	15	13	25	12	10	16	192	135	327
CLASS XIIIViolence.																											
155. Suicide by Poison 156. Suicide by Asphyxia 157. Suicide by Hanging or Strangulation 158. Suicide by Drowning 159. Suicide by Firearms 160. Suicide by Firearms 161. Suicide by Pecipitation from a height 162. Suicide by Crushing 163. Other Suicides 164. Poison by Food 165. Ven. Creatures and Other Acute Poisons 166. Incendiarism 167. Burns 168. Noxious Gases 169. Drowning 170. Firearms 171. Cuts and Stabs 172. Falls 173. Mines and Quarries 174. Machinery 175. Vehicles 175a Railways and Tramways 176. Animals 177. Starvation 178. Cold 179. Sunstroke 180. Lightning 181. Other Electric 181a. Timber-felling, Logging, etc. 182. Murder by Firearms 183. Murder by Cuts 184. Murder, Other 185. Fractures, etc. 186. Other Violence	4 2 1 1 2 1 1 3 2 2 1 2 1 1 3 1 5 4 6 1 2 55 5		2 1 2 6 1 1 7 1 1 1 1 4 1 1 2 2 1 1 4 1 1 1 3 42	1 1 1 1 1 1 1 1		1	2 15 2 3 24 1 3 3 6 6 2 1 3 1		3 3 3 3 3 10 4 2 11 3 4 4 4 1 1	1		1 3 3 1	1 7 7 7 2 1 3 2 6 4 1 1 1 1 37	3 1 1 	1	2	1 5 1 4 5 1 4 2 3 1 1 2 2 1 2 1 1 32	2	3 2 2 3 3 5 1 2 5 2 2 2 2 2	1	2 1 1 4 4 1 1 1 10	1 2	7	3 1	25	8	33 12 17 42 20 2 1 4 18 49 6 114 10 52 16 6 28 2 4 1 5 25 639
CLASS XIV.—Ill-defined Diseases. 187. Organic Lesion (not defined)			1		1																						
189. Unspecified or Ill-defined Causes of Death							···							•••							 1				2		2 ₂
TOTAL CLASS XIV			1		1		1		,												1				4		4
TOTAL DEATHS OF MALES AND FEMALES FROM ALL CAUSES	406	223	316	216	344	197	361	191	345	182	308	228	367	250	329	198	313	227	347	215	348	227	348	245	4,132		
				0.2																				-10	2,102	1,000	6,731

TABLE

CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in

(Alexon			Metro	politan	,		Me	Total tropoli	tan.	1	Moreto	n.	V	Fide Ba	y.	Por	t Curt	is.
CLASSES AND DISEASES.	10-m	nile Ra	dius.		Outsid													
	Males.	Females.	Persons.	Males.	Females.	Persons,	Males.	Females.	Persons.	Males.	Females.	Persons.	Males,	Females.	Persons.	Males.	Females.	Persons.
CLASS I.—General Diseases. 1. Typhoid Fever 2. Typhus 3. Recurrent Fever 4. Intermittent Fever 4. Intermittent Fever 4. Intermittent Fever 4. Secarlet Fever 5. Smallpox 6. Measles 7. Scarlet Fever 6. Scarlet Fever 7. Scarlet Fever 8. Whooping Cough 9. Diphtheria 9a. Croup 7. Influenza 7. Inf	111	7	18				111	7	18	10	3	13	6	4	10	4	6	100
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense.																		
60. Encephalitis	2 19 1 19 36 2 10 2 13 3 4 	13 12 36 7 13 2 6 2 3	2 32 1 31 72 9 23 19 5 7		1 3 1 6 1		2 19 1 20 39 5 15 14 1 6 15 3 5	13 13 13 7 14 6 6 6 1 2 3	2 32 1 33 78 12 29 20 1 12 21 5 8	1 12 1 1 4	2 7 4 3 5 1 1	3 19 6 1 4 9 	3 1 18 3 1	5 2 5 1 1 5 2 2 2 2 2 2 2	8	10 1 1 1 4 4	4 5 1 1	8
TOTAL CLASS II	115	94	209	34	-	-	149	110	259	21	22	43	26	21	47	24	11	35

No. XIX.

the several Groups of Registry Districts of Queensland during the Year 1914.

Ed	lgecu	mbe.	Ro	cking	gham.	I	Yor		Са	rpen	taria.		Centi			Sout West			Cent	ral.		Mara	noa.		Dow	ns.		TOTAL	8.
Males.	Females.	Persons.	Males.	Females.	Persons.	Malcs.	Females	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
14	6	20	4	3 5	4				11		12	55		7	6	1	7	4	3	4	5	1	6 2 1 2 1	9	7 2 2 1 4 1 5 1 4 4 6 6 3 5 1 71	16	90 11 11 2 2 233 49 2 25 14 7 6 5 9 10 209 5 8 4 27 1 37 124 37 124 39 69 5 9 8 8 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9	38	128
3 1 4 10 3 3 6 1 3 1		3 1 4 17 3 3 11 1 1 1 48	1 1 1 6 6 1 4 1 2 2 1 2 1 2 1 2 1 2 2 1 2 2 1	4 1 1 1 2		5		5	1 5 1 2 1 1 1	1 4	2 5 1 6 1 15 15	1	1	1			3 1 3 1 1 1 	1 6 1 1 2 2 11		1 2 6 2 4 4 19			 2 	2 6 1 5 9 3 1 6 33	2 6 1 5 1 1 1 1 1	2 8 1 5 15 4 2 11 1 49	4 40 4 32 12	32 .18 .70 .7 .24 .8 .13 .40 .1 .10 .2	44 72 450 194 13 54 24 3 31 85 1 9 26 7

TABLE

CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in the several

			Metrop	olitan.			Met	Total tropolit	an.	D	1oreton	1.	W	ide Ba	y.	Por	t Curti	is.
CLASSES AND DISEASES.	10-m	ile Ra	dius.		Outside nile Rac													
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
CLASS III—Diseases of the Circulatory System.																		
77. Pericarditis 78. Acute Endocarditis 79. Organic Diseases of the Heart 80. Angina Pectoris 81. Dis. of Arteries Atheroma, Aneurism, etc. 82. Embolism and Thrombosis 83. Dis. of Veins (Varices, Varicose Ulcers, etc.) 84. Diseases of the Lymphatic System 85. Hæmorrhage	1 5 86 2 25 9 	1 8 93 2 18 4 1 	2 13 179 4 43 13 1 1	3 36 7 2 	1 27 27 1	4 63 9 3 	1 8 122 2 32 11 	1 9 120 2 20 5 1	$\begin{array}{c} 2\\17\\242\\4\\52\\16\\1\\1\\2\end{array}$	 41 1 2 2 2	 17 3 	 58 1 5 2 	1 4 36 7 	1 4 36 2	2 8 72 9 	37 	20 1 2 1 	57 1 9 4
TOTAL CLASS III	131	127	258	48	31	79	179	158	337	47	21	68	49	43	92	47	24	71
CLASS IV.—Diseases of the Respiratory System.																		
86. Diseases of the Nasal Fossæ 87. Diseases of the Larynx 88. Diseases of the Thyroid Body 89. Acute Bronchitis 90. Chronic Bronchitis 91. Broncho-pneumonia 92. Pneumonia 93. Pleurisy 94. Congestion of Lungs and Pul. Apoplexy 95. Gangrene of the Lungs 96. Asthma 97. Pulmonary Emphysema 97a. Miner's Phthisis 98. Other Diseases of the Respiratory System	2 6 19 16 29 6 5 1 5 3	 1 5 9 14 26 1 3 5 	2 1 11 28 30 55 7 8 1 10 	5 1 13 1 13 4 	 2 1 1 6 1 	1 2 .66 .2 199 4 	3 6 24 17 42 7 5 1 1 9 3	1 7 10 15 32 2 3 5	3 1 13 34 32 74 9 8 1 14 	7 10 2 10 4 1 	1 3 4 4 10 11 1	1 10 14 6 20 5 2 1 	44 11 44 13 2 1		8 18 8 17 1 4 1 1	 7 7 6 3 	 2 2 6 9 	 2 9 13 15 3
TOTAL CLASS IV	92	64	156	25	11	36	117	75	192	35	24	59	35	23	58	26	19	45
CLASS V.—Diseases of the Digestive System.																		
99. Dis. of Mouth and associated organs 100. Diseases of the Pharynx	2 1 5 6 78 9 11 10 3 10 1 6 6 78 9 	1 5 10 72 15 1 5 7 7 1 2 2 7 7 7	3 1 10 16 150 24 1 16 17 4 4 2 1 1 13 3 13 1 19 	1 2 2	4 1 1	1 1 6 2 1 1	2 2 2 5 7 78 11 13 10 3 3 11 1 6 6 1 2	1 5 100 722 119 1 5 8 8 1 2 1 1 3 3 2 7 7 7	3 2 10 177 1550 30 188 188 4 2 1 144 3 3 133 1 1 9	1 1 2 18 9 5 4 2 18 2	11 22 55 188 8 1 4 1 1 2 2 2	3 1 3 7 7 36 17 6 8 1 2 4 4 2 4 4	1 1 4 4 26 12 1 4 4 1 1 4 4 2 1 1 3 3		1 1 5 39 23 1 6 5 2 5 2 2 1 3		17 11 2 2 2 2 2	2 1 48 19
TOTAL CLASS V	145	139	284	7	5	12.	152	144	296	47	49	96	64	32	96	50	38	88
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa. 119. Acute Nephritis	7 555 4 1 9 8	5 57 4 1 1 2 3 1 1	12 112 8 2 10 8 2 3 1 1 	2 12 5 	477	6 19 6	9 67 4 11 14 8 	9 64 4 1 2 2 3 1 1 	18 131 8 2 16 8 2 3 3 1 1 190	1 10 1 2 3	9 1 1 1	1 19 1 1 1 2 3 1 1 	1 9	1 6	2 15 1 4 3 1 2	2 19 1 2 1 	2 4 2 1 	23 3 1 2 1 1 35
CLASS VIIPuerperal Condition																		
134. Accidents of Pregnancy		6 1 2 11 6 1	6 1 2 11 6 1		1	₁		6 2 2 11 6 1	6 2 2 11 6 		1 2 1 1 	 1 2 1 1 		2 2 6 2 1 	2 2 6 2 1 		1 2 2 1 	1 2 2 1
TOTAL CLASS VII		27	27		1	1		28	28		5	5		13	13		6	6

No. XIX. -continued.

Group

1 1111111	20 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4 :	20 60 177 177 177 187 187 187 187 187 187 187	477 111 111 111 166	Males.	Ed
11 11 11 21 31 57	188	80, 11, 21, 21, 11, 11, 11, 11, 11, 11, 11	14 14746 11 11 12 13	23	Females.	Edgecu
E : : : : : : : : : : : : : : : : : :	55 1 1 1 1 1 3 3 3 3 3 3 3 3 3 3 3 3 3 3	78 21 2 6 1 2 8 9 7 5 1 1 2 3 3 3 3 1 1 1 2 3 3 3 3 1 1 1 2 3 3 3 3	3 3 10 10 10 10 10 10 10 10 10 10 10 10 10	2 66 3 3 2 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Persons.	mbe.
1 11111111	28 : : : : : : : : : : : : : : : : : :	20 20: 1 1: 1: 1: 20 20 1: 20 21: 1: 1: 1:	22 25: : 22 25 3: : : : : : : : : : : : : : : : : :	12 ::::::::::::::::::::::::::::::::::::	Males.	Roc
œ : : : : 22 22 22 23 24 25 25 25 25 25 25 25	10 6 6 6 7	20 1 1 1 1 1 1 1 1 1	7	9 : : : : : : : : : : :	Females.	king
00 : : : : 1221222	19 19 11 11 11 13	40	31 101 111176886	σ ₁ : : : : : : : : : : : : : : : : : : :	Persons.	gham.
	w	9 81 11 11 11 11 11 11 11 11 11 11 11 11	w i i i	or : : : : : : : : :	Males.	P
-	10			ω i i i i i i ω i i	Females.	Vor
1 111 11111	6	10	3 111 1111 1111	® : : : : 1 7	Persons.	Yor k Peninsula.
	10	∞	4 1 1 1 1 1 1 1 20 20 1 1 1	17 17 17 27 27 27	Males.	Ca
<u> </u>		E i ei i eei i i i i i i i oo i i i i i i			Females.	rpen
_	10	19	15	28	Persons.	taria.
	10	4	<u> </u>	8 :::: A::: 7:::	Males.	
P	f Eillfillillill				Females.	Central- Western.
1 1111111	0 :::::::::::::::::::::::::::::::::::::	8 11 11 11 12 11 11 12 11 11	4	9 :::::::::::::::::::::::::::::::::::::	Persons.	ral- ern.
	ω	0	7	1 1 2 3 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	Males.	
	<u> </u>	о : : : : : : : : : : : : : : : : : :	7 1 1 1 1 1 1 1 1 1	ω : : : ; : : ε: L	Females.	South- Western.
		17	14	2 1 10 10 14	Persons.	ch- ern.
	13 : : : : : : : : : : : : : : : : : : :	17	10 11 11 11 11 11 11 11 11 11 11 11 11 1	27 :::: 2: 24	Males.	
σ :::	7	16 1 1 1 1 2 1 1 1 1 2 1 1 1 1 1 1 1 1 1	ω	7 1111 11 611	Females.	Cent
07 ::::	00 :::::::::::::::::::::::::::::::::::	33 33	133	34 ::::::::::::::::::::::::::::::::::::	Persons.	ral.
	4		9 1 1 1 1 1 1 1 1 1	12 : : : : : : : : : : : : : : : : : : :	Males.	
	Ф ::::::::::::::::::::::::::::::::::::	0	ω : : : : : : : : : : : : : : : : : :	± : : : : ± : : : ±	Females.	Mara
THE STATE OF THE S	7	9 9 5 5 1 1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1	122	16	Persons.	noa.
	87 1 1 1 2 4 4 5 5 5 5 5 5 5 5	69 1222 3225 335	4 : : : : 1 · · · · · · · · · · · · · · ·	86 :::: 28817113	Males.	
07 : : : : : : : : : : : : : : : : : :	19 11 11 11 11 11 11 11 11 11 11 11 11 1	4 :::::::::::::::::::::::::::::::::::::	32 : : : 2: 2: 11 5: 42 6: 2:	68 : : : 4331	Females.	Dow
07	7 39 39 56 iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	110	100 110 110 110 110 110 110 110 110 110	154 154	Persons.	7ms.
	21 1771 1771 179 9 440 66 288 288	2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	8 8 36 73 449 137 16 9 2 2 2 2 387	8 21 457 6 6 6 8 7 20 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6	Males.	
18 10 10 19 21 15	130 10 10 6 6 6 10 10 10 10 10 10 10 10 10 10 10 10 10	1 5 6 8 8 8 182 6 9 6 9 3 3 17 2 4 4 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 28 38 44 44 81 11 11 11 220	3 16 291 4 33 13 13 13 13	Females.	TOTALS
18 10 10 19 21 15 15	45 301 301 10 46 46 6 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7	911 91 156 136 136 136 136 136 136 136 13	115 14 164 109 198 2188 2188 2183 2183 31 33 33	11 37 751 110 120 33 3 3 1 2 2 2 6	Persons.	, b

TABLE

CAUSES of DEATHS of MALES, FEMALES, and PERSONS Registered in the several

			Metrop	olitan.			Met	Total ropolit	an.	М	oreton		W	ide Bay	у.	Port	Curti	s.
CLASSES AND DISEASES,	10-m	ile Rac	lius.		outside ile Rac													
	Males.	Females,	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue. 142. Gangrene	3 1 4 2		3 1 4 4	2		2 1	5 1 4 2	 1 2	5 1 5 4	 1 2	1 	1 1 2	1	2 1	3 ₂	1	1 	2 1
TOTAL CLASS VIII	10	2	12	2	1	3	12	3	15	3	1	4	2	3	5	2	1	3
CLASS IX.—Diseases of the Organs of Locomotion. 146. Non-tuberculous Diseases of the Bones 147. Arthritis and Other Dis. of Joints 148. Amputation	3	1 2 3	4 2 6	1 1	1 1	2	4	2 2 	6 2 8	1 1	2	3	₁ ₁		₁	₁ 1	1	1 1
CLASS XMalformations. 150. Congenital Malfor. (excl. of Still-born)	6	9	15				6	9	15	6	11	17	5	14	19	6	4	10
TOTAL CLASS X	6	9	15			•••	6	9	15	6	11	17	5	14	19	6	4	10
CLASS XI.—Infancy. 151. Congenital Debility, Icterus, and Scleroma 152. Other Dis. Pec. to Infancy (und. 3 mths.) 153. Want of Care (Infants)	54 16	52 9	106 25				54 16	52 9	106 25	30 7	12 5	42 12	21 6	18 2 1	39 8 1	18 8	10 3	28 11
TOTAL CLASS XI	70	61	131				70	61	131	37	17	54	27	21	48	26	13	39
CLASS XII.—Old Age. 154. Senile Debility TOTAL CLASS XII	27	41	68	35	18	53	62	59 59	121	19	12	31	11	14	25	22	13	35
CLASS XIII.—Violence. 155. Suicide by Poison	8 1 4 4 5 5 3	5 3 7 12 12 1	13 1 7 5 4 1 24 121 6 1 1 2 1 3 1 2 1 3 1 2 1 3 9 126	1	1	1	9 1 44 66 33 1 32 311 1	5 3 1 2 12 12 11	14 1 7 6 4 1 1 2 33 1 25 12 11 6 1 1 1 2 1 3 3 1 1 2 1 3 3 1 0 154	2 5 2 3 4 1 1 4 2 1 4 4 5 6 6 4	1	1	1 2 1 4 2 3 1 1 3 3 1 1 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1 1 3 1		1 2 2 4 2	1 2 2 3 2		1
CLASS XIV.—Ill-defined Diseases. 187. Organic Lesion (not defined) 188. Sudden Death 189. Unspecified or Ill-defined Causes of Death Total Class XIV	 -1		 1 1				 1		 1 1									
TOTAL DEATHS OF PERSONS FROM ALL OAUSES		887	1,934	247	110	357	1,294	997	2,291	364	241	605	349	266	615	335	188	523

No. XIX.—continued.

Groups of Registry Districts of Queensland during the Year 1914—continued.

Edgecu	m b e.	Roo	eking	ham.	Pe	York	k ula.	Car	pent	aria.		Centr Veste			South		(Centr	al.	١	Iaran	10a.		Dow	ns.		TOTALS	
Males. Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males,	Females.	Persons.
2 2 1 1 1 3 4	2 3 2 7	1	 1 1	 1 1	1		1										1 1 2		 1 1 2				1	1 2 1 4	1 1 2 1 5	8 5 11 3 ————————————————————————————————	6 1 5 5	14 6 16 8 44
3 3	3 3				1		1										1		1							7 2	8 2 10	15 4 19
2 4	6 8		1 1	1 1				1 1	1 1	2 2					2	2 2	3 3		3	1 1		1	10	9	19	40	55	95
33 12 4 1 37 13	45 5 50	14 4	9 1	23 / 5 28	1	2 2	3	6 6	2 2	8		1	1	5 5	2 1 3	7 1 8	8 1	8 1 9	16 2 18	1 5	5 2 7	9 3	31 5 36	32 3 35	63 8	225 52 277	164 28 2 194	389 80 2 471
28 14 28 14	42	17	4 4	21	1	2 2	3 3	3 3	3 3	6	4		4	2 2		2 2	6	$\frac{2}{2}$	8 8	4	3	7	13	9	22	192	135	327
6	6		2					2 4 4 2 1 2 1 1 1 3 3 		2 4 2 1 2 1 2 1 1 3 3 4 3 3 3 4	1			1 1 1 3	1	1 1 2	2	2	4	1	1	1	2 5 3 2 2 8 .5 1 3 3		2 5 1 1 1 2 7 7 5 3 3 1 3	25 12 11 42 18 2 17 5 107 9 14 44 288 52 166 23 2 21 3 4 21 530	8 6 2 1 1 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1	33 12 17 42 20 2 1 4 18 49 6 114 110 52 16 3 47 33 57 16 28 2 2 4 1 5 25 639
461 258	719	281	111	392	64	12	76	1 1 140	32	1 172	53	14	67	76	36		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	74	1 230	91	46		1 1	324	1 792	2 2 4 4,132	2,599	2 2

TABLE No. XX.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metrooplitan Area (Brisbane 10-mile radius) during the Year 1914.

CLASS I.—General Disease. 1							Ya hali		-						511.	I I	160	the	1	1						
Fig. 10 Fig. 20 Fig.	TOTALS	1		ards.																				r.		
Depart Property	Females.	Males.	Unspecified.	and	to	10	to	to	00	to	to	to	10	to	to	to	to	to	Totalunders	to	00	to	to	-		CLASSES AND DISEASES.
Papel Pape																			ACAMICA CONTRACTOR							
Systems of the control force o	7	11							1		2			3	2	3										
Manager Mana																										Typhus
Makarat Carbeats																										Intermittent Fever
Interest																										Malarial Cachexia
Moorking tought out of 5																										Measles
Cray of the State	3 16																		7	1			1			Whooping Cough
Statistic Choters																										Croup
Static Chebers	17																									
Dependery																										Asiatic Cholera
Plagues Comparison Compari	4	1																								Dysentery
																										Plague
Errispless																										
Dengine Provided Interferon and Septicemina 2	3	3										1			1				1					1		Erysipelas
Glanders and Farey Malagnand Particle and "Charbon"																										Dengue
Malignant Trustule and "Charbono" databases a consistent of the Lange Frichinosis, etc. Fr	1																			1 2						Clandens and Easter
Texanus																										Malignant Pustule and "Charbon"
Refusers Bear isers Tuberculosis Attra Bunsa Tuberculosis Abdominal, etc. Tuberculosis Abd	2	8							3							1		1								Tetanus
Beri Beri Herri Tuberculosis of the langs																										Pellagra
Taberenlosis, Acute Millary Taberenlosis of the Meninges 1	36																		8 8							Beri Beri
Thebreniosis of the Meninges 1	1	2												1	1											Tuberculosis, Acute Miliary
Part Diverse	3 4																									Tuberculosis, Abdominal, etc
Theberelosis of Other Organs General Tuberculosis Rachitis 1																										Pott's Disease
Cancer and Protections Cancer and Protections Cancer etc., of the Month Cancer, etc., of the Stomach and Liver. Cancer, etc., of the Stomach and L		1									1								9 6							Tuberculosis of Other Organs
Syphilis																										Rachitis
Cancer, etc., of the Month Cancer, etc., of the Month Cancer, etc., of the Stomach and Liver. Cancer, etc., Certionneum, Intestines, etc. Cancer, etc., Certionneum, Intestines, etc. Cancer, etc., Of the Female Gential Organs Cancer, etc., of the Female Gential Organs Cancer, etc., of the Month Cancer, etc., of the Mo	8				1									1					2					2		Syphilis
Cancer, etc., of the stomach and Liver. Cancer, etc., perticineum, intestines, etc. Cancer, etc., perticineum, intestines, etc. Cancer, etc., of the Premaie Gential Organs Cancer, etc., of the Remaie Gential Organs Cancer, etc., of the Skin. Cancer, etc., of the Remaie Gential Organs Cancer, etc., of the Remail Gential Organs Cancer, etc., of the Remaie Gential Organs Cancer, etc., of the Remaie Gential Organs Cancer, etc., of the Remail Gential Organs Cancer, etc., of the Remaie Gential Or	1					2																				Cancer, etc., of the Mouth
Cancer, etc., of the Female Genital Organs Cancer, etc., of the Skin C	22 6	43					7			4									1 9						, etc.	Cancer, etc., Peritonæum, Intestines, etc.
Cancer, etc., of the Skin. Cancer, etc., of the Figures Cancer, of the Figures Cancer, of the Figures Cancer, etc., of the Figures Cancer, of the Figures Cancer, of the Figures Cancer, of the Figures Cancer, etc., of the Figures Cancer, of the Figures Cancer, of the Figures Cancer, of the Figures Cancer, etc., of the Figures Cancer,	14																								gans	Cancer, etc., of the Female Genital Organ
Cancer, etc., of other Organs Cancer, etc., of other Organs Cher Timours (excit. F. Genital Organs) Acute Articular Rheumatism Chronic Rheumatism	6 2	6		2											1				2 8							Cancer, etc., of the Skin
Acute Articular Rheunatism Chronic Rheunatism Chronic Rheunatism and Gout Scuryy Diabetes 1	19	23				4	2	1	3	1	3	1		1				···							ans)	Other Tumours (excl. F. Genital Organs
Source S	7	4									1		1													Acute Articular Rheumatism
Daoctes																										Scurvy
Addison's Disease Leucemia (Alorosis	10									1									9 8							Exophthalmic Goître
Anemia, Chlorosis . Filaria	2																									Addison's Disease Leucæmia
CLASS II. Diseases of the Nervous System and of the Organs of Special Sense. Encephalitis Simple Meningitis Simple M	3			1						1	1								0							Anæmia, Chlorosis
Acute and Chronic Alcoholism Lead Poisoning Other Chr. Poisonings due to Occupations Other Chronic Poisonings. Total Class I																			3					3		Other General Diseases
Other Chr. Poisonings due to Occupations Other Chronic Poisonings Total Class I 16 6 5 6 3 36 6 4 6 11 31 11 10 22 17 28 14 16 24 18 22 276 CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense. Encephalitis Simple Meningitis 5 3 3 1 1 13 4 1 2 Engidemic Cerebro-spinal Meningitis Progressive Locomotor Ataxia Other Diseases of the Spinal Cord 4 1 2 2 9 2 1 1 1 1 Hamorrhage of Brain, Apoplexy 2 Softening of the Brain Paralysis without indicated cause General Paralysis 1 1 2 3 3 4 4 5 6 7 8 9 1 1 1 1 1 1 1 1 2 3 4 4 5 5 6 7 8 9 9 1	2	3									2	1							9							Lead Poisoning
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense. Encephalitis	1																		5 5						ions	Other Chr. Poisonings due to Occupation
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense. Encephalitis									-													-				Total Class I
Lee Nervous System and of the Organs of Special Sense. Encephalitis	206	276		22	18	24	16	14	28	17	22	10	11	31	11	6	4	6	36	3		5	6	16		TOTAL CLASS 1
Encephalitis																									he	ae Nervous System and of the
Simple Meningitis 5 3 3 1 1 13 4 1 1 1 1 1		0																	2	1				1		Encephalitis
Progressive Locomotor Ataxia	13														1				13	1				5		Simple Meningitis
Other Piseases of the Spinal Cord 4 1 2 2 9 2 1 1 1 1 1 1 1 1 2 19 Hemorrhage of Brain, Apoplexy 2 2 1 2 1 3 2 6 2 5 12 36 Paralysis without indicated cause 1 1 1 3 4 10 General Paralysis 1 1 1 3 4 10 Other Forms of Mental Alienation 1 1 2 Eclampsia (non-puerperal) 1 1 2 Convulsions of Children under five 9 4 13 13 13																			[Progressive Locomotor Ataxia
Softening of the Brain	12	19						1		1				1				2						2		Hæmorrhage of Brain, Apoplexy
General Paralysis	36			1				1																		Softening of the Brain
Convulsions of Children under five 9 4 13 13 13 15 15 15 15 15	13	10				1																				General Paralysis
Eclampsia (non-puerperal) Convulsions of Children under five 9 4																			3 8							Epilepsy
Chorea	2	2			A																					Eclampsia (non-puerperal)
Hystopia Navyalaia and Navyitia	6																									Chorea
Other Diseases of the Veryous System	2	3							1		1														m	Other Diseases of the Nervous System
Diseases of the Eyes and Appendages	3																		3						es	Diseases of the Eyes and Appendages
Total Class II 18 12 4 4 4 42 7 1 1 5 1 3 4 6 6 6 5 10 18															-	-										Manual Carra II

TABLE No. XX.-continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-miles radius) during the Year 1914—continued.

						ears.	CINCOLOR STATE								-									TOTALS	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 ye	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Males,	Females.	Persons,
CLASS III.—Diseases of the Circulatory System.																									9
77. Pericarditis		 1						1		4	2		1 4	7	1 1 4	1 5	2 8	10	6	15	19		5 86	1 8 93	13 179
80. Angina Pectoris 81. Dis. of Arteries, Atheroma, Aneurism, &c.										 1			1	2	3	2	4	ï	 5	1	5		2 25	2 18	43
82. Embolism and Thrombosis 83. Dis. of Veins (Varices, Varicose Ulcers, &c.)													1	1			1	2		1	3		9	1	13
84. Diseases of the Lymphatic System 85. Hæmorrhage									1					ï					1				1 2		1 2
TOTAL CLASS III		1				1		1	1	5	2		7	11	9	8	15	13	12	17	29		131	127	258
CLASS IV.—Diseases of the Respiratory System. 86. Diseases of the Nasal Fosse 87. Diseases of the Larynx	 1	d			 1	2																			2
88. Diseases of the Thyroid Body 89. Acute Bronchitis	4	1			 1	6																		1 5	1 11
90. Chronic Bronchitis 91. Broncho-pneumonia	5	6	3	1	 1	15				1					1		1	3	1	3	9		19	9 14	28 30
99. Pneumonia 93. Pleurisy	3	5	4			13		1	2		2	2		1	1	1	2	1 2	1	3 2			29	26	55
95. Gangrene of the Lungs	1					1				1				1		1	 1	 1		1	 1		5 1 5	3	8
96. Asthma 97. Pulmonary Emphysema 97a. Miner's Phthisis																2	1 2				1			5	10
98. Other Diseases of the Respiratory System													1										3		3
TOTAL CLASS IV	14	12	7	1	3	37		1	2	2	2	2	1	2	2	4	6	7	3	9	11	1	92	64	156
CLASS V.—Diseases of the Digestive System.																									
100. Diseases of the Pharynx	1		ï		1	2 1																	2	1	3
101. Diseases of the Esophagus 102. Ulcer of the Stomach 103. Other Dis. of Stomach (Cancer excluded)	 1	 1				 2			1		1				ï	1	1	 1		1	 I	7	5 6	5 10	10 16
104. Diarrhœa and Enteritis (under two years) 105. Diarrhœa and Enteritis (over two years)	67	11	4			78 4	1			1	1				···· 1					 1			78 9	72 15	150 24
106. Ankylostomiasis																									
107a. Sprue									2	1	1	1		2	2	2							 11	1 5	1 16
109. Hernia, Intestinal Obstruction	2					2						1	2 1		3 2	1			1				10	7	17 4
111. Icterus Gravis 112. Hydatid Tumours of the Liver 113. Cirrhosis of the Liver																5								2 1	2
114. Biliary Calculi											1				1	5		1		1	1		10	3 2	13
116. Diseases of the spleen		1				1	1 1				1						1		1		2		6 1 2	7	13 1 9
118. Other Diseases of the Digestive System																									
TOTAL CLASS V	71	13	5		1	90	3		3	2	5	2	3	2	10	9	2	3	3	3	5		145	139	284
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.																									
120. Bright's Disease	1					ï	···	1 2	5	4 2	1 8	9	3	2	4	1 4	3	3	6	1	1		7 55	5 57	12 112
122. Other Diseases of Kidneys and Adnexa 123. Calculi of Urinary System		1				ï				1				2									4	4	8
124. Diseases of the Bladder 125. Other Dis. of Urethra, Urin. Abscess, &c.											1					1		2	1	1	3		9	1 1	2 10
126. Diseases of the Prostate 127. Non-venereal Dis. of Male Genital Organs													•••			1		2			5		8		8
128. Uterine Hæmorrhage (non-puerperal) 129. Uterine Tumour (non-cancerous)																								2	2
130. Metritis and other Diseases of the Uterus 131. Cysts and other Ovarian Tumours 132. Other Dis. of Female Genital Organs																								3	3
133. Non-puer. Dis. of Breast (Cancer excepted)																								1	1
TOTAL CLASS VI	1	1				2	1	3	5	7	10	9	3	4	4	7	4	7	7	2	9		84	75	159
CLASS VII.—Puerperal Condition.																								2	
135. Puerperal Hæmorrhage																								6 1 2	$\frac{6}{1}$
137. Puerperal Septicæmia 138. Puerperal Albuminuria and Eclampsia																								11 6	11 6
139. Puerperal Phlegmasia Alba Dolens 140. Other Puerperal Accidents, Sudden Death																								1	1
141. Puerperal Diseases of the Breast	.0.																								
TOTAL CLASS VII	,																						•••	27	27

TABLE No. XX.—continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1914—continued.

													inu	0 020													
							(Choramonical Colors	years.		4													rds.		T	OTALS.	
CLASSES AND DISEASES,		Under 1 year.		3	00	3 to 4.	4 to 5.	Total under 5	5 to 10.	10 to 15.	15 to 20.	to	25 to 30.	30 to 35.	35 to 40.	to	45 to 50.	5	00	to	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Males.	Females.	Persons.
							TO SHARE																				
CLASS VIII.—Diseases of Skin and of the Cellular !																							3		3		3
2. Gangrene		. 1	,	. .				1			 1		··· 1	 1											1		1 4
4. Phlegmon, Acute Abscess 5. Other Diseases of the Skin and	d Adnexa							1								1									2	2	4
TOTAL CLASS VIII		. 3	3		-			3					1	1		1							3		10	2	12
CLASS IXDiseases of	the																										
Organs of Locomotion	n.												1	1		1									3	1	1
6. Non-tuberculous Diseases of t 7. Arthritis and other Dis. of Join	its			. .									1	1												2	
8. Amputation 9. Other Dis. of Organs of Locomo	otion						•••				***																
TOTAL CLASS IX	•••			- -									1	1		1									3	3	
CLASS XMalformati	ons.								- Company																		
0. Congenital Malfor. (excl. of Stil	lborn) .		4	1 ,				5	1																6	9	1
TOTAL CLASS X			4	1				5	1																6	9	18
								200																			
CLASS XI.—Infancy								Sea and a sea an	Service Servic																- 1	70	100
11. Congenital Debility, Icterus, and 12. Other Dis. Pec. to Infancy (un	. 3 mths	.) 1	6 .					54	8															•••	54 16	52 9	106 25
33. Want of Care (Infants) TOTAL CLASS XI		7						70	200	-		-													70	61	131
TOTAL CHICA III		-		-			-		-					-			-										
CLASS XIIOld Ag	ge.							No.																			
54. Senile Debility																			1		2	3	21		27	41	68
TOTAL CLASS XII	•••		-					-		_		-							1		2	3	21		27	41	68
CLASS XIIIViolen	nce.								CHARLESTON																		
155. Suicide by Poison													1	2	1		1		1	1	1				8	5	1
156. Suicide by Asphyxia157. Suicide by Hanging or Strang	ulation																			1					1		
58. Suicide by Drowning 59. Suicide by Firearms								1				1	1		1		1 2	1		1					5	3	
60. Suicide by Cutting Instrumen 61. Suicide by Precipitation from								H						2	1										3	1	
62. Suicide by Crushing 63. Other Suicides									1																		
64. Poison by Food 65. Ven. Creatures and other Acu									1																		
66. Incendiarism											1	1	1												3	7	
68. Noxious Gases 69. Drowning					 1				1		ï	1	3		1			1		2	1				2 13		
170. Firearms 171. Cuts and Stabs																							•••				
172. Falls							1	E.	1		1					2			1		1		1		12	12	
74. Machinery								8	1		1																1
175. Vehicles 175a. Railways and Tramways									1	2	1		1	1 1	2 2		···		1	1	1				11 9	$\frac{1}{2}$	
176. Animals								H					1			2						1			5	1	
178. Cold																											1
180. Lightning																		***								1	
181a. Timber Felling, Logging, etc																1									1		
182. Murder by Firearms								8	8				1												2		
183. Murder by Cuts										.				2			1								2	1	
184. Murder, Other								-				1	-	-		2							1		6	3	
184. Murder, Öther 185. Fractures, etc 186. Other Violence		-			1]	1 2	2	5 2	2 5	4	12	10	10	10	5	4	3	6	6	1	2		87	39	1
184. Murder, Other				-	-			0	15																		
184. Murder, Other	•••	-						CONTRACTOR CO.	CONTRACTOR CO.							1											
184. Murder, Öther 185. Fractures, etc 186. Other Violence TOTAL CLASS XIII CLASS XIV.—Ill-defined 187. Organic Lesion (not Defined)	•••	-						CONTRACTOR DESCRIPTION AND ADDRESS AND ADD																			
184. Murder, Other 185. Fractures, etc 186. Other Violence TOTAL CLASS XIII CLASS XIV.—Ill-defined 187. Organic Lesion (not Defined) 188. Sudden Death	Diseas	es																									
184. Murder, Öther	Diseas ses of De	es				-						. 1						9.							1		
184. Murder, Öther	Diseas ses of De	es ath										. 1				_							-				

TABLE No. XXI.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-miles radius) during the Year 1914.

CLASS I.—General Diseases. Fig. 18 St. 28							A ACCURATION OF THE PARTY OF TH	ears.															ards.			TOTALS	
Typing T			-	to	to	to	to		to	10 to 15.	to		00	to	00	to	to	to	to	to	to	to	and upw	Unspecified.	Females.	Males.	Persons.
Typing T																						-					
S. Excursive Prever	CLASS I.—General Diseas	es.																								2.7	
Enterpretation for the content of th	2. Typhus																										
S. Smalls pos	4. Intermittent Fever																					1					
7. Search Fover																											
9. Diplothers																		10000				1					2
10. Influenza	0 Dinhthonia						ĩ		3		1											1					
11. Misry Feer	10 7-9-0															1						ï				9	26
13. Chalcen Nortes	11. Miliary Fever																										
	13. Cholera Nostras													1					1								5
16. Yellow Fever	14a. Epidemic Dysentery																										
18. Errispilas	16. Yellow Fever																										
1945. Designed 1945. Description 1945. D	18. Erysipelas		1					1																			6
21. Galanes and Yarey 22. Malicant Protein of Charbon 23. Testams 24. Testams 25. Testams 26. Trichinosis, etc. 27. Trichinosis, etc. 28. Toberculosis, etc. 29. Toberculosis of the longs. 20. Toberculosis of the longs. 20. Toberculosis of the longs. 20. Toberculosis of the longs. 21. Testams 22. Toberculosis, dente Milliagy 23. Toberculosis, Acted Milliagy 24. Toberculosis, Acted Milliagy 25. Toberculosis, Acted Milliagy 26. Toberculosis, Acted Milliagy 27. Toberculosis, Acted Milliagy 28. Toberculosis, Acted Milliagy 29. Toberculosis, Acted Milliagy 20. Toberculosis, Acted Milliagy 20. Toberculosis, Acted Milliagy 20. Toberculosis, Acted Milliagy 20. Toberculosis, Acted Milliagy 21. Toberculosis, Acted Milliagy 21. Toberculosis, Acted Milliagy 22. Toberculosis, Acted Milliagy 23. Toberculosis, Acted Milliagy 24. Toberculosis, Acted Milliagy 25. Toberculosis, Acted Milliagy 26. Toberculosis, Acted Milliagy 27. Toberculosis, Acted Milliagy 28. Toberculosis, Acted Milliagy 29. Toberculosis, Acted Milliagy 29. Toberculosis, Acted Milliagy 20.	19a. Dengue																										
33. Rabines 34. Retainus, etc. 35. Petrikeri 25. Petrikeri 26. Petrikeri 27. Bert keri 28. Tabberculosis of the Langs. 37. Taberculosis of the Manus. 38. Taberculosis of the Manus. 38. Taberculosis of the Manus. 39. Taberculosis of the Manus. 30. Taberculosis of the Manus. 31. Taberculosis of the Manus. 32. Taberculosis of the Manus. 33. Taberculosis of the Manus. 34. Taberculosis of the Manus. 35. Taberculosis of the Manus. 36. Central Taberculosis 36. Taberculosis of the Manus. 37. Taberculosis of the Manus. 38. Taberculosis of the Manus. 38. Cancer. etc., of the Manus. 38. Cancer. etc., of the Manus. 39. Cancer. etc., of the Manus. 39	21. Glanders and Farcy																					,					
25. Trichmosts, etc. 25. Peilagna. 26. Trichmosts of the famps. 27. Toberculosis of the famps. 28. Toberculosis of the famps. 29. Toberculosis of the famps. 20. Cenoral Tuberculosis of the famps. 20. Toberculosis of the famps. 21. Toberculosis of the famps. 22. Toberculosis of the fam	23. Rabies																										
22. Fee Berl Berl 22. Taberculosis of the Imags	25. Trichinosis, etc																										
29. Tuberculosis, Acute Milisry	27. Beri Beri																										
33. Parties Successes. 33. White Swellings 35. Parties Successes. 36. White Swellings 37. Content Private Swellings 38. Content Private Swellings 39. Cancer Intervalosis 30. Cancer Intervalosis 40. Cancer Interval	29. Tuberculosis, Acute Miliary																								1	2	3
33. Withe Swellings 34. Tuberculosis 35. General Tuberculosis 36. Cancer, etc., of the North Market State St	31. Tuberculosis, Abdominal, etc							9	1					1				1			1						
35. General Tuberculosis	33. White Swellings							9	5																		
36. Rachtiss	25 Canonal Tubananlasia			Ø:					9																	1	1
38. Gónococcio Dis. 39. Cancer, ctc., of the Mouth 40. Caucer, stc., of the Stomsch and Liver 40. Caucer, stc., of the Stomsch and Liver 40. Caucer, stc., of the Freast 40. Caucer, stc., of the Breast 41. Caucer, stc., of the Breast 43. Caucer, stc., of the Breast 44. Caucer, stc., of the Breast 45. Caucer, stc., of the Breast 46. Caucer, stc., of the Breast 47. Caucer, stc., of the Breast 48. Caucer, stc., of the Breast 49. Caucer, stc., of the Breast 40. Caucer, stc., of	36. Rachitis		7					7						1												1.	
4-90. Cancer, etc, of the Stometh and Liver. 4-10. Cancer, etc, of the Stometh and Liver. 4-10. Cancer, etc, of the Female Gential Organs 4-20. Cancer, etc., of the Female Gential Organs 4-30. Cancer, etc., of the Female Gential Organs 4-50. Cancer, etc., of the Female Gential Organs 4-50. Cancer, etc., of other Organs 4-50. Other Cancuration 4-50. Cancer, etc., of other Organs 4-50. Other Cancuration 4-50. Cancer, etc., of other Organs 4-50. Other Cancuration 4-50. Other Cancuration 4-50. Cancer, etc., of other Organs	38. Gonococcie Dis.																										
42. Cancer, etc., of the Female Gential Organs 43. Cancer, etc., of the Female Gential Organs 43. Cancer, etc., of the Skin	40. Cancer, etc., of the Stomach and L	iver																	4	2	3	3	4		22	43	65
44. Cancer, etc., of the Skin	42. Cancer, etc., of the Female Genital	Organs															1				3				14		14
46. Other Tumours excl. F. Genital organs) 47. Acute Articular Rheumatism	44. Cancer, etc., of the Skin											1													2	6	8
48, Chronie Rheumatism and Gort 49, Schryv 50, Diabetes 50, Diabetes 51, Exophitalmine Goitre 52, Addison's Disease 53, Leucemina 54, Anaemia, Chlorosis 55, Other General Diseases 56, Other General Diseases 57, Other General Diseases 58, Other General Diseases 59, Other General Diseases 50, Other General Diseases 50, Other General Diseases 51, Exophitalmine Goitre 51, Exophitalmine Goitre 52, Anaemia, Chlorosis 53, Leucemina 54, Anaemia, Chlorosis 55, Other General Diseases 56, Other General Diseases 57, Other General Diseases 58, Other General Diseases 59, Other General Diseases 50, Other General Diseases 51, Other General Diseases 52, Other General Diseases 54, Other Diseases of the Service Standard Diseases 54, Other Diseases 55, Other General Diseases 56, Other General Diseases 57, Other Diseases of the Keryona Standard Diseases 58, Other General Diseases 59, Other General Diseases 50, Other Gen	46. Other Tumours (excl. F. Genital of	Organs)																			1				1	3	4
50. Diabetes	48. Chronic Rheumatism and Gout																										
52, Addison's Disease	50. Diabetes																	1	3								
54. Alpinia 55. Other General Diseases 59. Other Chronic Alcoholism Total Class I. — Diseases of the Nervous System and of the Organs of Special Sense. 61. Engelantis 62. 1	52. Addison's Disease							2					1														2
55. Other General Diseases	54. Anæmia, Chlorosis							4	4				2	1													
57. Lead Poisoning 58. Other Chr. Poisonings due to Occupations 59. Other Chronic Poisonings 50. Other Diseases of the Spinal Cord 50. Soften Jan Apoplexy 50. Soften Jan Apoplexy 50. Soften Jan Apoplexy 50. Soften Jan Apoplexy 50. Soften Jan Jan Jan Jan Jan Jan Jan Jan Jan Ja	55. Other General Diseases							3	9							1									1	3	
TOTAL CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense. 60. Encephalitis 61. Simple Meningitis 62. Progressive Locomotor Ataxia 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Hamorrhage of Brain, Apoplexy 65. Softening of the Brain 66. Paralysis without indicated cause 67. General Paralysis 68. Other Corrons of Mental Alienation 69. Paralysis without indicated cause 60. Paralysis without indicated cause 61. Simple Meningitis 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Hamorrhage of Brain, Apoplexy 65. Softening of the Brain 66. Paralysis without indicated cause 67. General Paralysis 68. Other Forms of Mental Alienation 69. Cord 69. Cord 60. Cord 60. Cord 60. Cord 60. Paralysis 60. Cord 60	57. Lead Poisoning							3	1														1				
CLASS II.—Diseases of the Nervous System and of the Organs of Special Sense. 60. Encephalitis 61. Simple Meningitis 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Hamorrhage of Brain, Apoplexy 65. Softening of the Brain 68. Paralysis without indicated cause 69. Paralysis without indicated cause 60. Encephalitis 61. Simple Meningitis 63. Other Diseases of the Spinal Cord 64. Hamorrhage of Brain, Apoplexy 65. Softening of the Brain 68. Paralysis without indicated cause 69. Paralysis without indicated cause 60. Encephalitis 61. Simple Meningitis 62. Progressive Locomos of Meningitis 63. Other Diseases of the Spinal Cord 64. Hamorrhage of Brain, Apoplexy 65. Softening of the Brain 66. Paralysis without indicated cause 67. General Paralysis 68. Other Forms of Menial Alienation 69. Epilepsy 60. Enclampsia (non-puerperal) 60. Enclampsia (non-puerperal) 61. Convolations of Children under five 61. Simple Meningitis 62. The Convolation of the Brain 63. Other Porms of Menial Alienation 64. Explosers of the Nervous System 65. Other Forms of Menial Alienation 66. Epilepsy 67. Corea 68. Other Forms of Menial Alienation 69. Epilepsy 60. Explosers 60. Explosers 60. Explosers 60. Explosers 60. Explosers 60. Explosers 61. Explosers 62. Explosers 63. Other Forms of Menial Alienation 64. Explosers 65. Other Forms of Menial Alienation 66. Explosers 66. Explosers 67. Other Forms of Menial Alienation 68. Other Forms of Menial Alienation 69. Explosers 60. E	58. Other Chr. Poisonings due to Occu 59. Other Chronic Poisonings							5	6																		
the Nervous System and of the Organs of Special Sense. 60. Encephalitis 61. Simple Meningitis 62. Progressive Locomotor Ataxia 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Hamorrhage of Brain, Apoplexy 65. Softening of the Brain 66. Paralysis without indicated cause 67. General Paralysis 68. Other Forms of Mental Alienation 69. Epilepsy 70. Eclampsia (non-puerperal) 71. Convulsions of Children under five 72. Chorea 73. Hysteria, Neuralgia, and Neuritis 74. Other Diseases of the Nervous System 75. Diseases of the Nervous System 76. Diseases of the Nervous System 77. Declamps System 77. Character of Nervous System 78. Diseases of the Nervous System 79. Declamps System 79. D	TOTAL CLASS I		12	5	5	5	3	30	6	4	8	9	12	20	8	8	8	20	12	12	17	12	20			276	
the Nervous System and of the Organs of Special Sense. 60. Encephalitis 61. Simple Meningitis 62. Progressive Locomotor Ataxia 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Hamorrhage of Brain, Apoplexy 65. Softening of the Brain 66. Paralysis without indicated cause 67. General Paralysis 68. Other Forms of Mental Alienation 69. Epilepsy 70. Eclampsia (non-puerperal) 71. Convulsions of Children under five 72. Chorea 73. Hysteria, Neuralgia, and Neuritis 74. Other Diseases of the Nervous System 75. Diseases of the Nervous System 76. Diseases of the Nervous System 77. Declamps System 77. Character of Nervous System 78. Diseases of the Nervous System 79. Declamps System 79. D	GT A ST							STATE OF THE STATE	Perfection Carca 6000																		
Organs of Special Sense. 60. Encephalitis 61. Simple Meningitis 62. Progressive Locomotor Ataxia 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Hamorrhage of Brain, Apoplexy 65. Softening of the Brain 66. Paralysis without indicated cause 67. General Paralysis 68. Other Forms of Mental Alienation 69. Epilepsy 70. Eclampsia (non-puerperal) 71. Convulsions of Children under five 72. Chorea 73. Hysteria, Neuralgia, and Neuritis 74. Other Diseases of the Nervous System 75. Diseases of the Nervous System 76. Diseases of the Nervous System 76. Diseases of the Nervous System 76. Diseases of the Nervous System 77. Diseases of the Nervous System 78. Diseases of the Nervous System 79. Diseases of the Nervous System 70. Declaration of System 70. Declaration of System 71. The System of System 72. Chore Diseases of the Nervous System 73. Hysteria, Neuralgia, and Annendages								To the second se																			
60. Encephalitis 61. Simple Meningitis 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Hamorrhage of Brain, Apoplexy 65. The Apoplexy 66. Progressive Locomotor Ataxia 67. Other Diseases of the Spinal Cord 68. Progressive Locomotor Ataxia 69. Conversion of Mental Alienation 69. Epilepsy 60. Encephalitis 61. Epidemic Cerebro-spinal Meningitis 61. Epidemic Cerebro-spinal Meningitis 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Hamorrhage of Brain, Apoplexy 65. Softening of the Brain 66. Progressive Locomotor Ataxia 67. General Paralysis 68. Other Forms of Mental Alienation 69. Epilepsy 60. Encephalitis 61. Simple Meningitis 61. Epidemic Cerebro-spinal Meningitis 62. Progressive Locomotor Ataxia 63. Other Diseases of Children under five 64. Hamorrhage of Brain, Apoplexy 65. Softening of the Spinal Cord 66. Progressive Locomotor Ataxia 67. Other Diseases of the Nervous System 68. Other Forms of Mental Alienation 69. Epilepsy 69. Epilepsy 60. Encephalitis 61. In 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								NAME OF TAXABLE PARTY.	CARLO CONTROL OF																		
61a. Epidemic Gerebro-spinal Meningitis 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Hamorrhage of Brain, Apoplexy 65. Softening of the Brain 66. Paralysis without indicated cause 67. General Paralysis 68. Other Forms of Mental Alienation 69. Epidemic Corebro-spinal Meningitis 69. Progressive Locomotor Ataxia 60. The Spinal Cord 60. Progressive Locomotor Ataxia 61. The Locomotor Ataxia 62. Progressive Locomotor Ataxia 63. Other Diseases of the Spinal Cord 64. Hamorrhage of Brain, Apoplexy 65. Softening of the Brain 66. Paralysis without indicated cause 67. General Paralysis 68. Other Forms of Mental Alienation 69. Epidemic Corebro-spinal Meningitis 68. Other Forms of Mental Alienation 69. Epidemic Corebro-spinal Meningitis 69. Epidemic Corebro-spinal Meningitis 60. Local Corebro-spinal Meningitis 61. Local Corebro-spinal Meningitis 62. Progressive Locomotor Ataxia 63. Other Diseases of the Nervous System 64. Other Diseases of the Nervous System 65. Diseases of the Eves and Appendices	60. Encephalitis																										
1	61a. Epidemic Cerebro-spinal Meningi	tis						8																			32
65. Softening of the Brain	63. Other Diseases of the Spinal Cord		1	3	2			8										1	1							1	1
00. Faralysis without indicated cause	65. Softening of the Brain							H	8					1			1		4		3	2	4			36	72
68. Epilepsy 70. Eclampsia (non-puerperal) 71. Convulsions of Children under five 3 2 1 6 72. Chorea 73. Hysteria, Neuralgia, and Neuritis 74. Other Diseases of the Nervous System 75. Diseases of the Eyes and Appendages 76. Diseases of the Eyes and Appendages 77. Diseases of the Eyes and Appendages 78. Diseases of the Eyes and Appendages 79. Eclampsia (non-puerperal) 70. Eclampsia (non-puerperal) 71. 1 1 2 3 4 7	67. General Paralysis														2										13	10	23
70. Eclampsia (non-puerperal)	69. Epilepsy										1																
72. Chorea 73. Hysteria, Neuralgia, and Neuritis 74. Other Diseases of the Nervous System 75. Diseases of the Eyes and Appendages 1 1 1 3 4 7	70. Eclampsia (non-puerperal) 71. Convulsions of Children under fiv																										
74. Other Diseases of the Nervous System	72. Chorea																			· · ·							
70 Discours - 6 41 T	74. Other Diseases of the Nervous Sys 75. Diseases of the Eyes and Appenda	tam													1				1			1			3		
76. Diseases of the Ear 4 4	76. Diseases of the Ear																									4	4
TOTAL CLASS I 17 7 5 3 1 33 1 1 1 2 2 1 3 1 1 4 8 4 4 13 15 94 115 209			17	7	5	3	1	33	1	1	1	2	2	1	3	1	1	4	8	4	4	13	15		94	115	209

TABLE No. XXI.-continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1914—continued.

						1				191		1			1	1				1	-				
						years.	A DUAL PROPERTY.														ards.			TOTALS.	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55,	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Females.	Males.	Persons
CLASS III.—Diseases of the Circulatory System.																				,					
Pericarditis								 1	1	2					3	1	3	1 9	18	16	18		1 8 93	1 5 86	1
Organic Diseases of the Heart Angina Pectoris								2	2	4	3	5	3	1	1	6	3 3		1 3	2	10		2 18	2 25	1
Dis. of Arteries, Atheroma, Aneurism, etc. Embolism and Thrombosis					,						•••					1		1	1	 1	1		4	9	
Dis. of Veins (Varices, Varicose Ulcers, etc.) Diseases of the Lymphatic System Hæmorrhage																								$\frac{1}{2}$	
			-					3	3	6	3	5	3	1	4	8	9	11	23	19	29		127	131	-
CLASS IV.—Diseases of the Respiratory System.						The state of the s																			
Diseases of the Nasal Fossæ Diseases of the Larynx																								2	
Diseases of the Thyroid Body Acute Bronchitis	2	1			1	4				1								1 1			3		5 9	6 19	
Chronic Bronchitis Broncho-pneumonia	8 2	2	2	1		9 7	1	1	2		1 2			4	···· 1	ï	2	2			2 5		14 26	16 29	
Pneumonia Pleurisy	1					1								1						1			1 3	6 5	
Gangrene of the Lungs Asthma															1				3		1		5	1 5	
Pulmonary Emphysema Miner's Phthisis																								3	
Other Diseases of the Respiratory System																									_
	13	3	2	2	1	21	1	1	2	1	3			5	2	1	2	4	5	4	12		64	92	
CLASS V.—Diseases of the Digestive System.																									
Dis. of Mouth and associated organs Diseases of the Pharynx																May.		1	•••				1	2 1	
Diseases of the Œsophagus Ulcer of the Stomach								 1	1	1	1					1	1						5	5	
Other Dis. of Stomach (Cancer excluded) Diarrhœa and Enteritis (under two years)	3 57	15	3		1	72	 1	1	1			 1		···· 1		··· 1		1	2		3		10 72	78	
. Diarrhœa and Enteritis (over two years) . Ankylostomiasis						3														1	4		15	9	
a Sprue										 1	1	1	1	1	1		***					 	1 5	11	
Hernia, Intestinal Obstruction Other Diseases of the Intestines	1				ï	2	1	•••			1						1	1		1	1		7	10	
. Icterus Gravis										1	1	1											2 1		
Cirrhosis of the Liver Biliary Calculi			4							1				1			2	2		1			3 2	10	
5. Other Diseases of the Liver 6. Diseases of the Spleen 7. Simple Peritonitis (non-puerperal)						1			1						2	2		1	•••				7	6	
3. Other Diseases of the Digestive System				1							1				2		1				1			2	
TOTAL CLASS V	61	15	3	1	2	82	2	1	3	4	5	3	1	3	5	4	5	7	2	3	9		139	145	
CLASS VI.—Diseases of the Genito-Urinary System and Adnexa.						WARNESS STATES	ALT TANKEN TO THE TANKEN THE																		
9. Acute Nephritis						10	1	1	3	2			,										5	7	
										9							3		5	2	3		57	55	
B. Calculi of Urinary System																1	 1						4	1	
5. Other Dis. of Urethra, Urin. Abscess, etc. 5. Diseases of the Prostate																								9	
7. Non-venereal Dis. of Male Genital Organs 3. Uterine Hæmorrhage (non-puerperal)																								8	
). Uterine Tumour (non-cancerous) Metritis and other Diseases of the Uterus													1	1				2	•••		1		2 3		
Cysts and other Ovarian Tumours 2. Other Dis. of Female Genital Organs										1					1								1		
Non-puer, Dis. of Breast (Cancer excepted)	-	-		-																					-
TOTAL CLASS VI		1				1	2	2	3	13	10	5	4	5	3	8	4	4	5	2	4.		75	84	-
LASS VII.—Puerperal Condition.							No. SERVICE SALE																		
											1	1	3	1									6		
7. Puerperal Septicæmia										4		4	1	1									2		
8. Puerperal Albuminuria and Eclampsia 9. Puerperal Phlegmasia Alba Dolens										1	1	3											6		
0. Other Puerperal Accidents, Sudden Death 1. Puerperal Diseases of the Breast										1													1		
TOTAL CLASS VII			-			-				6	5	9	5	2				-	-	-	-	-	-		-

TABLE No. XXI.-continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1914—continued.

CLASS VIII.—Biseases of the Sin and Admira of the Cellular Tissue. **Commission** **Commissi					uull	mg		re	COL	101			1			1										
CLASS VIII.—Diseases of the Sin and of the Cellular Tissue. 2. Sugaryse 3. Chapter, Anne throes 5. Chapter, Anne throes 5. Chapter, Anne throes 7. Chapter, Anne throes 6. Chapter, Chapte		.:					5 years.															rds.			TOTALS	
Sim and of the Cellular Tissue.	CLASSES AND DISEASES.	Under 1 year	to	2 to 3.	3 to 4.	4 to 5.	Total under	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	00	75 and upw	Unspecified	Females.	Males.	Persons.
Sim and of the Cellular Tissue.	CI AGG WITT Discours of the							BOCOMBO																		
1	Skin and of the Cellular Tissue.							WITH COMPA																	0	
CLASS IX.—Diseases of the Organs of Locomotion. **Outcome of Decomption** **Outcome of Decomption** **Outcome of Organs of Locomotion** **Outcome of Organs of Company of Compan	43. Carbuncle 44. Phlegmon, Acute Abscess																/								1	
CLASS IX.—Diseases of the Organs of Locomotion. A Sundamendual Diseases of the Boiles. A Sundamendual Diseases of the Boiles. A Sundamendual Diseases of the Boiles. A Sundamendual Diseases. Compared Master State of Sta	45. Other Diseases of the Skin and Adnexa																				-					1
Organs of Locomotion	TOTAL CLASS VIII												1												10	
### A. Non-three-lows Discusses of the Bones																										
5. Architects and other Disc, of Jourses 1	6. Non-tuberculous Diseases of the Bones																	1							3	
CLASS XI. Antiformations 7 2 9 9 9 9 9 9 9 9 9	8. Amputation	1					1																			
CLASS XL.—Infancy.		-			-																					-
0. Concential Mailor, excl. of Still-born) 7 2																		management Au								-
CLASS XI.—Infancy. 3. Congenial Robitity, Leterns, and Seleronna 12.							AL PLANTEST																			
CLASS XI.—Infrancy. 3. Congenital helisity, leterus, and selections 29		-	-																-							-
1. Congenital Debility, Ieterus, and Seleroms 52 53 55 58 59 50 50 50 50 50 50 50	TOTAL CLASS X	7	2				9																***	9	6	1
1. Congenital Debility, Ieterus, and Seleroms 52 53 55 58 59 50 50 50 50 50 50 50	CLASS XI -Infancy						0	100000000000000000000000000000000000000																		
3. Want of Care (Infants) TOTAL CLASS XI 61	1. Congenital Debility, Icterus, and Scleroma							il .																		10
CLASS XII.—Old Age. 4. Senic bebility Total Class XIII. CLASS XIII.—Violence. 5. Sacide by Poison 6. Sacide by Poison 7. Sacide by Blanking or Strangulation 8. Sacide by Present Strangulation 8. Sacide by Breams 8. Sacide by Breams 8. Sacide by Prespiration from a Height 9. Sacide by Prespiration from a Height 1. 1 1 1 1 3 3 4 5 1 3 5 1 3 5 1 1 5 5 7 1 5 1 5 1 1 1 1 1 1 1 1 1 1	3. Want of Care (Infants)							No.																		
4. Semile Debility	TOTAL CLASS XI	61	100				61																	61	70	13
A. Senile Debility	CT. ASS VII Old Ago																									
CLASS XIII—Violence. 55. Ninida by Polon. 65. Shielded by Alanying. 65. Shielded by Prearms. 65. Shielded by Prearms. 65. Shielded by Prearms. 65. Shielde by Prearms. 65. Shielde by Cutthing Instruments. 66. Shielde by Cutthing Instruments. 67. Shielde by Cutthing Instruments. 68. Shielde by Cutthing Instruments. 69. Light Shielde by Cutthing Instruments. 69. Charles and Shielde by Cutthing Instruments. 69. Charles and Shielde by Cutthing Instruments. 60. Shielde by Cutthing	4 0 11 7 1 111																1		2	3	4	31		41	27	6
1	TOTAL CLASS XII															1	1		2	3	4	31		41	27	6
1	OT ACC VIII Wielenes						and																			
1	55. Suicide by Poison						R.	3					1												8	1
30. Saided by Firearms	77. Suicide by Hanging or Strangulation							3																	1	
2. Stiedde by Crushing	69. Suicide by Firearms							2																		
44. Poison by Food 1	2. Suicide by Crushing						5	8																		
10 1 1 1 1 1 1 1 1 1	4. Poison by Food																									
8. Notious Gases 9. Drowning 9. Friearms 1. Cuts and Stabs 1. Cuts and Stabs 2. Falls 3. Mines and Quarries 4. Machinery 5. Vehicles 5. Vehicles 1. 1 1 2 2 9 1 1 7 12 12 13 15 15 15 15 11 1 1 2 2 9 1 1 1 7 12 12 15 15 15 15 15 15 15 15 15 15 15 15 15	6. Incendiarism										1															
70. Firearms 71. Cuts and Stabs 72. Falls 73. Mines and Quarries 74. Machinery 75. Vehicles 75. V	38. Noxious Gases																								2	
22	70. Firearms																1									
1	72. Falls]			1													1				12		
1	74. Machinery						0	2			1															
7. Starvation 8. Cold 9. Sunstroke 9. Sunstroke 10. Lightning 11. Others, Electric 12. Murder by Firearms. 13. Murder by Firearms. 14. Murder, Other 15. Fractures, etc. 16. Other Violence 1	75α. Railways and Tramways						4	9					1				1		1						9	
9. Sunstroke 10. Lightning 11. Others, Electric 12. Murder by Firearms. 13. Murder by Firearms. 14. Murder by Firearms. 15. Fractures, etc. 16. Other Violence 17. Organic Lesion (not Defined Diseases, Sudden Death 9. Unspecified or III-defined Causes of Death 1. Total Class XIV.— Total Deaths of Females from all	7. Starvation						2	H																		
1. Others, Electric 1. A. Timber Felling, Logging, etc. 2. Murder by Firearms. 2. Murder by Firearms. 2. Murder by Firearms. 2. Murder by Cuts 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	9. Sunstroke						Pl .	1												1				1		
1	1. Others, Electric																									
3. Murder by Cuts	2 Murder by Firearms						2	3																	' 1	
5. Fractures, etc. 6. Other Violence	3. Murder by Cuts										1													1		
Total Class XIII 3 1 1 1 1 6 1 1 4 3 2 1 3 6 2 2 1 7 39 87 11 LASS XIV.—Ill-defined Diseases. 7. Organic Lesion (not Defined) 8. Sudden Death 9. Unspecified or Ill-defined Causes of Death 1 Total Class XIV	5. Fractures, etc																									
7. Organic Lesion (not Defined) 8. Sudden Death 9. Unspecified or III-defined Causes of Death TOTAL CLASS XIV. 1 TOTAL DEATHS OF FEMALES FROM ALL	TOTAL CLASS VIII	-	-	1	-		1			1	4	-				-										
7. Organic Lesion (not Defined) 8. Sudden Death 9. Unspecified or III-defined Causes of Death TOTAL CLASS XIV. 1 TOTAL DEATHS OF FEMALES FROM ALL							Struction.	The same and																-		
18. Sudden Death 19. Unspecified or III-defined Causes of Death 1 TOTAL CLASS XIV							The same of the sa	THE REAL PROPERTY.																		
TOTAL CLASS XIV	87. Organic Lesion (not Defined) 88. Sudden Death																									
TOTAL DEATHS OF FEMALES FROM ALL	89. Unspecified or Ill-defined Causes of Death																									
0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TOTAL CLASS XIV						ATTENDED TO																		1	
		175	34	16	12	7	1244	13	12	21	45	43	46	24	26	26	52	41	47	61	58	128		887	1.047	1.00

TABLE No. XXII.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius), during the Year 1914.

								rs.																		TOTALS	
CLASSES AND DISEASE	5.		Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Persons.	Males.	Females.
CLASS I.—General Di	seases.									1	4	4	4			2	1	1	1						18	11	7
Typhoid Fever Typhus																											
Recurrent Fever Intermittent Fever																											
. Malarial Cachexia Small-pox													1														
Measles											 1		 1												2	2	
Scarlet Fever Whooping Cough			5	2	2	7	1 3	10 25		ï				/											$\frac{10}{32}$	7 16	16
Diphtheria			1	7	7				5		1									1			9		26	9	17
Influenza Miliary Fever			4			2		6					1	1		1			2		4	1					
Asiatic Cholera																											
Cholera Nostras Dysentery							1	1			1		1	1				1			,				5	1	4
. Epidemic Dysentery Plague																											
Yellow Fever																											
Erysipelas			2					2				1			1			2							6	3	
Other Epidemic Diseases Dengue																									3	2	
Purulent Infection and Septice Glanders and Farcy	emia		2					2											1								
Malignant Pustule and "Char	bon''																/	13.									
Rabies Tetanus									1	2	1		1				1	3			1				10	8	2
Trichinosis, etc Pellagra																			1							1	
Beri Beri										2	3	9	23	19	9	12	9	10	3	4	5	2			110	74	30
Tuberculosis of the Lungs Tuberculosis, Acute Miliary			1					1				1	1												3 5	$\begin{bmatrix} 2 \\ 2 \end{bmatrix}$	
Tuberculosis of the Meninges Tuberculosis, Abdominal, etc.			1	1		1		2 1	1		1		1	1				2			1				6	2	4
Pott's Disease White Swellings																			**								
Tuberculosis of other Organs																1					.1.				1	1	
General Tuberculosis Rachitis				1				1																	1	1	
Syphilis			9					9					1	1								1			12	4	
Cancer, etc., of the Mouth	1 T:													1	1	2	2 4	2 14	1 10	1 9	2 11	5 6	4 7		17 65	16 43	2
Cancer, etc., of the Stomach Cancer, etc., Peritonæum, Int	estines, e	etc.											1			2	2	2	1		4	1	5		18	12	(
Cancer, etc., of the Female Ger Cancer, etc., of the Breast	nital Org	ans											1	1	2		1 2	2		2 2	3 2	2			14	1	1
Cancer, etc., of the Skin						 1		···	1		 1	2	2	 1	1	1 4	 1	 5	2	4	··· 5	2 5	3 8		8	6 23	1
Cancer, etc., of other Organs Other Tumours (excl. F. Gen	ital Orga	ans)							1									1			1	1			4	3	
Acute Articular Rheumatism Chronic Rheumatism and Gov	t						1	1	1						1	1				2			3		11 4	4	
Scurvy					 1			1					1	ï			···	1	3	2	1	3	1		15	5	···
Exophthalmic Goître											1	1			1			1							4 2		
Addison's Disease Leucæmia													1								1				1	1	
Anæmia, Chlorosis													2	1		1	1	1	1				1		8	5	
Other General Diseases			3					3						1	1	1 2				 1					4 5	3	
Acute and Chronic Alcoholism Lead Poisoning									1																1	3	
Other Chr. Poisonings due to Other Chronic Poisonings		ions																									
TOTAL CLASS I			28	11	10	11	6	66	12	8	14	20	43	31	18	30	25	48	26	28	41	30	42		482	276	200
						-																					
CLASS II.—Disease								The second secon																			
he Nervous System an Organs of Special S		1e															U										
Encephalitis			1				1	2																	2	2	
Simple Meningitis Epidemic Cerebro-spinal Men			13	4	4	1	1	23	4	1		2					1						1		32	19	1
Progressive Locomotor Ataxia					3	4	2												1						1	1	
Other Diseases of the Spinal of Hæmorrhage of Brain, Apopl			7	7	2	4		17	3	1	1	1	1 2	1		3	1 2	5	6	6	5	11	19		31 72	19 36	1 3
Softening of the Brain Paralysis without indicated of	ause														2			1	2 2	2	2	7	5 7		9 23	2 10	1
General Paralysis																									23	10	
Other Forms of Mental Aliens Epilepsy	inon						1	1			1	1											···			2	
Eclampsia (non-puerperal) Convulsions of Children under			12	6		1		19																			
Chorea																										13	
Hysteria, Neuralgia, and Neur	s System	1							1			1			1	1	1	2	1	1	1	1			5 7	3 4	
Other Diseases of the Nervou						1		3				1															
Diseases of the Eyes and App			1					. 0																	4	4	
			$\frac{1}{35}$	1	9	7	5	75	8	2	2	7	3	1	3	4	5	10	14	10	9	23	-				

TABLE No. XXII.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1914—continued.

						ars.																	ı	OTALS.	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Persons.	Males.	Females.
CLASS III.—Diseases of the Circulatory System.																									
77. Pericarditis		1 				1 		1 3 	1 2 	2 8 1 	5	5	1 7 1 1 	8 2 1 1	1 7 1 3 	 2 11 2 1 	 5 11 7 1 	1 19 1 3 	24 1 8 1 	31 31 1 1	37 2 15 4		2 13 179 4 43 13 1 1 2	1 5 86 2 25 9 1 2	1 8 93 2 18 4 1
TOTAL CLASS III		_1				1		4	4	11	5	5	10	12.	13	16	24	24	35	36	58		258	131	127
CLASS IV.—Diseases of the Respiratory System. 86. Diseases of the Nasal Fossæ 87. Diseases of the Larynx	1				 1	2																		2	
88. Diseases of the Thyroid Body 89. Acute Bronchitis 90. Chronic Bronchitis 91. Broncho-pneumonia 92. Pneumonia 93. Pleurisy 94. Congestion of Lungs and Pul. Apoplexy	6 13 5	2 6 7	3 6 	2 1	2 1	10 24 20 	 I 	 1 1	4	1 1 	1 4	2		 5 2	1 2	 1 1	1 4	1 4 3 2	3	 6 3 1	12 3 5 	···· ··· ··· ··· ···	1 11 28 30 55 7 8	6 19 16 29 6 5	1 5 9 14 26 1 3
95. Gangrene of the Lungs 96. Asthma 97. Pulmonary Emphysema 97a. Miner's Phthisis 98. Other Diseases of the Respiratory System		15	9	3	4		1		4	3	5	2	i i 1		1 4	1 2 5	1 2 	1 	3		2	 1	1 10 3 	1 5 3 	5
TOTAL CLASS IV		10	-			90			20		-			-						10			100		
CLASS V.—Diseases of the Digestive System. 99. Dis. of Mouth and associated organs 100. Diseases of the Pharynx 101. Diseases of the CEsophagus 102. Ulcer of the Stomach 103. other Dis. of Stomach (Cancer excluded 104. Diarrhea and Enteritis (under two years 105. Diarrhea and Enteritis (over two years 106. Ankylostomiasis 107. Intestinal Parasites 107a. Sprue 108a. Appendicitis 109. Hernia, Intestinal Obstruction 110. Other Diseases of the Intestines 111. Icterus Gravis 112. Hydatid Tumours of the Liver	4 124	1 26	7		1 1 1 	2 1 6 150 7 	2	··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	2 1 	1 1 2 		 1 2 1	 1 2 1	1 3 	1 1 1 2 3 2	2 1 2 1 	 1 1 1	1 2 1 1 1	2 1	1 2 1 1	 4 5 		3 1 10 16 150 24 1 16 17 4 2 2	2 1 5 6 78 9 11 10 3 	1
113. Cirrhosis of the Liver 114. Biliary Calculi 115. Other Diseases of the Liver 116. Diseases of the Spleen 117. Simple Peritonitis (non-puerperal) 118. Other Diseases of the Digestive System		1		 1		1	1 1		1	1	1 1 1 			1	1 2 2	5 2	3 1 	1 3 1 	i i i	2	1 2 		13 3 13 13 1 9	10 1 6 1 2	3 2 7 7
TOTAL CLASS V	132	28	8	1	3	172	5	1	6	6	10	5	4	5	15	13	7	10	5	6	14		284	145	139
CLASS VI.—Diseases of the Genito-Urinary System and																									
Adnexa. 119. Acute Nephritis 120. Bright's Disease 121. Chyluria 122. Other Dis, of Kidneys and Adnexa 123. Calculi of Urinary System 124. Diseases of the Bladder 125. Other Dis. Urethra, Urin. Abscess, etc 126. Diseases of the Prostate 127. Non-veneral Dis, of Male Genital Organs 128. Uterine Hæmorrhage (non-puerperal) 129. Uterine Tumour (non-cancerous) 130. Metritis and other Diseases of the Uterus 131. Cysts and other Ovarian Tumours 132. Other Dis, of Female Genital Organs 133. Non-puer, Dis, of Breast (Cancer excepted)	. 1	1				1 1	1 1 1	2 3	8	6 11 2	1 18 1 	14	5 1 1 	6 2	6	1 10 1 1 1 	2 	2 2 2 	ii	3 1 	3 5 1 		12 112 8 2 10 8 2 3 1 1 1	7 55 4 1 9 8 	5 57 44 1 1 1
TOTAL CLASS VI	. 1	2				3	3	5	8	20	20	14	7	9	7	15	8	11	12	4	13		159	84	75
CLASS VII.—Puerperal Condition 134. Accidents of Pregnancy 135. Puerperal Hæmorrhage 136. Other Accidents of Childbirth 137. Puerperal Septicæmia 138. Puerperal Albuminuria and Eclampsia 139. Puerperal Phlegmasia Alba Dolens 140. Other Puerperal Accidents, Sudden Death 141. Puerperal Diseases of the Breast 141.	i									 4 1	1 2 1	1 4 3	3 1 1	i									6 1 2 11 6 1		6 1 2 11 6
TOTAL CLASS VII		-		-		1	-			6	5	9	5	2									27		

TABLE No. XXII.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius), during the Year 1914—continued.

						years.															ds.			TOTALS	
CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 y	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	.30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Persons.	Males.	Females.
CLASS VIII.—Diseases of the Skin and of the Cellular Tissue.																					3		3	3	
2. Gangrene	1					1			 1		 1	 1		 1									1 4	$\begin{bmatrix} 1 \\ 4 \\ 2 \end{bmatrix}$	
5. Other Diseases of the Skin and Adnexa	1					1					 1	$\frac{1}{2}$		1							1 4		12	$\frac{2}{10}$	
TOTAL CLASS VIII	3					3			1																
CLASS IX.—Diseases of the																									
Organs of Locomotion. 6. Non-tuberculous Diseases of the Bones											1	1	1	1			1						4	3	
7. Arthritis and other Dis. of Joints 8. Amputation	1					1												1					2		
9. Other Dis. of Organs of Locomotion						1					1	···· 1		 1			1	1					6	3	
TOTAL CLASS IX						-											-								
CLASS XMalformations.																									
60. Congenital Malfor. (excl. of Still-born)	11	3				14					···												15	6	
TOTAL CLASS X	11	3				14	1																15	6	
OT A SC VI Infance																									
CLASS XI.—Infancy. 1. Congenital Debility, Icterus, and Scleroma						106																	108	54 16	
22. Other Dis. Pec. to Infancy (un. 3 mths.) 33. Want of Care (Infants)	25					25																	25		
TOTAL CLASS XI	131					131											٨						131	70	- 6
CLASS XII.—Old Age.																									
4. Senile Debility																1	1	2	5	7	52		68	27	4
TOTAL CLASS XII																1	1	2	5	7	52		68	27	4
CLASS XIII.—Violence.											9.	3	1		3	1	1	1	1				13	8	
55. Suicide by Poison																		 1					1		
58. Suicide by Drowning 59. Suicide by Firearms									1		1 1		1		1 2	2		1					7 5	4 5	
30. Suicide by Cutting Instruments 31. Suicide by Precipitation from a Height												2	1			1							4	3	
32. Suicide by Crushing 33. Other Suicides																									
34. Poison by Food	ï					1																	1		
36. Incendiarism	2	ï		1		4			ï	2	ï			ï	1	1							10	3	
38. Noxious Gases			ï			1	3		1	1	3		1			1		2	1				2 13	2 13	
70. Firearms			1		···· 1	2	 1		··· 1	 1	2		 1	2		2	 1		2				24		
73. Mines and Quarries																				1	8				
74. Machinery							1	2	1		···	2	2 2	2	 1	 1	1	1	2				12 11	11 9	
76. Animals									1	1	1			2						ï			6	õ	1
78. Cold																			 1						
79. Sunstroke											***												1		
81a. Timber Felling, Logging, etc											1	 1		1						•••			1	1	
82. Murder by Firearms 83. Murder by Cuts										1 1		2											1	2	
84. Murder, Other 85. Fractures, etc							1			1	2	1		2									3	2	
TOTAL CLASS XIII	3	1	2	1	1	8	6	2	6	8	15	12	10	11	8	10	3	8	8	2	9		$\frac{9}{126}$	87	0.00
						Charles Inch	NO SECURITION OF									À.									
CLASS XIV.—Ill-defined Diseases.						AND THE PROPERTY OF																			
87. Organic Lesion (not Defined) 88. Sudden Death 89. Unspecified or III-defined Causes of Death									1		***														
Total Class XIV	-								1														1	1	
TOTAL DEATHS OF PERSONS FROM ALL										-														1	00
			1 00	23	10	1539	36	2.4	45	82	108	82	58	82	77	1110	0.0	105	199	191	940	1	1,934		1

TABLE No. XXIII.

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1914.

	1										1		1										1		1		
	B.V.	0.1.0	2.0	1 W 1 .													F	DER.		ri ri		BER.	0.010	DEEK.		TOTALS	
CLASSES AND DISEASES.	NTAB	NOA	DBITABO	PINOT	MARCH			APKIL.		Y.	2	N.E.		JULY.		GUST.	- Action of the	F L LA		OCTOBE		NOVEMBER.	2640	DECEMBER.			
	· ·	4	5	4	M			AF	;	MAI,	11					AU	2	0		5	-	o Z		a .	or.	les.	ms.
	M.	F.	М.	F.	м.	F.	м.	F.	М.	F.	M.	F.	M.	F. ,	м.	F.	м.	F.	М.	F.	M.	F.	M.	F.	Males.	Females.	Porsons
	1	1										1		1				1						1		1	
CLASS I.—General Diseases.																											
1. Typhoid Fever	2		1		1	2		1	2	1									1			2	4	1	11	7	18
2. Typhus																											
4. Intermittent Fever 4a. Malarial Cachexia					1																				1		
5. Smallpox																											
7. Scarlet Fever	1		2		2		ï								1	1	1		1	1		1			7	3	2 10
9. Diphtheria		1	1	1		1	1	1	3	2	1	1	4	2	1	2	1	2	3	2			1	1	16	16	32
0. Influenza	1		1	1	1	2		. 1	1	1		2	1			2	1	2		2	3	3		1	9	17	26
3. Cholera Nostras																											
4. Dysentery 4a. Epidemic Dysentery								2			1									1		1			1	4	5
5. Plague																											
7. Leprosy			ï						1								1			2				1	3	3	6
9. Other Epidemic Diseases																											
1. Glanders and Farcy					···						1			1							1				2	1	3
-3. Rabies		***			 1		···		 1		1						 1						2				
-5. Trichinosis, etc		***			1																				8	2	10
7. Beri Beri		4	4	2	4	5	7		 1	4	8	 1	7	4		3	8		11	2		4	4				
9. Tuberculosis, Acute Miliary 10. Tuberculosis of the Meninges										-35				1	1			5			8	1	1 1		74	36	110
l. Tuberculosis, Abdominal 2. Pott's Disease								1										1	1	1		î	1		2 2	3 4	5
-3. White Swellings						}																					
-5. General Tuberculosis 3. Scrofula																			 1						1		
7. Syphilis						1				1	1	2		2	1						2	1		1	4	8	1 12
). Cancer, etc., of the Mouth). Cancer, etc., of the Stomach and Liver	1 5	2	3	1 2	3 5	2	3	2	1 5	3	1 3	5	2 3	 1	3 4	2	3		4	ï	2	1		1	16	1 22	17 65
1. Cancer, etc., Peritonæum, Intestines, etc. 2. Cancer, etc., of the Female Genital Organs		2	1	3 2	1	1	2	 1			3			1		2	1	4	1	···	3			1	12	6 14	18
23. Cancer, etc., of the Breast 4. Cancer, etc., of the Skin	1			1			1	2						1	2		1			2	2			ï	1 6	6 2	7 8
5. Cancer, etc., of other Organs 6. Other Tumours (excl. F. Genital Organs)	1	3	1	3	1	3		2	3	···	1 2	2		1	2	1	3	1	2	1	2	2	4		23	19	42
7. Acute Articular Rheumatism					2		2	1	ï								1	2	2	1				2	4 4	7	11
). Diabetes		1			1	1	2	1		1		2		5					1		 1.				5	10	 1ŏ
2. Addison's Disease	1				•			1				1				1		1		1						4 2	2
4. Anæmia, Chlorosis					1		1	1			2			î				1	ï						1 5	3	1 8
5. Other General Diseases	1								1											1	1				3	1	4
7. Lead Poisoning 3. Other Chr. Poisonings due to Occupations			,						1				1		1			1		1				1	3	2 1	5
9. Other Chronic Poisonings																											
TOTAL CLASS I	21	13	21	16	25	19	21	18	21	14	25	16	18	22	22	14	25	21	29	22	27	18	21	13	276	206	482
CLASS II.—Diseases of																											
the Nervous System and of the																											
Organs of Special Sense. O. Encephalitis					7																						
1. Simple Meningitis			ï	2	4	1	2	2					1		2		2		3	2	3	2	ï	4	2 19	13	2 32
2. Progressive Locomotor Ataxia		2	ï																	2							
4. Hæmorrhage of Brain, Apoplexy	5	1	2	4 2	3	2	4	ï		2	2	7	2	3	5	3	5	4	8	2	6	6 3	7	1 6	19 36	12 36	31 72
3. Paralysis without indicated cause	1	3		1	1	1	1				ï		2	2	3	3		ï		1 1	ï	1 1	ï	1 1	2 10	7 13	9 23
3. Other Forms of Mental Alienation 3. Epilepsy			 1																								
). Eclampsia (non-puerperal)	1		2		2										1	1						1			2	2	4
2. Chorea 3. Hysteria. Neuralgia and Neuritis							1	1			2		1			1	1				2	3	1		13	6	19
i. Diseases of the Nervous System i. Diseases of the Eves and Appendages					1	ï					1			ï	1					1		ï		1	3 4	2 3	5 7
5. Diseases of the Ear	1 -				7														1		1				4		4
TOTAL CLASS II	10	6	7	9	14	6	10	4		2	6	8	7	6	13	8	10	5	12	8	14			14	115	94	209
			,					1		1	1	. 1	1				1	1	1	- 1	1	1	1				

TABLE No. XXIII.—continued.

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1914—continued.

					(of the	he	Year	r 19	14-	-co	ntin	ued.														
	A D C	JANUARI.	VOATIOUS	NOAMI.	moan w			11.			- 0		, A		пепеп		PTEMBER		OCTOBER.	ODER.	aaawaaon	, remper,	DECEMBER.		T	OTALS.	
CLASSES AND DISEASES.		1000	5	9				APRI		MAI.	NHL		JULY		-	1	SEPT				М.			F.	Males.	Females.	reons.
	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	м.	F.	1	1.	M	Fe	Pe
CLASS III.—Diseases of the Circulatory System.																									1	1	
77. Pericarditis 78. Acute Endocarditis	 11	5	1	1 1 6	1 4	1 7		5	6	10	7	7	 11	16	7	11	2 9	1 10	1 10	2 6	5	1 1	1 7	2 9	5 86	8 93	13 179
79. Organic Diseases of the Heart 80. Angina Pectoris 81. Dis of Arteries, Atheroma, Aneurism, etc.	3	2	2	5	1 2	1	3		2	2	4	1	1	 1	3	1	1 1	ï	1	$\frac{1}{2}$		3	3	2	2 25 9	2 18 4	43 13
82. Embolism and Thrombosis 83. Dis. of Veins (Varices, Varicose Ulcers, etc.)					2	···			1	1				1	3				2	1					1	1	1 1
84. Diseases of the Lymphatic System 85. Hæmorrhage									1														19	13	2 131	127	2
TOTAL CLASS III	14	7	-4	13	10	9	12	5	10	13	11	8	12	18	13	12	13	12	15	12	5	5	12		101	12/	258
CLASS IV.—Diseases of the Respiratory System.																											
86. Diseases of the Nasal Fossæ 87. Diseases of the Larynx 88. Diseases of the Thyroid Body				 1			ï						1												2	 1	2
89. Acute Bronchitis 90. Chronic Bronchitis	3	1 1		1 2	1	 1	··· 1	1	3	2	2 2						1	1	$\frac{1}{2}$	···	1 3	1	2	1 1	6 19	5 9	11 28
91. Broncho-pneumonia 92. Pneumonia	4	3	3 2		1 2	2	1		1	2	1 3	2 2	2 1	4	2 2 1	1 2 1	2 2 1	3	2 2 1	5	3 8	5	1	1	16 29 6	14 26 1	30 55 7
93. Pleurisy 94. Congestion of Lungs and Pul. Apoplexy 95. Gangrene of the Lungs	2	1	2						1				1	1		1							1		5 1	3	8
96. Asthma 97. Pulmonary Emphysema	1				1		1	1				1			1	2				1	1		1		5	5	10
97a. Miner's Phthisis 98. Other Diseases of the Respiratory System					2		1																		3		
TOTAL CLASS IV	11	7	8	4	8	4	4	2	5	4	8	5	5	5	6	7	7	7	8	7	16	7	6	5	92	64	156
CLASS V.—Diseases of the Digestive System.																											
99. Dis. of Mouth and associated organs 100. Diseases of the Pharnyx	1		1						1															1	2 1		3
101. Diseases of the Esophagus			···			2	1	1	1			"i				1	1	 1	 1 1	2		 1	 1	2	5 6	5 10	10 16
103. Other Dis. of Stomach (Cancer excluded) 104. Diarrhœa and Enteritis (under two years) 105. Diarrhœa and Enteritis (over two years)	5	8 1	3	2 5 2	1 10 	7	1 5 1	6	7	4	2	2	4	1 5 1	$\begin{array}{c} 1 \\ 6 \\ 1 \end{array}$	1 1 1	1 4	3	4 2	7	15 3	16 5	13	8 2	78 9	72 15	150 24
106. Ankylostomiasis 107. Intestinal Parasites																											
107a. Sprue			2	1		1	2	1		1			3	1	2				 1 1		2 2		1	1 1	11 10	1 5 7	1 16 17
109. Hernia, Intestinal Obstruction	3	1		1			2	 1		•••		 1		2		1	2	1	1						3	1 2	4 2
111. Hydatid Tumours of the Liver 113. Cirrhosis of the Liver	1		2		4				1					 1			1	ï		1 1	1				10	1 3	1 13
114. Biliary Calculi		···	···		1	3				1					 1		···	2		1			2	1	6	7	13
116. Diseases of the Spleen		1	• • • • • • • • • • • • • • • • • • • •		1			2		1					•••	1					ï	1		ï	$\frac{1}{2}$	7	9
TOTAL CLASS V	10	12	11	11	19	13	12	12	10	7	2	5	8	12	11	6	10	8	11	13	24	23	17	17	145	139	284
CLASS VI.—Diseases of the Genito-Urinary System and																											
Adnexa.		1	1							1	1	1	1		1	3	1			1		1	2		7	5	12
120. Bright's Disease	6	5	7	4	2	5	4	1 1	3 1	5	4	5 1	1	10	4		6	7	5	3		6	5 1	3	55 4	57	112
123. Calculi of Urinary System	1		1		2						 1		1					1			1	i	3		1 9	1 1	10
125. Other Dis. of Urethra, Urin. Abscess, etc.	·		1		1		1		3				1												8		8
127. Non-venereal Dis. of Male Genital Organs 128. Uterine Hæmorrhage (non-puerperal)																											
129. Uterine Tumour (non-cancerous) 130. Metritis and other Diseases of the Uterus 131. Cysts and Other Ovarian Tumours				···· 1				1		1				1				2								2 3 1	3
 131. Cysts and Other Ovarian Tumours 132. Other Dis. of Female Genital Organs 133. Non-puer.Dis. of Breast (Cancer excepted) 																		1								1	1
TOTAL CLASS VI	8	6	10	5	5	5	5		7	8		7	4	11	6		-	12	5	4	-			3	84	75	159
CLASS VII.—Puerperal Condition.																											
134. Accidents of Pregnancy 135. Puerperal Hæmorrhage		2		1										1						1		1				6	6
136. Other Accidents of Childbirth		1								2				1		1		1 2		2		1		1 1		2 11	2 11
138. Puerperal Albuminuria and Eclampsia Puerperal Phlegmasia Alba Dolens						2						1		1				1		1						6	6
140. Other Puerperal Accidents, Sudden Death 141. Puerperal Diseases of the Breast	1															1										1	1
TOTAL CLASS VII		3		2	-	2		-		2	-	1		3		2	·	4		4	-	2		2		27	27
	1	1	1	1	1	1	1	1	1	1	1	1	1)	1	3	1	1	1	1	1	-		1	1		1

TABLE No. XXIII.-continued.

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1914—continued.

						OI	tne	rea	ır 1	914	-C(onti	nue	u.													
CLASSES AND DISEASES.	TANHARV	ANOAKI.	Advidada	Tremount.	WARCH.		Thomas		MAY	40.1.	0.00.00	JUNE.		July.	WOOD OAK	AUGUST.	OF STATE OF	SEFIEMBER.	and a company	OCTOBER.	OGGWANON		dadwaoad			TOTALS	
	М.	F.	м.		м.				м.	F.					М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	Males.	Females.	Person
CLASS VIII. Diseases of the Skin and of the Cellular Tissue. 142. [Gangrene			1				-																		3 1 4 2 10	 2 2	3 1 4 4 ————————————————————————————————
CLASS IX.—Diseases of the Organs of Locomotion. 46. Non-tuberculous Diseases of the Bones. 47. Arthritis and Other Dis. of Joints 48. Amputation													•••											1	3	1 2 3	4 2 6
CLASS X.—Malformations. 50. Congenital Malfor. (excl. of Still-born) TOTAL CLASS X																								2 2	6	9	15
CLASS XI.—Infancy. 51. Congenital Debility, Icterus, and Scleroma 52. Other Dis. Pec. to Infancy (un. 3 mths.) 53. Want of Care (Infants)	3	2		1	2		1				1	2						2		1	3 3		4 2 6	7 7	54 16 70	52 9 61	106 25 131
CLASS XII.—Old Age. 54. Senile Debility TOTAL CLASS XII	-						-				-								-	-	5 5		2 2	3 3	27	41	68
63. Other Suicides 64. Poison by Food 65. Ven. Creatures and Other Acute Poisons 66. Incendiarism 67. Burns 68. Noxious Gases 69. Drowning 70. Firearms 71. Outs and Stabs 72. Falls 73. Mines and Quarries 74. Machinery 75. Vehicles 75a Railways and Tramways 76. Animals 77. Starvation 78. Cold 79. Sunstroke 80. Lightning 81. Others Electric 81a. Timber-felling, Logging, etc. 82. Murder by Firearms 83. Murder by Cuts 84. Murder, Other 85. Fractures, etc.					 1 1 	1	1		3			44	1		1 1 2	2	1	1	1	1 			2	1	8	5	13
88. Sudden Death 89. Unspecified or Ill-defined Causes of Death TOTAL CLASS XIV		69	70	-	98	69	77	51			71				89	64	92		100	82	$ \begin{array}{c} \vdots \\ \hline 1 \\ \hline 1 \end{array} $ 121	96	93	82	1 1,04	887	1 1 1,934

APPENDIX B.

RETURN showing the Registry Districts of Queensland, with the Names of the Persons holding the Office of District Registrar, on 31st December, 1914.

METROPOLITAN DISTRICT-BRISBANE.

THORNHILL WEEDON, REGISTRAR-GENERAL.
SUCCEEDED BY NORMAN JAMES MACLEOD (MARCH, 1915).

COUNTRY DISTRICTS.

Balonne Blackall Bowen Bundaberg Burke Burnett Caboolture Cairns Cardwell Charleville Clermont Cloncurry Cook Groydon Cunnamulla Dalby Darling Downs V Enoggera		BURROWES FREDERICK JAMES CHERRY. JOHN DEMPSEY SULLIVAN. CHARLES HEBER SHORT. JAMES AMBROSE MURRAY. GEORGE GILCHRIST. JOHN DAVID VITALIS SHEAHAN CHARLES INNES. ARTHUR HENRY O'KELLY. THOMAS ARTHUR FERRY. REGINALD COURTENAY GRENIER. NORMAN HENRY GEORGE MACKLIN. TIMOTHY ROGER KENNEDY. HUGH JOHN JOSEPH HAMILTON. ANDREW FRANCIS ANDERSON. JOHN MACALISTER. ARTHUR ALFRED SCHULTE. GEORGE NEEDHAM WALKER.	Hughenden Ipswich Kennedy Logan Mackay Maranoa Marathon Maryborough Mount Morgan Nanango Oxley Palmer Rockhampton Somerset Springsure Stanley Stanthorpe St. Lawrence Tiaro Toowong	DANIEL HERBERT KENNEDY. EDWARD JOHN GILMORE. PATRICK JOSEPH ROGERS. HENRY CLEGG. WILFRED GOTER ASHTON. ALFRED BERNARD HANSEN. ALFRED HERBERT ANDERSON. FREDERICK CHARLES HUNTER. RICHARD POWER. LUDWIG WILLIAM SIEMON. JOHN MOFFATT. JOHN JAMES MAGEE. WILLIAM GRACE MORAN. CECIL JOHN HANDLEY. WALDRON CLIFFORD BURROWES THOMAS CAMPBELL PRYDE. JOHN FRASER. JOHN LEONARD. THOMAS GEORGE WEST.
		ARTHUR ALFRED SCHULTE.		John Leonard.
	Vest			
		Charles Storey.	Toowoomba	John Joseph Leahy.
		Henry Robert Beverley.	Townsville	Henry Edward Cooney.
		WALTER RILLIE.	Warrego	George August Frisch.
2		FRANK GLIDDON ILLIDGE.	Warwick	ARTHUR EDGAR AITKIN,
Herberton		STANLEY WILSON.		

APPENDIX C.

Table No. I.

LOCAL GOVERNMENT AREAS.

				Males.	Females.	Persons.				Males.	Females.	Persons.
CITIES-	_						SHIRES-	_				
Brisbane				19,612	20,305	39,917	Adavale			 1,055	303	1,358
Charters To	wers			2,071	2,191	4,262	Antigua			 375	334	709
Gympie				4,273	4,650	8,923	Aramac			 1,154	514	1,668
Ipswich				4,569	4,959	9,528	Ayr			 2,080	1,199	3,279
Maryboroug				4,630	5,043	9,673	Balmoral			 1,974	1,873	3,847
Rockhampto	n			7,376	8,080	15,456	Balonne			 2,273	1,032	3,305
South Brisb				14,326	15,725	30,051	Banana			 703	356	1,059
Toowoomba				6,189	6,930	13,119	Barcaldine			 1,284	972	2,256
Townsville				5,565	5,071	10,636	Barcoo			 458	166	624
			-				Barolin			 1,044	835	1,879
	Tota	l Cities		68,611	72,954	141,565	Barron			 1,135	810	1,945
			-				Bauhinia			 1,173	668	1,841
Towns	_						Beaudesert			 2,276	1,989	4,265
Allora				628	612	1,240	Beenleigh			 1,108	1,075	2,183
Blackall				474	461	935	Belmont			 385	319	704
Bowen				801	712	1,513	Belyando			 1,164	526	1,690
Bundaberg				2,763	2,753	5,516	Booringa			 1,496	1,006	2,502
Cairns				2,854	2,310	5,164	Boulia			 320	118	438
Charleville				861	801	1,662	Brassall			 1,594	1,574	3,168
Clermont ar				702	659	1,361	Broadsound		• • •	 292	187	479
Cooktown				598	651	1,249	Bulloo			 1,166	479	1.645
Daiby				1,071	1,155	2,226	Bundamba			 2,329	2,003	4,332
Gavndah				511	481	992	Bungil			 1,785	1,302	
Gladstone				671	693	1,364	Burke			 557	231	3,087 788
Goondiwind				734	564	1,298	Caboolture			 3,219	2,540	
Hamilton				2,334	2,571	4,905	Cairns			 1,828	857	5,759
Hughenden				824	590	1,414	Calliope			 2,134	1.535	2,685
Ithaca				7,546	8,210	15,756	Calliungal			1,826	,	3,669
Laidley				605	622	1,227	Cardwell			 288	1,347	3,173
Mackay				2,664	2,477	5,141	Carpentaria				152	440
Mount Mor				4,504	4,000	8,504	Chillagoe			 456	310	766
North Rock				1,395	1,438	2,833	Cleveland			 1,420	1,004	2,424
Roma				1,354	1,309	2,663	Clifton			 490	467	957
Sandgate			9-1	1,323	1,728	3,051	Cloncurry			 4,004	3,095	7,099
	•••			2,949	3,337	6,286	Coomera			 1,954	871	2,825
Toowong Warwick				2,494	2,754	5,248				 463	382	845
				4,219	4,751	8,970	Coorparoo			 1,385	1,419	2,804
Windsor				4,213	4,701	0,970	Croydon			 885	764	1,649
	TD 4 3	T	-	11 970	15 620	00.510	Daintree			 433	190	628
	Total	Towns		44,879	45,639	90,518	Dalrymple			 2,277	1,088	3,365

Table No. I.—continued.

LOCAL GOVERNMENT AREAS—continued.

Showing the Poputation of the Cities, Towns, and Shires, at the Census of 1911—continued.

				Mates.	Females.	Persons.			A waste		Males.	Females.	Persons.
9	,										h-		
SHIRES- Degilbo				1.042	808	1.050	SHIRES-				5,992	3,760	9,752
Diamantina				230	47	1,850	Pioneer				1,118	718	1,836
ouglas				931		277	Proserpine					2,164	4,555
					492	1,423	Purga				2,391	7,172	14,277
rayton				640	620	1,260	Queenton				7,105	1.258	2,647
Duaringa		•••		587	432	1,019	Ravenswood				1,389		
Eidsvold				623	451	1,074	Rawbelle				1,360	946	2,306
Einasleigh				2,042	1,010	3,052	Redcliffe				536	593	1,129
merald				1,046	724	1,770	Rosalie				4,446	3,536	7,982
Inoggera				661	597	1.258	Rosenthal				1,169	926	2,095
lsk				3,117	2,458	5,575	Rosewood				1,749	1,446	3,195
itzroy				2,443	1,834	4,277	Sherwood				1,729	1,596	3,325
linders				1,535	480	2,015	Southport				909	1,010	1,919
lengallan				3,339	2,643	5,982	Stanthorpe				1.511	1,397	2,908
ooburrum				2,665	1,680	4,345	Stephens				2,642	2,773	5,415
oolman				2,726	2,563	5,289	Tambo				808	516	1,324
owrie				1,901	2,163	4,064	Tambourine				674	514	1,188
ranville				396	341	737						3,115	6,699
						732	Tarampa				3,584	1,608	
lann				553	179		Taringa				1,355		2,963
Ierberton				1,692	- 1,032	2,724	Taroom				749	512	1,261
lighfields				2,987	2,669	5,656	Thuringowa				2,897	2,198	5,095
inchinbroo	k			2,565	1,330	3,895	Tiaro				1,805	1,462	3,267
oward				822	680	1,502	Tinana				419	403	822
fracombe				628	278	906	Tinaroo				2,092	1,152	3,244
ndooroopilly	V			466	431	897	Tingalpa				665	597	1,262
glewood				2,275	1,504	3,779	Toombul				3,243	3,548	6,791
is				2,641	1,743	4,384	Torres				1,386	638	2,024
sisford				573	263	836	Waggamba				1.194	588	1,782
ohnstone				2,563	1,021	3,584	Walloon				2,211	2,084	4,295
ondaryan				4,247	3,222	7,469	Walsh				2,639	1,514	4,153
Largoolnah				988	339	1,327	Wambo					2,834	6,749
Ledron						3,663					3,915		
	• • • •			1,999	1,664		Wangaratta				723	431	1,154
Cilkivan				932	621	1,553	Warroo				1,054	585	1,639
olan				1,384	1,032	2,416	Waterford	~ * *			491	477	968
aidley				1,796	1,552	3,348	Weinholt				2,200	1,493	3,693
ivingstone				3,075	2,581	5,656	Widgee				2,362	2,033	4,395
ongreach				2,129	1,344	3,473	Winton				1,811	743	2,554
Iackinlay				859	327	1,186	Woongarra				1,379	1,209	2,588
Iaroochy				2,983	2,305	5,288	Woothakata				1,139	634	1,773
Iiddle Kidg	е			605	635	1,240	Wynnum				1,506	1,715	3,221
Iiriam Vale				871	752	1,623	Yeerongpilly				680	633	1,313
Eurilla				1,980	1,256	3,236					000	000	1,016
Lurweh			•••	1,621	713	2,334		Tota	l Shires		911.459	156,840	260 200
anango	• • • •			3,743	2.690	6,433		Tota	Emires		211,453	190,040	368,293
													MINISTER AND ADDRESS OF THE PARTY NAMED IN
ebo				292	152	444		-	~				
erang				995	814	1,809	OUTSIDE	E Loc	AL GOVE	RN-			
oosa				1,189	819	2,008	ME	NT A	REAS-				
ormanby				1,329	1,153	2,482	Not Incorpo	rated			1,267	302	1,569
aroo				1,598	829	2,427	Shipping				3.296	572	3,868
eak Downs				559	276	835							
erry				1,084	931	2,015	G	RAND	TOTAL		329,506	276,307	605,813
Pialba				823	720	1,543					TO THE OWNER OF THE OWNER OWNER OF THE OWNER	NAME AND ADDRESS OF THE PARTY O	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Pine				1,414	1,217	2,631							
				-,	-,	-,001				500000000000000000000000000000000000000			

Table No. II.

Showing the Ages of the Population of Queensland as returned at the Census of 1911.

	BRIS	BANE AND S	USURBS.	REM	MAINDER OF ST	ATE.	Т	HE WHOLE STA	TE.
AGES.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons
Under 1 year	1,697	1,653	3,350	6,632	6,314	12,946	8,329	7,967	16,296
1 year to 4 years	5,899	5,556	11,455	23,496	22,457	45,953	29,395	28,013	57,408
5 ,, 9 ,,	6.911	6,605	13.516	25,157	24,813	49,970	32,068	31,418	63,4 6
10 ,, 14 ,,	7,025	7,132	14,157	24,429	23,863	48,292	31,454	30,995	62,449
5 , 19 ,	7,240	8,035	15,275	25.403	22,853	48,261.	32,648	30,888	63,536
20 years	1,423	1,682	3,105	5,461	4.590	10,051	6,884	6,272	13,156
Under 21 years	30,195	30,663	60,858	110,583	104,890	215,473	140,778	135,553	276,331
21 years to 24 years	5,659	6,734	12,393	21,057	16,401	37,458	26,716	23,135	49,851
5 , 29 ,	5,863	6,619	12,482	23,190	16,889	40,079	29,053	23,508	52,561
0 ,, 34 ,,	4,910	5.441	10,351	19,535	13,848	33,383	24,445	19,289	43,734
5 ,, 39 ,,	4,110	4,620	8,730	17,301	12,118	29,419	21,411	16,738	38,149
0 ,, 44 ,,	3,735	4,277	8,012	16,351	10,330	26,681	20,086	14,607	34,693
5 ,, 49 ,,	3,761	3,769	7,530	15,008	8,477	23,485	18,769	12,246	31,018
3 ,, 54 ,,	3,015	2,899	5,914	12.187	6.620	18,807	15,202	9.519	24,721
5 ,, 59 ,,	2,013	2,024	4.037	8,258	4,332	12,590	10,271	6,356	16,627
0 , 64 ,	1,438	1,540	2,978	6,036	3,378	9,414	7,474	4.918	12,392
5 ,, 69 ,,	1,138	1,361	2,499	4,751	2,799	7,550	5,889	4,160	10.049
0 , 74 ,	871	919	1,790	3,389	1,873	5,262	4,260	2,792	7,052
5 ,, 79 ,,	465	450	915	1,638	961	2,599	2,103	1,411	3,514
0 ,, 84 ,,	184	214	398	584	382	966	768	596	1,364
5 ,, 89 ,,	46	66	112	190	166	356	236	232	468
0 ,, 94 ,,	13	13	26	39	37	76	52	50	102
5 ,, 99 ,,				9	10	19	9	10	19
00 and upwards	1	1	2	1	2	3	2	3	5
Inspecified	211	242	453	1,771	942	2,713	1,982	1,184	3,166
Total	67,628	71,852	139,480	261,878	204,455	466,333	329,506	276,307	605,813

Table No. III.

Showing the Birthplaces of the Population of Queensland, as Returned at the Census of 1911.

	POPULATIO	N BRISBANE	AND SUBURBS.	REMA	AINDER OF THE	STATE.	Т	HE WHOLE STA	TE.
BIRTHPLACE.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males,	Females.	Persons
Queensland New South Wales Victoria South Australia Western Australia Tasmania Northern Territory Australia Undefined	41,207 3,435 1,522 253 63 189 5 294	45,787 3,611 1,380 247 77 184 2 385	86,994 7,046 2,902 500 140 373 7 679	151,475 20,444 8,957 1,901 192 1,034 6 1,780	143,747 11,431 4,084 947 150 391 15 1,500	295,222 31,875 13,041 2,848 342 1,425 21 3,280	192,682 23,879 10,479 2,154 255 1,223 11 2,074	189,534 15,042 5,464 1,194 227 575 17 1,885	382,216 38,921 15,943 3,348 482 1,798 28 3,959
Total Commonwealth	46,968	51,673	98,641	185,789	162,265	348,054	232,757	213,938	446,695
New Zealand	359	315	674	1,273	629	1,902	1,632	944	2,576
Total Australasia	47,327	51,988	99,315	187,062	162,894	349,956	234,389	214,882	449,271
England and Wales Scotland Ireland All other Brit. Possess Germany All other Countries At Sea	10,388 3,317 3,440 352 908 1,823 73	9,899 3,178 4,784 270 796 839 98	20,287 6,495 8,224 622 1,704 2,662 171	29,788 8,829 12,746 2,296 6,075 14,813 269	17,968 5,206 10,629 463 4,200 2,906 189	47,756 14,035 23,375 2,759 10,275 17,719 458	40,176 12,146 16,186 2,648 6,983 16,636 342	27,867 8,384 15,413 733 4,996 3,745 287	68,043 20,530 31,599 3,381 11,979 20,381 629
Total	67,628	71,852	139,480	261,878	204,455	466,333	329,506	276,307	605,813

Table No. IV.

Showing the Religions of the Population of Queensland as Returned at the Census of 1911.

RELIGION.	BRIST	BANE AND ST	JBURBS.	Rev	AINDER OF STA	ATE.	Тня	WHOLE STAT	Е,
DELIGION.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Christian—									
Church of England	24,315	25,671	49,986	90,643	72,073	162,716	114,958	97.744	212.702
Roman Catholic	13,822	16,257	30,079	57,801	49,206	107,007	71,623	65,463	137.086
Presbyterian	8,722	9,213	17,935	32,172	25,453	57,625	40,894	34,666	75,560
Methodist	7.049	7,934	14,983	23,260	21,677	44,937	30.309	29.611	59,920
Lutheran	1,439	1,387	2,826	11,599	9,810	21,409	13,038	11.197	24,235
Baptist	2,524	3,032	5,556	4,141	4,018	8,159	6,665	7,050	13,715
Congregational	1.575	1,870	3,445	3,562	3,438	7,000	5,137	5.308	10,445
Salvation Army	367	517	884	1,682	1,743	3,425	2,049	2,260	4,309
Catholic undefined	658	568	1,226	3,691	3,075	6,766	4,349	3,643	7,992
Other Christian	3,902	3,713	7,615	13,005	9,240	22,245	16,907	12,953	29,860
Total Christian	64,373	70,162	134,535	241,556	199,733	441,289	305,929	269,895	575,824
Non-Christian-					The second secon				
Hebrew	216	167	383	199	90	289	415	257	672
Other	315	79	394	4,897	227	5,124	5,212	306	5,518
Total Non-Christian	531	246	777	5,096	317	5,413	5,627	563	6,190
Indefinite	350	150	500	1,312	285	1,597	1,662	435	2,097
No Religion	299	82	381	1,296	229	1,525	1,595	311	1,906
Object to state	1,653	995	2,648	7,328	2,616	9.944	8,981	3,611	12,592
Unspecified	422	217	639	5,290	1,275	6,565	5,712	1,492	7,204
Frand Total	67,628	71,852	139,480	261,878	204,455	466,333	329,506	276,307	605,813

Table No. V.

Showing the Occupations of the Population of Queensland as Returned at the Census of 1911.

Classi	fication.	Occupation			Description
rder.	Sub. Order.	Description.	Males.	Females.	Persons.
1 2		Class I.—Professional. Government, Defence, and Law Religion, Charity, Health, Education, &c	3,823 7,580	251 5,999	4,074 13,579
		Total Class I	11,403	6,250	17,653
3	$\frac{1}{2}$	Class II.—Domestic. Board and Lodging Domestic Service and Attendance	3,599 2,755	6,314 13,902	9,913 16,657
		Total Class II	6,354	20,216	26,570
4 5 6 7 8 9 10 11 12 13		Clas III.—Commercial. Dealing in Property and Finance Dealing in Art and Mechanic Productions Dealing in Textile Fabrics Dealing in Foods, Drinks, Narcotics, Stimulants Dealing in Animals, Animal and Vegetable Substances Dealing in Fuel and Light Dealing in Metals and Other Minerals General and Undefined Merchants and Dealers Speculators on Chance Events Engaged in Storage	4,078 1,928 2,957 8,640 2,093 752 1,067 7,244 104 42	636 547 1,814 962 110 13 61 1,505 9	4,714 2,475 4,771 9,602 2,203 765 1,128 8,749 113 44
		Total Class III.	28,905	5,659	34,564
14	1 2 3 4 and 5	Class IV.—Transport and Communication. Engaged in Railway Traffic Engaged in Traffic on Roads Engaged in Traffic on Seas and Rivers Engaged in Postal, Telegraph, and Telephone Service Messengers, &c.	8,215 5,955 5,963 2,311 77	$ \begin{array}{r} 307 \\ 25 \\ 51 \\ 237 \\ 1 \end{array} $	8,522 5,980 6,014 2,548 78
		Total Class IV	22,521	621	23,142
15 16 17 18 19 20 21 22 23		Class V.—Industrial. Working in Art and Mechanic Productions Working in Textile Fabrics Working in Foods, Drinks, Narcotics, and Stimulants Working in Animal and Vegetable Substances Working in Metals and Other Minerals Working in Fuel, Light, and Other Forms of Energy Engaged in Construction of Buildings, Roads, Railways Engaged in Disposal of the Dead or Refuse Engaged in Undefined Industrial Pursuits	11,889 3,287 9,953 1,760 5,290 637 14,088 797 9,248	687 9,939 507 9 34 12 22 6 97	12,576 13,226 10,460 1,769 5,324 649 14,110 803 9,345
		Total Class V	56,949	11,313	68,262
24	1 2 3 4 5 6 7	Class VI.—Primary Producers. Engaged in Agricultural Pursuits Engaged in Pastoral Pursuits Engaged in Capture, &c., of Wild Animals and Produce. Engaged in Fisheries Engaged in Forestry Engaged in Water Conservation and Supply Engaged in Mining and Quarrying	38,695 33,634 819 1,631 4,708 1,287 17,947	1,091 2,065 6 3 1 4 13	39,786 35,699 825 1,634 4,709 1,291 17,960
		Total Class VI	98,721	3,183	101,904
25	• •	Class VII.—Independent	2,027	731	2,758
		Total Breadwinners	226,880	47,973	274,853
26 27 	1 2	Class VIII.—Dependents. Dependents on Natural Guardians Supported by Voluntary on State Contributions Criminal Class (under Legal Detention)	98,010 302 47	227,193 509 9	325,203 813 50
		Total Class VIII	98,359	227,711	326,070
		Unspecified	4,267	623	4,890
		Grand Total	329,506	276,307	605,813

Price, 2s.]